- .> 1 District 1 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St. Francis Dr , Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

# Jole

# Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

	ndividual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of li-	ability should operations result in pollution of surface water, ground water or the
Operator: Energen Resources Corporation	ply with any other applicable governmental authority's rules, regulations or ordinances.  OGRID #: 162928
Address: 2010 Afton Place, Farmington, New Mexico 87401	
D'-1	OIL CONS. DIV.
API Number: 30.045.0(002)	
U/L or Qtr/Qtr _P Section 11 Township 27N Range	
	Longitude 108.18222° W NAD: □1927 ⊠ 1983
Surface Owner:  Federal  State  Private  Tribal Trust or Indian	
Pit: Subsection F or G of 19.15.17.11 NMAC	☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC
Temporary:  Drilling  Workover	☐ Drying Pad ☐ Tanks ☐ Haul-off Bins ☐ Other
Permanent Emergency Cavitation	Lined Unlined
Lined Unlined	Liner type: Thicknessmil
Liner type: Thicknessmil	☐ Other
Other String-Reinforced	Seams: Welded Factory Other
Seams: Welded Factory Other	Volume: 400 bbl yd³
Volume:bbl Dimensions: L x W x D	Dimensions: Height 20 ft x Diameter 12 ft
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC
Volume:bbl	☐ Chain link, six feet in height, two strands of barbed wire at top
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and
Tank Construction material:	four feet
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other
☐ Visible sidewalls and liner	Monthly inspections
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC
Other	12'x24', 2' lettering, providing Operator's name, site location, and
Liner type: Thicknessmil  HDPE PVC	emergency telephone numbers
Other	⊠ Signed in compliance with 19.15.3.103 NMAC
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.
of approval.	Please check a box if one or more of the following is requested, if not leave
submitted to the Santa Fe Environmental Bureau office for consideration of approval.  RECEIVED  RECEIVED	blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
horn C-144	Program Division Page 1 of 5

Page 1 of 5

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the t - NM Office of the State Engineer - iWATERS data	emporary pit, permanent pit, or below-grade tank. base search; USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification)	200 feet of any other watercourse, lakebed, sinkhole, or playa lake of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospit (Applies to temporary, emergency, or cavitation pits and be - Visual inspection (certification) of the proposed sit	tal, institution, or church in existence at the time of initial application in the content of th	on. Yes No	
Within 1000 feet from a permanent residence, school, hosp (Applies to permanent pits)  - Visual inspection (certification) of the proposed sit	ital, institution, or church in existence at the time of initial applicate; Aerial photo; Satellite image	tion. Yes No	
watering purposes, or within 1000 horizontal feet of any of	er well or spring that less than five households use for domestic or sher fresh water well or spring, in existence at the time of initial apposes search; Visual inspection (certification) of the proposed site	stock Yes No Plication.	
adopted pursuant to NMSA 1978, Section 3-27-3, as amend	ned municipal fresh water well field covered under a municipal ord ded. cipality; Written approval obtained from the municipality	linance Yes No	
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map;	Topographic map; Visual inspection (certification) of the proposed	☐ Yes ☐ No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the	ne NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area Engineering measures incorporated into the design; Society; Topographic map	NM Bureau of Geology & Mineral Resources; USGS; NM Geolog	gical Yes No	
Within a 100-year floodplain FEMA map		☐ Yes ☐ No	
I-orm C-144	Oil Conservation Division	Page 2 of 5	

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are			
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API Number: or Permit Number:			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API Number:			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Proposed Closure: 19.15.17.13 NMAC  Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ Permanent Pit ☐ Below-grade Tank ☒ Closed-loop System ☐ Alternative			
Proposed Closure Method: Waste Excavation and Removal On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable			
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map			
Within a 100-year floodplain FEMA map	☐ Yes ☐ No		
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please in or facilities for the disposal of liquids, drilling fluids and drill cuttings.	dentify the facility		
Disposal Facility Name: Envirotech, Agua Moss Pretty Lady #1 Disposal Facility Permit Number: NM 01-0011, 30-048	-30922		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan	ı. Please indicate,		
by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	be achieved)		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Operator Application Certification:		
I hereby certify that the information submitted with this application is	s true, accurate and complete to	the best of my knowledge and belief.
Name (Print): Kirt Snyder	Title:	District Engineer
Signature:	Date:	7/2/2003
e-mail address; ksnyder@energen.com	Telephone:	505-324-4142
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	My 10/05/2011
OCD Representative Signature: Branch bell	Const 12 PC	Approval Date: 7/3/08
Title: <u>EnvirolSpec</u>	OCD Remit Num	e Office(
Closure Report (required within 60 days of closure completion):	Subsection K of 19.15.17.13 NI  Closure Con	
Closure Method:   ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ If different from approved plan, please explain.	Alternative Closure Method	1
Closure Report Attachment Checklist: Instructions: Each of the mark in the box, that the documents are attached.    Proof of Closure Notice   Proof of Deed Notice (if applicable)   Plot Plan   Plot		nd to the closure report. Please indicate, by a check  NAD: [1927 ] 1983
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with the belief. I also certify that the closure complies with all applicable closure.		
Name (Print): Kirt Snyder	Title: Dis	trict Engineer
Signature: Mt. Suff	Date:	2/1/2008
e-mail address: Ksnyder Denergen.com	Telephone:	505 325-6900

#### Closed-loop Design Plan:

Our closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations:

- 1) Fencing is not required for an above ground closed-loop system.
- 2) It will be signed in compliance with 19.15.3.103 NMAC.
- 3) A frac tank will be on location to store fresh water.

## Closed-loop Operating and Maintenance Plan:

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain this goal the following steps will be followed:

- 1) The liquids will be vaccumed out and disposed of at the Agua Moss Pretty Lady #1 facility (Disposal API Number 30-048-30922). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM-01-0011) on a periodic basis to prevent over topping.
- 2) No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tank.
- 3) The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately.
- 4) All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

#### Closed-loop Closure Plan:

The closed loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit Number NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Agua Moss Pretty Lady #1 facility (Disposal API number 30-048-30922). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

1625 N. French Dr , Hobbs, NM 88240 District II

1301 W Grand Avenue, Artesia, NM 88210

### State of New Mexico Energy, Minerals & Natural Resources

Revised October 12, 2005

Form C-102

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease - 4 Copies

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Fee Lease - 3 Copies District IV AMENDED REPORT 1220 S. St. Francis Dr , Santa Fe, NM 87505 WELL LOCATION AND ACREAGE DEDICATION PLAT API Number <sup>2</sup> Pool Code <sup>3</sup> Pool Name 30-045-06621 71629 Basin Fruitland Coal <sup>4</sup> Property Code 5 Property Name <sup>6</sup> Well Number 21370 Richardson 70GRID No. <sup>8</sup> Operator Name Elevation 162928 Energen Resources Corporation 5876' <sup>10</sup>Surface Location Range UL or lot no Section Township Lot. 1dn Feet from the North/South line Feet from the East/West line County 27N 13W 890 South 990 East San Juan Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Feet from the North/South line Feet from the East/West line RCVD JUN 6'08 DIE CONS. DIV. 12 Dedicated Acres 13 Joint or Infill 14 Consolidation Code 15 Order No. 320 DIST. 3

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A

		ARD UNIT HAS BEEL		
16				17OPERATOR CERTIFICATION
	ı			I hereby certify that the information contained herein is true and
				complete to the best of my knowledge and belief, and that this
			•	organization either owns a working interest or unleased mineral
				interest in the land including the proposed bottom hale location
				or has a right to drill this well at this location pursuant to a
'				contract with an owner of such a mineral or working interest, or
				to a voluntary pooling agreement or a compulsory pooling order
				Signature Date  Kirt Smyder
				Prmted Name Energen Resources
	·			District Engineer
				18 SURVEYOR CERTIFICATION  1 hereby certify that the well location shown on this plat
				was plotted from field notes of actual surveys made by
				me or under my supervision, and that the same is true
			•	and correct to the best of my belief
				• • • • • • • • • • • • • • • • • • • •
				_7/30/1963
				Date of Survey
,				Signature and Seal of Professional Surveyer
			990ft	
			870 (t	James P. Leese
			80	1463
				Certificate Number