District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio-Brazos Road, Aztec, NM 87410 District IV 1220 S. St Francis Dr , Santa Fe, NM 87505

.

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

SUTT Pit, Closed-Loop System, Below-Grade Tank, or			
Proposed Alternative Method Permit or Closure Plan Application			
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,			
below-grade tank, or proposed alternative method			
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the			
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.			
I. Operator: Energen Resources OGRID #: 162928			
Address: 2010 Afton Place, Farmington, New Mexico 87401			
Facility or well name: Federal 30-9-35 #1			
API Number: 3004528171 OCD Permit Number:			
U/L or Qtr/QtrBSection35Township30NRange09WCounty:San Juan			
Center of Proposed Design: Latitude <u>36.77196</u> Longitude <u>-107.74741</u> NAD: 1927 🛛 1983			
Surface Owner: 🗌 Federal 🛛 State 🔲 Private 🗍 Tribal Trust or Indian Allotment			
2.			
<u>Pit</u>: Subsection F or G of 19.15.17.11 NMAC			
Temporary. 🔲 Drilling 🗍 Workover			
Permanent Emergency Cavitation P&A			
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other			
String-Reinforced			
Liner Seams: 🗋 Welded 🗋 Factory 🗋 Other Volume:bbl Dimensions. Lx Wx D			
3			
Closed-loop System: Subsection H of 19.15.17 11 NMAC			
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)			
Drying Pad D Above Ground Steel Tanks Haul-off Bins Other			
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other			
Liner Seams: Welded Factory Other			
Image: Subsection I of 19 15 17.11 NMAC Image: Subsection I of 19 15 17.11 NMAC Volume:			
Volume:bbl Type of fluid:Produced Water			
Tank Construction material:			
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off			
Visible sidewalls and liner X Visible sidewalls only Other			
Liner type Thickness mil [] HDPE [] PVC [] Other			
5.			
Alternative Method:			
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other_

10.

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	_ Yes _ No
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No ☐ NA
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No ☐ NA
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality, Written approval obtained from the municipality 	🗌 Yes 🗌 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
 Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC 		
and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:		
12. <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are		
 attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 		
Previously Approved Design (attach copy of design) API Number:		
Previously Approved Operating and Maintenance Plan API Number (Applies only to closed-loop system that use		
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Disarce or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Errosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type. Drilling Workover Emergency Cavitation P&A Permanent Pit X Below-grade Tank Closed-loop System Alternative Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Internative		
 ^{15.} Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 		

,

٠

^{16.} Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluid facilities are required.		
Disposal Facility Name: Disposal Facility Permit Number:		
	Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specifications based upon the appropriate requirement Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.1 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.	7.13 NMAC	2
^{17.} Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan provided below. Requests regarding changes to certain siting criteria may require administr considered an exception which must be submitted to the Santa Fe Environmental Bureau off demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance	ative approval from the appropriate dist fice for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained fi	rom nearby wells	□ Yes □ No □ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained fi	rom nearby wells	□ Yes □ No □ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained fi	rom nearby wells	□ Yes □ No □ NA
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant wat lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	ercourse or lakebed, sinkhole, or playa	🗌 Yes 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	e at the time of initial application.	🗌 Yes 🗌 No
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five h watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in exit NM Office of the State Engineer - iWATERS database; Visual inspection (certification) 	istence at the time of initial application.	🗌 Yes 🗌 No
 Within incorporated municipal boundaries or within a defined municipal fresh water well field adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained 	-	🗌 Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection 	n (certification) of the proposed site	🗋 Yes 🗌 No
 Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Minera 	al Division	🗌 Yes 🗍 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Society, Topographic map 	Resources; USGS; NM Geological	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map		🗌 Yes 🗌 No
 18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NM. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.15. 	f 19.15.17.10 NMAC F of 19.15.17.13 NMAC equirements of 19.15.17.11 NMAC upon the appropriate requirements of 19. AC f Subsection F of 19.15.17.13 NMAC F of 19.15 17.13 NMAC or in case on-site closure standards cannel 7.13 NMAC	15.17.11 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

٠

•

,

19.			
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.			
Name (Print): Title:	<u></u>		
Signature:	Date:		
e-mail address: Telephone:			
20. <u>OCD Approva</u> l: Permit Application (intring Hosure plan) & Closure Plan OCD Representative Signature. <u>Oneth</u> , Kelly Title: <u>Compliance</u> Officer Of	OCD Conditions (see attachment) Approval Date:/0/5/28// CD Permit Number:		
21. <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K o Instructions: Operators are required to obtain an approved closure plan prior to in The closure report is required to be submitted to the division within 60 days of the c section of the form until an approved closure plan has been obtained and the closure	pplementing any closure activities and submitting the closure report. completion of the closure activities. Please do not complete this re activities have been completed.		
	Closure Completion Date: <u>4/8/10</u>		
22. Closure Method: ⊠ Waste Excavation and Removal On-Site Closure Method ☐ If different from approved plan, please explain.	Closure Method 🔲 Waste Removal (Closed-loop systems only)		
^{23.} Closure Report Regarding Waste Removal Closure For Closed-loop Systems The Instructions: Please indentify the facility or facilities for where the liquids, drilling two facilities were utilized.			
Disposal Facility Name: D	isposal Facility Permit Number:		
Disposal Facility Name: Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in a Yes (If yes, please demonstrate compliance to the items below) INO	areas that will not be used for future service and operations?		
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique			
 ^{24.} <u>Closure Report Attachment Checklist</u>: <i>Instructions: Each of the following items mark in the box, that the documents are attached.</i> Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number No waste disposal necessary. Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude 			
25			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure repor- belief. I also certify that the closure complies with all applicable closure requirements	rt is true, accurate and complete to the best of my knowledge and s and conditions specified in the approved closure plan.		
Name (Print):Ed Hasely	Title: Sr. Environmental Engineer .		
Signature: £1145et	Date: 4/12/10		
e-mail address: ed.hasely@energen.com	Telephone:(505) 324-4131		

. ,

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES Federal 30-9-35 #1

<u>CLOSURE STEPS:</u> (Closure Report information is in **bold**)

(1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank. Attached

(2) Notify the Aztec OCD office (Brandon Powell - 334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

,

.

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility. No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner. Tank removed.

(5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
 - Collect, at a minimum, a five point, composite sample; Composite sample was collected.
 - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release;

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	ND
TPH (418.1)	100	24.7
Chlorides	250	5

(7) IF the soil analyses show that the soils meet the concentrations specified in (6) above, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC. Not applicable.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval. Not applicable.

FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

RECLAMATION:

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

(A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.

(B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

(C) Repeat seeding or planting until it successfully achieves the required vegetative cover.

(D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.

(E) Notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.



1

. .

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

.

Client:	Energen	Project #:	03022-0001
Sample ID:	BGT	Date Reported:	04-07-10
Laboratory Number:	53568	Date Sampled:	04-05-10
Chain of Custody No:	8978	Date Received:	04-05-10
Sample Matrix:	Soil	Date Extracted:	04-05-10
Preservative:	Cool	Date Analyzed:	04-06-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Federal 30-9-35#1

Analyst

Mistine m Wae Les Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



۰<u>-</u> ,

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #:	03022-0001
Sample ID:	BGT	Date Reported:	04-07-10
Laboratory Number:	53568	Date Sampled:	04-05-10
Chain of Custody:	8978	Date Received:	04-05-10
Sample Matrix:	Soil	Date Analyzed:	04-06-10
Preservative:	Cool	Date Extracted:	04-05-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	93.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Federal 30-9-35#1

Analyst

Mistine Mulaeles



2

۰.

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen	Project #:	03022-0001
Sample ID:	BGT	Date Reported:	04-07-10
Laboratory Number:	53568	Date Sampled:	04-05-10
Chain of Custody No:	8978	Date Received:	04-05-10
Sample Matrix:	Soil	Date Extracted:	04-06-10
Preservative:	Cool	Date Analyzed:	04-06-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons	24.7	12.3
------------------------------	------	------

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Federal 30-9-35 #1

Analyst

<u>Aristine nuceteus</u> Review _____

Total Chloride

Chloride

5

Parameter		Concentration (mg	(Kg)
Deveneter		Or a such station (as a	
Condition:	Intact	Chain of Custody:	8978
Preservative:	Cool	Date Analyzed:	04-06-10
Sample Matrix:	Soil	Date Received:	04-05-10
Lab ID#:	53568	Date Sampled:	04-05-10
Sample ID:	BGT .	Date Reported:	04-06-10
Client:	Energen	Project #:	03022-0001

Reference:

· · ·,

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Federal 30-9-35 #1

randa Jutu Analyst

Mistine m Wellen Review

Ed Hasely

• •

From:	Ed Hasely
Sent:	Wednesday, March 31, 2010 8:12 AM
То:	'Powell, Brandon, EMNRD'
Cc:	Nathan Smith
Subject:	BGT Closure Notifications

Brandon – This email is to notify you that Energen plans to close the BGT's on the following locations in the near future:

Federal 29-10-1 #2	-	Unit Letter L, Sec 1 – T29N – R10W
Federal 30-9-35 #1	-	Unit Letter B, Sec 35 – T30N – R9W

Let me know if you have any questions.

Ed Hasely Energen Resources Corporation Sr. Environmental Engineer

Sr. Environmental Engineer ed.hasely@energen.com Office: (505) 324-4131 Cell: (505) 330-3584

.



February 22, 2010

Bureau of Land Management 1235 La Plata Highway Farmington, New Mexico 87401 Attn: Mr. Jim Lavoto

Re: Below Grade Tank Closure Federal 30-9-35 #1 Federal 29-10-1 #2

Dear Mr. Lavoto:

Energen Resources plans to close below grade tanks located on the subject locations. You are on record as the surface owner where these tanks are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The Federal 30-9-35 #1 well is located in Unit Letter B, Section 35, Township 30N, Range 9W in San Juan County, New Mexico. The Federal 29-10-1 #2 well is located in Unit Letter L, Section 1, Township 29N, Range 10W in San Juan County, New Mexico.

If there are any questions or concerns, please contact me at 505-324-4131.

Sincerely,

Ed Hasely Sr. Environmental Engineer Energen Resources	 BGT - Ful wells (2) SENDER: COMPLETE THIS SECTION Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailplece, or on the front if space permits. Article Addressed to: Bureen of humb Management 1235 Le Pluth Hury 	COMPLETE THIS SECTION ON DELIVERY A. Signature X B. Received on Printed Narrie) C. Date of Delivery D. s. delivery address different from term 1? Yes If YES, enter delivery address below: No
Cc: Well File Correspondence	Farmington, NM 817401 Attn: Jim Lausto	3. Service Type Ø Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D. 4. Restricted Delivery? (Extra Fee) Yes
Energen Resources Corporation, an En	2. Article Number (Transfer from service label) 7007 1490 PS Form 3811, February 2004 Domestic Ret	

4783	U.S. Postal S CERTIFIED (Domestic Mail O For delivery informe		IAN Noi		R Ineng	90	ove	rege	Pov)
7	NER	Ĩ.	100	Į.	A	3		NN	C	గును. క్రించు	
<u></u>		č	S	-11	and the second s	<u>Úm</u>	<u></u>	See.	~~?	hing	<u> </u>
59.5	Postage	\$									Ŋ
	Certified Fee										
0000	Return Receipt Fee (Endorsement Required)							ا ،	Postma Here	rk	1
	Restricted Delivery Fee (Endorsement Required)										
1490	Total Postage & Fees	\$									
r	Sent To										
7007	Street, Apt. No.; or PO Box No.										
_	City, State, ZIP+4										
	PS Form 3800 August 2	006	e al qu				Se	e)Reve	nse lo	linstr	uctions

ED. 30-9-35 #1 SF 078139

1120' FNL 198' FEL SEC. 35 T-30-N R-9-W SAN JUAN COUNTY, NEW MEXICO

IL

State of New Mexico Energy Minerals and Natural Resources Oil Conservation Division

Form C-141 Revised October 10, 2003

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Lease No.

Release Notification and Corrective Action

OPERATOR	Initial Report	🖾 Final Report
Contact: Ed Hasely		
Telephone No: 505-324-4131		
Facility Type: Oil/Gas Well Site		
	Contact: Ed Hasely Telephone No: 505-324-4131	Contact: Ed Hasely

Surface Owner: Federal Minera

Mineral Owner: Federal

LOCATION OF RELEASE

	EUCATION OF RELEASE								
	Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
Ĺ	В	35	30N	9W	1120	North	1980	East	San Juan

Latitude____36.77196_____L

Longitude__-107.74741

NATURE OF RELEASE

Type of Release: NO RELEASE	Volume of Release: Volume Recovered:				
Source of Release:	Date and Hour of Occurrence:	Date and Hour of Discovery:			
Was Immediate Notice Given?	ired If YES, To Whom?				
By Whom? Date and Hour:					
Was a Watercourse Reached?	If YES, Volume Impacting the Watercourse.				
If a Watercourse was Impacted, Describe Fully.*					
		Vatercourse. PATERCEIVED RECEIVED OCT (2011) OIL CONS. DIV. DIST. 3			
Describe Cause of Problem and Remedial Action Taken.*		18703153535 ⁸ 3			
THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN. THIS	FORM IS FILLED OUT ONLY TO				
Describe Area Affected and Cleanup Action Taken.*					
I hereby certify that the information given above is true and complete to the regulations all operators are required to report and/or file certain release no public health or the environment. The acceptance of a C-141 report by the should their operations have failed to adequately investigate and remediate or the environment. In addition, NMOCD acceptance of a C-141 report do federal, state, or local laws and/or regulations.	otifications and perform corrective ac NMOCD marked as "Final Report" contamination that pose a threat to g	ctions for releases which may endanger does not relieve the operator of liability ground water, surface water, human health			
Signature & Harm					
Printed Name Ed Hasely	Approved by District Supervisor:				
Title: Sr. Environmental Engineer	Approval Date. Expiration Date				
E-mail Address [,] ed.hasely@energen.com	Conditions of Approval:	Attached			
Date: 1/7/11 Phone: 505-324-4131 / 505-330-3584(cell)					

* Attach Additional Sheets If Necessary