## State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008

Form C-144 CLEZ

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

# Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose 40 implement waste removal for closure)

Permit Closure Type of action:

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water ground water or the

environment. Nor does approval relieve the operator of its r					
Operator: Energen Resources		OGRID #:16298			
Address2010 Afton Place, Farmington, NM 87401				ከለዘክ ሮሮው ወ ነሱው	
Facility or well name:Quintana Mesa Com 100					
API Number: _30-039-24454				RIOT O	
U/L or Qtr/QtrKSection28					
Center of Proposed Design: Latitude _36.94834					
Surface Owner: 🔀 Federal 🗌 State 🔲 Private 🔲 Tribal Trust or Indian Allotment					
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Operation:   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   P&A     Above Ground Steel Tanks or   Haul-off Bins					
Signs: Subsection C of 19.15 17.11 NMAC				RCVD JUN 18'09	
12"x 24", 2" lettering, providing Operator's name, s	ate location, and emergency teleph	one numbers		OIL CONS. DIV.	
Girand in compliance with 10.15.3.103 NMAC			01E CONS. DIV.		
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design) API Number:  Previously Approved Operating and Maintenance Plan API Number:					
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.					
Disposal Facility Name: _Envirotech		al Facility Peri	mıt Number	:_NM-01-0011	
Disposal Facility Namé: _Carracas SWD #1		=		: _API 30-039-24278	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below) No					
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
6. Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print): A Justin M. Stolworthy		Title: _Distric			
Signature.		Date.	-3-0	χ	
e-mail address:_jstolwor@energen com		Telephone: 5	05-325-680	0	

OCD Approval: Permit Application (including closure plan) Closure Plan	HT KOLLY				
OCD Representative Signature: 3386 3 386	Approval Date: 10-10-08				
Title: Envirolspa	OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  [Flow back Tak] With began 6/1/2009  Closure Completion Date: 6/5/2009					
9.					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, drill					
two facilities were utilized.	-				
Disposal Facility Name: Carrylus SWD#	Disposal Facility Permit Number: 4PI # 30-039-24278				
Disposal Facility Name:	Disposal Facility Permit Number:				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) No					
Required for impacted areas which will not be used for future service and operation  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	ns·				
10. Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and					
belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print): Patricia W. Souche & Title: District Englacer					
Signature: Not In Williams	Date: 6/14/2009				
e-mail address: Psanoheze energon. Com	Telephone: 505-325-6800				

### **Closed-loop Design Plan:**

• • • • • • •

Our closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1) Fencing is not required for an above ground closed-loop system.
- 2) It will be signed in compliance with 19.15.3.103 NMAC.
- 3) A frac tank will be on location to store fresh water.

#### **Closed-loop Operating and Maintenance Plan:**

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain this goal the following steps will be followed:

- The liquids will be vacuumed out and disposed of at the Carracas SWD #1 facility (Disposal API Number 30-039-24278). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM-01-0011) on a periodic basis to prevent over topping.
- 2) No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tank.
- 3) The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately.
- 4) All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

#### Closed-loop Closure Plan:

The closed loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludge to Envirotech (Permit Number NM-01-0011) following rig operations. All remaining liquids will be transported and disposed of in the Carracas SWD #1 facility (Disposal API Number 30-039-24278). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.