District I 1525 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

2	B	4
6	\mathcal{C}	- 1

RCVD JUL 23 'OB Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application CONS. DIV.

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method		
	dividual pit, closed-loop system, below-grade tank or alternative request	
Please be advised that approval of this request does not relieve the operator of lia environment. Nor does approval relieve the operator of its responsibility to com-	ibility should operations result in pollution of surface water, ground water or the ply with any other applicable governmental authority's rules, regulations or ordinances	
Operator. Running Horse Production Company	OGRID#. <u>217680</u>	
Address 14933 Hwy 172 Ignacio, CO 81137		
Facility or well name Nassau Texaco 11-1		
API Number <u>30-045-28367</u>	OCD Permit Number	
U/L or Qtr/Qtr 1180' FNL 1280' FEL Section 11 Townsh	ıp <u>26N</u> Range <u>12W</u> County <u>San Juan</u>	
Center of Proposed Design Latitude	Longitude NAD	
Surface Owner S Federal State Private Tribal Trust or Indian	Allotment	
Pit: Subsection F or G of 19 15 17 11 NMAC	Closed-loop System: Subsection H of 19.15 17.11 NMAC	
Temporary: Drilling Workover	☐ Drying Pad ☐ Tanks ☐ Haul-off Bins ☐ Other _Plug & Abandon	
☐ Permanent ☐ Emergency ☐ Cavitation ☐ Steel Pit	☐ Lined ☐ Unlined	
Lined Unlined	Liner type: Thicknessmil	
Liner type Thicknessmil	☐ Other	
Other String-Reinforced	Seams. Welded Factory Other	
Seams	Volumebblyd³	
Volume bbl Dimensions. L x W x D	Dimensions: Length 20' x Width 10'	
Below-grade tank: Subsection I of 19.15.17 11 NMAC	Fencing: Subsection D of 19 15 17 11 NMAC	
Volumebbl	Chain link, six feet in height, two strands of barbed wire at top	
Type of fluid	Four foot height, four strands of barbed wire evenly spaced between one and	
Tank Construction material	four feet	
☐ Secondary containment with leak detection	Netting: Subsection E of 19 15 17 11 NMAC	
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other	
☐ Visible sidewalls and liner	☐ Monthly inspections	
☐ Visible sidewalls only	Signs: Subsection C of 19 15 17 11 NMAC	
Other	12'x24', 2' lettering, providing Operator's name, site location, and	
Liner type Thicknessmil HDPE PVC	emergency telephone numbers	
Other	Signed in compliance with 19.15 3 103 NMAC	
Alternative Method:	Administrative Approvals and Exceptions:	
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance.	
of approval	Please check a box if one or more of the following is requested, if not leave	
	blank: Administrative approval(s) Requests must be submitted to the	
	appropriate division district or the Santa Fe Environmental Bureau office for	
	consideration of approval Secontion(s) Requests must be submitted to the Santa Fe	

Environmental Bureau office for consideration of approval

Page 1 of 4

Siting Criteria (regarding permitting): 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Yes ☐ No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
 Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map 	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map	Yes No		
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17 9 1			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached.	ocuments are		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17.13 NMAC			
Previously Approved Design (attach copy of design) API Number or Permit Number:			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of			
☐ Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC NMAC			
Previously Approved Design (attach copy of design) API Number			

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are				
nstructions: Euch of the following tiems must be utilicited to the application. Flease indicate, by a check mark in the box, that the do gtached.	cuments are			
☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15 17 9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC ☐ Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
 Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan 				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Proposed Closure: 19 15 17.13 NMAC				
Type 🔲 Drilling 🗌 Workover 🔲 Emergency 🔲 Cavitation 🔲 Permanent Pit 🔲 Below-grade Tank 🔯 Closed-loop System 🗀	Alternative			
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for cor	nsideration)			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable ource material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Ground water is more than 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa ake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No			
Vithin 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock vatering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No			
Vithin incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance dopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No			
Vithin 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Vithin the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
Vithin an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	☐ Yes ☐ No			
Vithin a 100-year floodplain	☐ Yes ☐ No			

Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. → □ Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC				
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: or facilities for the disposal of liquids, drilling fluids and drill cuttings.				
		Permit Number. NM 01-0011		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC				
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and	d complete to	the best of my knowledge and belief		
Name (Print): Andrew Young	Title.	EHS Manager		
Signature	_ Date	July 17, 2008		
e-mail address anyoung@rwpc us		970-563-5192		
OCD Approval: Permit Application (including closure plan) Closure Plan (or				
OCD Representative Signature: Boll Sell Verboal given	\	Approval Date: 9/2/08		
Title: Envirolspec OCI) Permit Nun	nber:		
Closure Report (required within 60 days of closure completion): Subsection K of I				
Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative C ☐ If different from approved plan, please explain	losure Method	d		
Closure Report Attachment Checklist: Instructions: Each of the following items m mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude	ust be attache			
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is belief. I also certify that the closure complies with all applicable closure requirements a				
Name (Print):				
Signature.	_ Date			
c-mail address:	Telephone			