State of New Mexico Energy Minerals and Natural Resources

Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

_	_		_
	•	_	C -
_	١.		~
•	•		
	•		
$\overline{}$			

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
-	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator Burlington Resources Oil & Gas Company, LP	OGRID#· 14538
Address P.O. Box 4289, Farmington, NM 87499	
Facility or well name SAN JUAN 28-6 UNIT 169P	
API Number 30-039-30626 OCD Permit Number	er
U/L or Qtr/Qtr: N(SE/SW) Section 2 Township 27N Range:	6W County: Rio Arriba
Center of Proposed Design Latitude. <u>36.59688</u> °N Longitude:	107.43692 °W NAD: ☐ 1927 X 1983·
Surface Owner: Federal X State Private Tribal Trust or India	n Allotment
X String-Reinforced	HDPE PVC Other
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation	HDPE PVD Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and auto Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other	E CONS. DIV. DIST. 3
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environi	mental Bureau office for consideration of approval



Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Peticing. Subsection by 61 19 19 17 11 MMINE (Appries to permanent pit, temporary pits, and below grade tanks)		ĺ
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	titution or chui	rch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		}
Alternate Please specify		
7		
Notting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		ĺ
Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		1
8 Signs: Subsection C of 19 15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions:		J
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		,
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	uderation of an	unroyal
(Fencing/BGT Liner)	ideration of ap	piovai
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
10		
Siting Criteria (regarding permitting) 19 15 17 10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	}	ł
consideration of approval. Applicant must attach justification for request. Please refer to 19.15 17 10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	Yes	□No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No
(measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site		
		г¬.,
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)	∏ÑA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		_
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No
- NM Office of the State Engineer - IWATERS database search, Visual inspection (certification) of the proposed site	}	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	□No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	Yes	No
Society, Topographic map Within a 100-year floodplain	Yes	□No
- FEMA map		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization Monitoring and Inspection Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)						
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required)					
Disposal Facility Name Disposal Facility Permit #						
Disposal Facility Name Disposal Facility Permit #	1					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future Yes (If yes, please provide the information No	service and					
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NM. Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	AC					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each sting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance						
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby wells	Yes No					
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No					
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby wells	N/A					
Ground water is more than 100 feet below the bottom of the buried waste	☐Yes ☐No					
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No					
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site. Aerial photo, satellite image	Yes No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	Yes No					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No					
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes No					
Within the area overlying a subsurface mine	Yes No					
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division						
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	YesNo 					
Within a 100-year floodplain - FEMA map	Yes No					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC						
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of	f 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAG						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC	connot be achieved					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						

19
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
e-inan auditess
OCD Approval: Permit Application (including closufe plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: September 17, 2009
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized Disposal Facility Permit Number Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions. Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached
X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location Latitude 36.59704 °N Longitude 107.43701 °W NAD 1927 X 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Crystal Tafoya Title Regulatory Tech
Signature Instal Talona Date 2/8/2010
e-mail address crystal tafoya@conocophillips com Telephone 505-326-9837

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 28-6 UNIT 169P

API No.: 30-039-30626

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17) While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via permit submittal. (See Attached)(Well located on State Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	33.2 ug/kG
TPH	EPA SW-846 418.1	2500	199 mg/kg
GRO/DRO	EPA SW-846 8015M	500	13.6 mg/Kg
Chlorides	EPA 300.1	1000/300	55 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13 i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 will be accomplished with the following seeding regiment and the OCD will be notified of the seeding date by the submission of a C103:

Туре	Variety or Cultivator	PLS/A
Western wheatgrass	Arrıba	3 0
Indian ricegrass	Paloma or Rimrock	3 0
Slender wheatgrass	San Luis	20
Crested wheatgrass	Hy-crest	3 0
Bottlebrush Squirreltail	Unknown	2 0
Four-wing Saltbrush	Delar	25

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 will be accomplished with the above seeding regiment. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. The OCD will be notified once two successive growing seasons have been accomplished by submitting a C-103.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, State, SAN JUAN 28-6 UNIT 169P, UL-N, Sec. 2, T 27N, R 6W, API # 30-039-30626

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 V. Grand Avenue, Artesia; N.M. 88210

DISTRICT III.
1000 Bio Brezos Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

■ AMENDED REPORT

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT


API Number	*Pool Code	Pool Name BAŞIN DAKOTA/BLANCO MESAVER		
⁴ Property Code	•	erty Name N 28—6 UNIT	^c Well Number 169 P	
*OGRID No.		ator Name S OIL & GAS COMPANY LP	^e Elevation .6669	

¹⁰ Surface Location North/South line East/West line UL or lot no. Section Township Lot Idn Feet from the Feet from the Range County SOUTH N 2 27N **6W** 368 2449' RIO ARRIBA

11 Bottom Hole Location If Different From Surface

		_							
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
]				ŀ	j				
²⁸ Dédicated Acré DK-320.00 MV-320.10	· Acrés —	(S/2)	B Joint or	lòfili'	¹⁴ Consolidation (code	¹⁸ Order No.	,	•
	_		1				1		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED



LATITUDE: 36.59688°N LONGITUDE: 107.43692°W DATUM: NAD 83

SLOPES TO BE CONSTRUCTED TO MATCH THE ORIGINAL CONTOURS AS CLOSE AS POSSIBLE.

BURLINGTON RESOURCES 0&G CO LP


SAN JUAN 28-6 UNIT #169 P 368' FSL & 2449' FWL


LOCATED IN THE SE/4 SW/4 OF SECTION 2,

T27N, R6W, N.M.P.M.,

RIO ARRIBA COUNTY, NEW MEXICO GROUND ELEVATION: 6669', NAVD 88

GROUND ELEVATION: 6669', NAVD 88 FINISHED RAD ELEVATION: 6667.3', NAVD 88





330' x 400' = 3.03 ACRES OF DISTURBANCE

SCALE: 1" = 60' JOB No.: COPC156 DATE: 04/01/08 NOTE:
RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).
RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.
CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR
CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR
TO CONSTRUCTION.



Russell Surveying 1409 W. Aztec Bivd. #2 Aztec, New Mexico 87410 (505) 334-8637



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Pit	Date Reported	08-07-09
Laboratory Number	51081	Date Sampled	08-03-09
Chain of Custody No.	7578	Date Received	08-04-09
Sample Matrix	Soil	Date Extracted	08-05-09
Preservative	Cool	Date Analyzed	08-06-09
Condition	Intact	Analysis Requested.	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	13.6	0.1
Total Petroleum Hydrocarbons	13.6	0.2

ND - Parameter not detected at the stated detection limit.

References

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996

Comments:

SJ 28-6 Unit 169P

Analyst



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client	QA/QC	Project #	N/A
Sample ID	08-06-09 QA/QC	Date Reported	08-07-09
Laboratory Number	51068	Date Sampled	N/A
Sample Matrix	Methylene Chloride	Date Received	N/A
Preservative	N/A	Date Analyzed	08-06-09
Condition	N/A	Analysis Requested	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	1 0435E+003	1 0439E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1 0624E+003	1 0628E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	80.4	79.9	0.6%	0 - 30%
Diesel Range C10 - C28	832	827	0.6%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	80.4	250	332	101%	75 - 125%
Diesel Range C10 - C28	832	250	1,100	102%	75 - 125%

ND - Parameter not detected at the stated detection limit

References

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996

Comments

QA/QC for Samples 51068 - 51075 and 51080 - 51081.

Analyst V

Mustre m Walter Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Pit	Date Reported	08-07-09
Laboratory Number	51081	Date Sampled [.]	08-03-09
Chain of Custody	7578	Date Received	08-04-09
Sample Matrix.	Soil	Date Analyzed	08-06-09
Preservative	Cool	Date Extracted	08-05-09
Condition	Intact	Analysis Requested.	BTEX

		Det.	
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	ND	0.9	
Toluene	6.3	1.0	
Ethylbenzene	2.0	1.0	
p,m-Xylene	17.2	1.2	
o-Xylene	7.7	0.9	
Total BTEX	33.2		

ND - Parameter not detected at the stated detection limit

Surrogate Recoveries [.]	Parameter	Percent Recovery
	Fluorobenzene	96.0 %
	1,4-difluorobenzene	96.0 %
	Bromochlorobenzene	96.0 %

References

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996

Comments:

SJ 28-6 Unit 169P

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	N/A	Project #	N/A
Sample ID	08-08-BT QA/QC	Date Reported	08-07-09
Laboratory Number	51068	Date Sampled	N/A
Sample Matrix	Soil	Date Received	N/A
Preservative	N/A	Date Analyzed	08-06-09
Condition	N/A	Analysis	BTEX

Calibration and Detection Limits (ug/L)	I-Cat RF:	© Cal RF: Accept: Rang	%Diff. je 0 - 15%	Blank Conc	Detect, Limit
Benzene	4 1514E+006	4 1597E+006	0.2%	ND	0.1
Toluene	3 8098E+006	3 8174E+006	0.2%	ND	0.1
Ethylbenzene	3 3197E+006	3 3264E+006	0.2%	ND	0.1
p,m-Xylene	8 5594E+006	8 5766E+006	0.2%	ND	0.1
o-Xylene	3 1771E+006	3 1835E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample Di	uplicate	%Diff.	Accept Range	Detect: Limit
Benzene	10.1	10.3	2.0%	0 - 30%	0.9
Toluene	24.1	25.2	4.6%	0 - 30%	1.0
Ethylbenzene	30.6	31.2	2.0%	0 - 30%	1.0
p,m-Xylene	62.3	63.2	1.4%	0 - 30%	1.2
o-Xylene	135	141	4.2%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	ount Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	10.1	50.0	59.0	98.2%	39 - 150
Toluene	24.1	50.0	72.9	98.4%	46 - 148
Ethylbenzene	30.6	50.0	77.3	95.9%	32 - 160
p,m-Xylene	62.3	100	159	98.0%	46 - 148
o-Xylene	135	50.0	183	98.5%	46 - 148

ND - Parameter not detected at the stated detection limit

References Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments: QA/QC for Samples 51068 - 51070, 51080, 51081, and 51090 - 51094.

Re

Analyst

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client ⁻	ConocoPhillips	Project #:	96052-0026
Sample ID	Pit	Date Reported.	08-07-09
Laboratory Number.	51081	Date Sampled:	08-03-09
Chain of Custody No	7578	Date Received:	08-04-09
Sample Matrix.	Soil	Date Extracted:	08-06-09
Preservative:	Cool	Date Analyzed:	08-06-09
Condition	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

199

11.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No 4551, 1978.

Comments:

SJ 28-6 Unit 169P.

Analyst

Mesthe muceters Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:	QA/QC	Project #:	N/A
Sample ID	QA/QC	Date Reported:	08-07-09
Laboratory Number ⁻	08-06-TPH.QA/QC 51081	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	08-06-09
Preservative	N/A	Date Extracted:	08-06-09
Condition.	N/A	Analysis Needed:	TPH

Calibration (15/15) 19 18/12 of Cal Dâte don 17/16 08-03-09	Ć-ČalfĎate 08-06-09	1,380	C-Cal RF: 1,250	% Difference 9.4%	Accept Range +/- 10%
⊮Blank Conc. (mg/Kg) 💠 🧷 TPH		Concentration ND	enten energi	Detection Limi	it and
Duplicate Conc. (mg/Kg) TPH	3 , , , , , , , , , , , , , , , , , , ,	Sample Sample	Duplicate 232	- % Differénce . 16.7%	Accept Range;
Spike Cońc: (m̃ġ/kg) TPH	Sample 199	Spike Added 2,000	Spike Result	%.Récovery.	Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 51081, 51085, 51095, 51101, 51102, 51106 - 51108 and 51096.

Analyst

Christian Wells
Review



Chloride

Client:	ConocoPhilllips	Project #	96052-0026
Sample ID	Pıt	Date Reported:	08-07-09
Lab ID#·	51081	Date Sampled:	08-03-09
Sample Matrix:	Soil	Date Received:	08-04-09
Preservative:	Cool	Date Analyzed:	08-05-09
Condition:	Intact	Chain of Custody:	7578

Р	arameter		Concentration (mg/Kg)	
•				

Total Chloride 55

Reference: U.S.E.P A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: SJ 28-6 Unit 169P.

nalyst Review Review

Submit To Appropri Two Copies	ate, District	Offic	ce	State of New Mexico Form C-10														
District I 1625 N French Dr.	Hobbs NN	1 882	240	Energy, Minerals and Natural Resources						S	July 17, 2008 1. WELL API NO.							
District II 1301 W Grand Ave	•			Oil Conservation Division							30-039-30626							
District III 1000 Rio Brazos Ro							Conserva 20 South S					2 Type of Lease						
District IV							20 South S Santa Fe, N			71.		3 State Oil &		Lease		FEI	D/INDI	AN
1220 S St Francis	Dr , Santa F	e, NN	M 87505				Sama Pe, 1	NIVI (67303			E-290-37		Bouse				
		ΕT	ION OF	RE	CO	MPL	ETION RE	POF	RT AND	LOG			30%	2000			M _i , F	
4 Reason for file	ng											5 Lease Name SAN JUAN 28	e or t	Jnit Ag	reen	nent Nam	ie	
☐ COMPLETI	ON REPO	ORT	(Fill in bo	xes #1 1	throug	gh #31 :	for State and Fe	e wells	s only)			6 Well Numb						
C-144 CLOS #33, attach this ar	d the plat										and/or	169P		,				
7 Type of Comp		wc	ORKOVER		EEDE	NING	□PLUGBACI	κΠ	DIFFERF	NT RESE	RVOIE	R □ OTHER						
8 Name of Opera	tor				CLIL	.,,,,,,,	DOGDAC	<u>. </u>	Diribids	T KESE	ic (Oil	9 OGRID						
Burlington Resou 10 Address of Or		ias C	Company, L	,P								14538 11 Pool name	or W	ıldcat				
12.Location	Unit Ltr	\top	Section	То	ownsł	hıp	Range	Lot		Feet fro	m the	N/S Line	Fee	t from t	he	E/W Lin	ne	County
Surface:		十											_					
вн:		\top		1														
13 Date Spudded	14 Da	te T	D Reached			ate R _{1g} 9/2009	Released		16	Date Cor	mpleted	(Ready to Prod	uce)			Elevation		and RKB,
18 Total Measure	ed Depth o	f We	ell		_		k Measured De	pth	20	Was Dir	ectiona	al Survey Made?	_	21				ner Logs Run
22 Producing Into	erval(s), of	fthis	completion	n - Top	, Bott	tom, Na	ime		,					<u> </u>				
23						CAS	ING REC	OR	D (Rep	ort all	strin	gs set in we	ell)					
CASING SIZ	ZE		WEIGHT L	B/FT			DEPTH SET			LE SIZE		CEMENTING		CORD	T	AM(I TNUC	PULLED
								-							╁			
								\dashv				 	-		+			 _
SIZE	TOP	_		ВОТТО)M	LIN	ER RECORD SACKS CEM	ENT	SCREE	v v	25 SI			NG RI EPTH :			PACKE	ER SET
	<u> </u>						5.10115 02		OU.LES				1.2					
	LŢ,																	
26 Perforation	record (in	terva	al, size, and	numbe	er)					ID, SHO		ACTURE, CE AMOUNT A						
							•		<i>D D</i>	21 (12)		120001111					-	-
							<u>-</u>	DDA	ODUC	TION								
Date First Produc	tion		Proc	luction	Meth	nod (Flo	owing, gas lift, p		ODUC		mp)	Well Status	(Pro	od or S	hut-i	<u></u>		
	·												<u> </u>					
Date of Test	Hours	Test	ed	Choke	Size		Prod'n For Test Period		Oil - Bb	I	Ga	s - MCF	"	/ater - I	361		Gas - C	ol Ratio
Flow Tubing Press	Casing	Pres	ssure	Calcula Hour R		24-	Oıl - Bbl		Gas	- MCF		Water - Bbl		Oil	Grav	vity - API	- (Cori	r)
29 Disposition of	Disposition of Gas (Sold, used for fuel, vented, etc.) 30 Test Witnessed By																	
31 List Attachme	ents							·····				1						<u> </u>
32 If a temporary	pit was u	sed a	at the well,	attach a	a plat	with th	e location of the	tempo	orary pit									
33 If an on-site b	urial was	used	at the well,	report	the e	xact loc	cation of the on-	site bu	ırial									
1			Latitude 3	- 6 5970	4°N	Lons	gitude 107 4370)1°W	NAD □	1927 🛛 1	983							
I hereby certif		e in	nformatio	n sho	wn o	Prir		•			_	-				-	belief	
Signature E-mail Address	•	K al to	fova@cc	nocci	ر nhilli		-	aroy				, 10011 D		4	0/0	2016		
L-man Addre	os crysta	11.ld	noyawcc	moco	եուու	1ps.00	111											

ConocoPhillips O

Pit Closure Form:		
Date: 9/17/09		
Well Name: 28-6#	169 8	-
Footages:		Unit Letter: N
Section: 2, T-21-	N, R- <u>6</u> -W, County: <u>Q:</u>	Arriba State: N.M.
Contractor Closing Pit:	名 MiM	· ,
Construction Inspector:	Sic Smith	Date: 9/21/09
Inspector Signature:	5-22	· .

Tafoya, Crystal

From:

Silverman, Jason M

Sent:

Tuesday, September 08, 2009 10 43 AM

To:

Stallsmith, Mark R; Mark Kelly, Robert Switzer, Sherrie Landon

Cc:

'michelem45@g com', 'tevans48@msn com', 'BOS', Elmer Perry, Faver Norman (faverconsulting@yahoo com), Jared Chavez; Bassing, Kendal R, Scott Smith, Silverman, Jason M, Smith Eric (sconsulting eric@gmail com), Terry Lowe, Becker, Joey W, Bonilla, Amanda, Bowker, Terry D, Chavez, Virgil E, Gordon Chenault, GRP SJBU Production Leads, Hockett, Christy R; Johnson, Kirk L, Kennedy, Jim R, Lopez, Richard A, Nelson, Terry J, O'Nan, Mike J, Peace, James T, Pierce, Richard M, Poulson, Mark E, Richards, Brian, Smith,

Randall O, Stamets, Steve A, Thacker, LARRY, Work, Jim A, Blair, Maxwell O, Blakley, Mac, Clark, Joni E. Farrell, Juanita R. Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.), Greer, David A, Hines, Derek J (Finney Land Co.), Maxwell, Mary Alice, McWilliams,

Peggy L, Seabolt, Elmo F, Stallsmith, Mark R

Subject:

Reclamation Notice . San Juan 28-6 Unit 169P

Importance: High

Attachments: San Juan 28-6 Unit 169P pdf

M&M TRUCKING will move a tractor to the San Juan 28-6 Unit 169P on Friday . September 11th. 2009, to start the Reclamation Process.

Please contact Eric Smith (608-1387) if you have any questions or need further assistance.

Thanks, Jason Silverman

Burlington Resources Well-Network #: 10223327

Rio Arriba County, NM

San Juan 28-6 UNIT 169P – STATE surface / STATE minerals

Twin: n/a

368' FSL, 2449' FWL SEC. 2 T27N, R06W


Unit Letter 'N'

Lease #: STATE OF NM E-290-37

Latitude: 36° 35 min 48.76800 sec N (NAD 83) Longitude: 107° 26 min 12.91200 sec W (NAD83)

Elevation: 6669' API#: 30-039-30626

Jason Silverman -----Construction Technician ConocoPhillips Company - SJBU Proiects Team P.O. Box 4289 Farmington, NM 87499-4289 505-326-9821 Jason.M.Silverman@ConocoPhillips.com





WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: San Juan 28-6 Unit 169P

API#: 30-039-30626

DATE	INSPECTOR	SAFETY	LOCATION	PICTURES	COMMENTS			
		CHECK	CHECK	TAKEN				
4/6/09	Art Sanchez	Х	Х	X	AWS #673 drilling rig on location.			
6/17/09	Art Sanchez	Х	Х	Х				
8/18/09	Elmer Perry	Х	Х		Sign on location.			

SAN JUAN 28-6 UNIT 169P API# 30-039-30626 PICTURES OF RECLAMATION PERMIT # 5178



