

District I  
1625 N French Dr, Hobbs, NM 88240

District II  
1301 W Grand Ave, Artesia, NM 88210

District III  
1000 Rio Brazos Rd, Aztec, NM 87410

District IV  
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or  
Proposed Alternative Method Permit or Closure Plan Application

5195

- Type of action:
- ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
  - ☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
  - ☐ Modification to an existing permit
  - ☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

**Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request**

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances


1  
Operator: Burlington Resources Oil & Gas Company, LP OGRID# 14538  
Address: P.O. Box 4289, Farmington, NM 87499  
Facility or well name: AZTEC A 100S & AZTEC A 1M  
API Number: 3004534851 & 3004534916 OCD Permit Number \_\_\_\_\_  
U/L or Qtr/Qtr. I(NE/SE) Section 22 Township: 31N Range: 11W County: San Juan  
Center of Proposed Design Latitude: 36.88125 °N Longitude: 107.97245 °W NAD. ☐ 1927 ☒ 1983  
Surface Owner ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotment

2  
☒ **Pit:** Subsection F or G of 19 15 17 11 NMAC  
Temporary ☒ Drilling ☐ Workover  
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A  
☒ Lined ☐ Unlined Liner type Thickness 12 mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_  
☒ String-Reinforced  
Liner Seams ☒ Welded ☒ Factory ☐ Other \_\_\_\_\_ Volume 4400 bbl Dimensions L 65' x W 45' x D 10'

3  
☐ **Closed-loop System:** Subsection H of 19 15 17 11 NMAC  
Type of Operation ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other \_\_\_\_\_  
☐ Lined ☐ Unlined Liner type Thickness \_\_\_\_\_ mil ☐ LLDPE ☐ HDPE ☐ PVD ☐ Other \_\_\_\_\_  
Liner Seams ☐ Welded ☐ Factory ☐ Other \_\_\_\_\_

4  
☐ **Below-grade tank:** Subsection I of 19 15 17 11 NMAC  
Volume \_\_\_\_\_ bbl Type of fluid \_\_\_\_\_  
Tank Construction material \_\_\_\_\_  
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other \_\_\_\_\_  
Liner Type Thickness \_\_\_\_\_ mil ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_

5  
☐ **Alternative Method:**  
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval



36

6

**Fencing:** Subsection D of 19 15 17 11 NMAC (*Applies to permanent pit, temporary pits, and below-grade tanks*)

☐

Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)

☐

Four foot height, four strands of barbed wire evenly spaced between one and four feet

☐

Alternate Please specify \_\_\_\_\_

7

**Netting:** Subsection E of 19 15 17 11 NMAC (*Applies to permanent pits and permanent open top tanks*)

☐

Screen

☐

Netting

☐

Other

\_\_\_\_\_

☐

Monthly inspections (*If netting or screening is not physically feasible*)

8

**Signs:** Subsection C of 19 15 17 11 NMAC

☐

12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

☒

Signed in compliance with 19 15 3 103 NMAC

9

**Administrative Approvals and Exceptions:**

Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance

*Please check a box if one or more of the following is requested, if not leave blank:*

☐

Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)

☐

Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

10

**Siting Criteria (regarding permitting)** 19 15 17 10 NMAC

*Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.*

**Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.**

- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells

☐

Yes

☐

No

**Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).**

- Topographic map, Visual inspection (certification) of the proposed site

☐

Yes

☐

No

**Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.**

*(Applies to temporary, emergency, or cavitation pits and below-grade tanks)*

- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image

☐

Yes

☐

No

☐

NA

**Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.**

*(Applied to permanent pits)*

- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image

☐

Yes

☐

No

☐

NA

**Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.**

- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site

☐

Yes

☐

No

**Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended**

- Written confirmation or verification from the municipality, Written approval obtained from the municipality

☐

Yes

☐

No

**Within 500 feet of a wetland.**

- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site

☐

Yes

☐

No

**Within the area overlying a subsurface mine.**

- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division

☐

Yes

☐

No

**Within an unstable area.**

- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map

☐

Yes

☐

No

**Within a 100-year floodplain**

- FEMA map

☐

Yes

☐

No

11

**Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19 15 17 9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC  
☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9  
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  
☐ Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC

☐ Previously Approved Design (attach copy of design) API \_\_\_\_\_ or Permit \_\_\_\_\_

12

**Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19 15 17 9 NMAC

*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9  
☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC  
☐ Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC

☐ Previously Approved Design (attach copy of design) API \_\_\_\_\_

☐ Previously Approved Operating and Maintenance Plan API \_\_\_\_\_

13

**Permanent Pits Permit Application Checklist:** Subsection B of 19 15 17 9 NMAC

*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (f) of Subsection B of 19 15 17 9 NMAC  
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  
☐ Climatological Factors Assessment  
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC  
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC  
☐ Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC  
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC  
☐ Quality Control/Quality Assurance Construction and Installation Plan  
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  
☐ Nuisance or Hazardous Odors, including H<sub>2</sub>S, Prevention Plan  
☐ Emergency Response Plan  
☐ Oil Field Waste Stream Characterization  
☐ Monitoring and Inspection Plan  
☐ Erosion Control Plan  
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC

14

**Proposed Closure:** 19 15 17 13 NMAC

*Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.*

Type ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Closed-loop System  
☐ Alternative

Proposed Closure Method ☐ Waste Excavation and Removal  
☐ Waste Removal (Closed-loop systems only)  
☐ On-site Closure Method (only for temporary pits and closed-loop systems)  
☐ In-place Burial ☐ On-site Trench  
☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15

**Waste Excavation and Removal Closure Plan Checklist:** (19 15 17 13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC  
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

**Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19 15 17 13 D NMAC)

*Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.*

Disposal Facility Name \_\_\_\_\_ Disposal Facility Permit # \_\_\_\_\_

Disposal Facility Name \_\_\_\_\_ Disposal Facility Permit # \_\_\_\_\_

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and

☐ Yes (If yes, please provide the information) ☐ No

*Required for impacted areas which will not be used for future service and operations*

☐ Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

**Siting Criteria (Regarding on-site closure methods only):** 19 15 17 10 NMAC

*Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance.*

Ground water is less than 50 feet below the bottom of the buried waste

- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells

☐ Yes ☐ No

☐ N/A

Ground water is between 50 and 100 feet below the bottom of the buried waste

- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells

☐ Yes ☐ No

☐ N/A

Ground water is more than 100 feet below the bottom of the buried waste

- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells

☐ Yes ☐ No

☐ N/A

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)

- Topographic map, Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application

- Visual inspection (certification) of the proposed site, Aerial photo, satellite image

☐ Yes ☐ No

☐ Yes ☐ No

Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of the initial application

- NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended

- Written confirmation or verification from the municipality, Written approval obtained from the municipality

☐ Yes ☐ No

Within 500 feet of a wetland

- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within the area overlying a subsurface mine

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☐ No

Within an unstable area

- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map

☐ Yes ☐ No

Within a 100-year floodplain

- FEMA map

**On-Site Closure Plan Checklist:** (19 15 17 13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC

☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC

☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC

☐ Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC

☐ Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC

☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC

☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC

☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

19

**Operator Application Certification:**

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief

Name (Print) \_\_\_\_\_ Title \_\_\_\_\_  
 Signature \_\_\_\_\_ Date \_\_\_\_\_  
 e-mail address \_\_\_\_\_ Telephone \_\_\_\_\_

20

**OCD Approval:** ☐ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

**OCD Representative Signature:** Jonathan D. Kelly **Approval Date:** 9/26/2011
**Title:** Compliance Officer **OCD Permit Number:** \_\_\_\_\_

21

**Closure Report (required within 60 days of closure completion):** Subsection K of 19 15 17 13 NMAC

*Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.*

☒ **Closure Completion Date:** \_\_\_\_\_ November 17, 2009

22

**Closure Method:**

☐ Waste Excavation and Removal ☒ On-site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)  
☐ If different from approved plan, please explain \_\_\_\_\_

23

**Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:**

*Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.*

Disposal Facility Name \_\_\_\_\_ Disposal Facility Permit Number \_\_\_\_\_

Disposal Facility Name \_\_\_\_\_ Disposal Facility Permit Number \_\_\_\_\_

 Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

*Required for impacted areas which will not be used for future service and operations*

☐ Site Reclamation (Photo Documentation)  
☐ Soil Backfilling and Cover Installation  
☐ Re-vegetation Application Rates and Seeding Technique

24

**Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached*

☒ Proof of Closure Notice (surface owner and division)  
☒ Proof of Deed Notice (required for on-site closure)  
☒ Plot Plan (for on-site closures and temporary pits)  
☒ Confirmation Sampling Analytical Results (if applicable)  
☐ Waste Material Sampling Analytical Results (if applicable)  
☒ Disposal Facility Name and Permit Number  
☒ Soil Backfilling and Cover Installation  
☒ Re-vegetation Application Rates and Seeding Technique  
☒ Site Reclamation (Photo Documentation)

 On-site Closure Location Latitude 36.88111 °N Longitude 107.9725 °W NAD ☐ 1927 ☒ 1983

25

**Operator Closure Certification:**

*I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.*

Name (Print) Crystal Tafoya Title Regulatory Tech  
 Signature Crystal Tafoya Date 2/8/2010  
 e-mail address crystal.tafoya@conocophillips.com Telephone 505-326-9837

**Burlington Resources Oil Gas Company, LP**  
**San Juan Basin**  
**Closure Report**

**Lease Name: AZTEC A 100S & AZTEC A 1M**

**API No.: 30-045-34851 & 30-045-34916**

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. **(See report)**
- Plot Plan (Pit Diagram) **(Included as an attachment)**
- Inspection Reports **(Included as an attachment)**
- Sampling Results **(Included as an attachment)**
- C-105 **(Included as an attachment)**
- Copy of Deed Notice will be filed with County Clerk **(Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)**

**General Plan:**

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division-approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

**All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).**

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

**The pit was closed using onsite burial.**

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

**The closure process notification to the landowner was sent via certified mail. (See Attached)(Well located on Private Land, certified mail is not required for Federal Land per BLM/OCD MOU.)**

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

**Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.**

5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

**Notification is attached.**

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

**Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).**

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

**Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.**

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

**A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)( 1 )(b). (Sample results attached).**

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	ND ug/kg
TPH	EPA SW-846 418.1	2500	144 mg/kg
GRO/DRO	EPA SW-846 8015M	500	ND mg/Kg
Chlorides	EPA 300.1	1000/ <del>500</del>	185 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17 13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

**The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.**

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

**The integrity of the liner was not damaged in the pit closure process.**

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

**Dig and Haul was not required.**

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

**The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final re-contour has a uniform appearance with smooth surface, fitting the natural landscape.**

13. Notification will be sent to OCD when the reclaimed area is seeded.

**Provision 13 will be accomplished with the following seeding regiment and the OCD will be notified of the seeding date by the submission of a C103:**

Type	Variety or Cultivator	PLS/A
Western wheatgrass	Arriba	3 0
Indian ricegrass	Paloma or Rimrock	3.0
Slender wheatgrass	San Luis	2 0
Crested wheatgrass	Hy-crest	3 0
Bottlebrush Squirreltail	Unknown	2 0
Four-wing Saltbrush	Delar	25

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

**Provision 14 will be accomplished with the above seeding regiment. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. The OCD will be notified once two successive growing seasons have been accomplished by submitting a C-103.**

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

**Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.**

**The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, Fee, AZTEC A 100S & 1M, UL-I, Sec. 22, T 31N, R 11W, API # 30-045-34851 & 30-045-34916**





---

Mary Kay Cornwall  
Staff Associate  
Property Tax, Real Estate, ROW & Claims

ConocoPhillips Company  
PO Box 4289  
Farmington, NM 87499-1429  
(505) 324-6106  
(505) 324-6136

January 19, 2009

**VIA CERTIFIED MAIL – RETURN RECEIPT REQUESTED**  
**7110-6605-9590-0002-6656**

Paul C. Bandy  
388 CR 2900  
Aztec, NM 87410

Re: Aztec A 100 S  
Section 22, T31N, R11W  
San Juan County, New Mexico

Dear Mr. Bandy:

Pursuant to Paragraph 1 (b) of Subsection F of 19.15.17.13 NMAC, an operator shall provide the surface owner notification of the operator's proposal to close a temporary pit on-site in compliance with the on-site closure methods specified in the same Subsection of the NMAC. In compliance of this requirement, please consider this notification of ConocoPhillips' intent to close the temporary pit on the above referenced location.

If you have any questions, please contact Joni Clark @ (505)326-9701.

Sincerely,

Mary Kay Cornwall

Mary Kay Cornwall  
Staff Associate, PTRRC

STATE OF NEW MEXICO     §  
  §  
COUNTY OF SAN JUAN     §


**RECORDATION NOTICE OF PIT BURIAL**

In accordance with Section 19.15.17.13.F.1.f of the NMAC, operator hereby provides notice in the public record of an on-site burial of a temporary pit at the following location:

Well Name: Aztec A 100S  
\_\_\_\_\_  
\_\_\_\_\_  
Unit Letter(1/4, 1/4): I  
Section: 22  
Township: 31N  
Range: 11W  
County: San Juan  
State: New Mexico

IN WITNESS WHEREOF, this Recordation Notice of Pit Burial has been executed on the date indicated below by the undersigned.

**Burlington Resources Oil & Gas Company**  
By: BROG GP Inc, its sole General Partner




By: Michael L. Mankin

Title: Supervisor, PTRRC


STATE OF SAN JUAN     §  
  §  
COUNTY OF NEW MEXICO     §

This instrument was acknowledged before me this 18<sup>th</sup> day of January 2010, by Michael L. Mankin of Burlington Resources Oil and Gas Company, By: BROG GP Inc., its sole General Partner, on behalf of said corporation.

  
Notary Public



201000622 01/19/2010 12:38 PM  
1 of 2 B1504 P622 R \$11.00  
San Juan County, NM DEBBIE HOLMES



LE

STATE OF NEW MEXICO     §  
  §  
COUNTY OF SAN JUAN     §


**RECORDATION NOTICE OF PIT BURIAL**

In accordance with Section 19.15.17.13.F.1.f of the NMAC, operator hereby provides notice in the public record of an on-site burial of a temporary pit at the following location:

Well Name: Aztec A 1M  
\_\_\_\_\_  
\_\_\_\_\_  
Unit Letter(1/4, 1/4): I  
Section: 22  
Township: 31N  
Range: 11W  
County: San Juan  
State: New Mexico

IN WITNESS WHEREOF, this Recordation Notice of Pit Burial has been executed on the date indicated below by the undersigned.

**Burlington Resources Oil & Gas Company**  
By: BROG GP Inc., its sole General Partner




By: Michael L. Mankin

Title: Supervisor, PTRRC


STATE OF SAN JUAN     §  
  §  
COUNTY OF NEW MEXICO     §

This instrument was acknowledged before me this 18<sup>th</sup> day of January, 2010, by Michael L. Mankin of Burlington Resources Oil and Gas Company, By: BROG GP Inc., its sole General Partner, on behalf of said corporation.

  
\_\_\_\_\_  
Notary Public



201000621     01/19/2010 12:38 PM  
1 of 2     B1504 P621 R \$11.00  
San Juan County, NM     DEBBIE HOLMES



LE

DISTRICT I  
1825 N. French Dr., Hobbs, N.M. 88240

State of New Mexico  
Energy, Minerals & Natural Resources Department

Form C-102  
Revised October 12, 2005

DISTRICT II  
1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit to Appropriate District Office  
State Lease - 4 Copies  
Fee Lease - 3 Copies

DISTRICT IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number	<sup>2</sup> Pool Code	<sup>3</sup> Pool Name BASIN FRUITLAND COAL/BLANCO PICTURED CLIFF
<sup>4</sup> Property Code	<sup>5</sup> Property Name AZTEC A	<sup>6</sup> Well Number 100 S
<sup>7</sup> OGRD No.	<sup>8</sup> Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	<sup>9</sup> Elevation 5790'

<sup>10</sup> Surface Location



UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	22	31N	11W		1464'	SOUTH	881'	EAST	SAN JUAN

<sup>11</sup> Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
<sup>12</sup> Dedicated Acres FC-320.0 Acres - (S/2) PC-160.0 Acres - (SE/4)			<sup>13</sup> Joint or Infill		<sup>14</sup> Consolidation Code		<sup>15</sup> Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED  
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



		<p><sup>17</sup> OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division.</p> <p>Signature _____ Date _____</p> <p>Printed Name _____</p> <p><sup>18</sup> SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>JUNE 30, 2008</p> <p>Date of Survey _____</p> <p>Signature and Seal of Professional Surveyor: </p> <p>DAVID RUSSELL</p> <p>Certificate Number 10201</p>
---	--	--

# WELL FLAG

LATITUDE: 36.88097°N  
LONGITUDE: 107.97256°W  
CENTER OF PIT  
LATITUDE: 36.88100° N  
LONGITUDE: 107.97229° W  
ELEVATION FP-5777.9'  
DATUM: NAD83 & NAVD88

## BURLINGTON RESOURCES OIL & GAS COMPANY LP

AZTEC A #100 S  
1464' FSL & 881' FEL  
LOCATED IN THE NE/4 SE/4 OF SECTION 22,  
T31N, R11W, N.M.P.M.,  
SAN JUAN COUNTY, NEW MEXICO  
GROUND ELEVATION: 5790', NAVD 88  
FINISHED PAD ELEVATION. 5789.9', NAVD 88



370' x 510' = 4.24 ACRES OF DISTURBANCE  
SCALE: 1" = 60'  
JOB No.: COPC200\_REV1  
DATE: 11/05/08

NOTE:  
RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).  
RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.  
CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR  
CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR  
TO CONSTRUCTION.

SLOPES TO BE CONSTRUCTED TO  
MATCH THE ORIGINAL CONTOURS  
AS CLOSE AS POSSIBLE.

Russell Surveying  
1409 W. Aztec Blvd. #2  
Aztec, New Mexico 87410  
(505) 334-8637

201000622 01/19/2010 12:38 PM  
2 of 2 B1504 P622 R \$11.00  
San Juan County, NM DEBBIE HOLMES

DISTRICT I  
1825 E. French Dr., Hobbs, N.M. 88240

State of New Mexico  
Energy, Minerals & Natural Resources Department

Form C-102  
Revised October 12, 2005

DISTRICT II  
1501 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III  
1809 Rio Huerfano Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit to Appropriate District Office  
State Lease - 4 Copies  
Fee Lease - 8 Copies

DISTRICT IV  
1820 S. St. Francis Dr., Santa Fe, NM 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name EAS.N DAKOTA/BLANCO MESAVERDE
Property Code	Property Name AZTEC A	Well Number 1 M
OCED No.	Operator Name HURLINGTON RESOURCES OIL & GAS COMPANY, L.P.	Elevation 5790'

10 Surface Location

UL or lot no.	Section	Township	Range	Lot 1/4	Feet from the	North/South line	Feet from the	East/West line	County
1	22	31N	11W		566'	SOUTH	859'	EAST	SAN JUAN

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot 1/4	Feet from the	North/South line	Feet from the	East/West line	County
	22	31N	11W		1660'	SOUTH	850'	EAST	SAN JUAN

Dedicated Acres 320.0 Acres - (S/2)	Joint or Infill	Consolidation Code	Order No.
--	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED  
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

12



<p>13</p> <p>BOTTOM HOLE LAT. 38.88160° N (NAD83) LONG. 107.97814° W (NAD83) LAT. 38.8289581° N (NAD27) LONG. 107.5853102° W (NAD27)</p> <p>WELL FLAG LAT. 38.88125° N (NAD83) LONG. 107.87245° W (NAD83) LAT. 38.8287481° N (NAD27) LONG. 107.5831143° W (NAD27)</p> <p>22</p> <p>LEASE # FEE - SHULER, JOHN ET. AL. AND G.F. BRUINGTON, GUARDIAN</p> <p>LEASE # FEE - CALLOWAY, ZELLA</p> <p>LEASE # FEE - CALLAWAY, CARL G ET AL</p> <p>LEASE # USA SF-078134</p> <p>LEASE # FEE - ELLA BLAISE</p> <p>DIRECTIONAL DRILL N 85°11'47" W 1077.88'</p> <p>N 85°09'09" W N 85°12' W</p> <p>2839.42' (M) 2838.02' (F)</p> <p>2849.00' (M) 2849.50' (F)</p> <p>N 0°32'59" E N 0°30' E</p>	<p>17 OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well of this location pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division.</p> <p>Signature _____ Date _____</p> <p>Printed Name _____</p> <p>18 SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>OCTOBER 21, 2008</p> <p>Date of Survey</p> <p>Signature and Seal of Professional Surveyor: <i>David R. Russell</i></p> <p>DAVID R. RUSSELL NEW MEXICO REGISTERED PROFESSIONAL SURVEYOR (1225)</p> <p>DAVID RUSSELL Certificate Number 10201</p>
---	---

# WELL FLAG

LATITUDE: 36.88125°N  
LONGITUDE: 107.97248°W  
CENTER OF PIT  
LATITUDE: 36.88125°N  
LONGITUDE: 107.97214°W  
ELEVATION: FP-5778.2'  
DATUM: NAD83 & NAVD88

# BURLINGTON RESOURCES OIL & GAS COMPANY LP

AZTEC A #1 M  
1566' FSL & 850' FEL  
LOCATED IN THE NE/4 SE/4 OF SECTION 22,  
T31N, R11W, N.M.P.M.,  
SAN JUAN COUNTY, NEW MEXICO  
GROUND ELEVATION: 5790', NAVD 88  
FINISHED PAD ELEVATION: 5790.2', NAVD 88



370' x 510' = 4.33 ACRES OF DISTURBANCE  
SCALE: 1" = 60'  
JOB No.: COPC260  
DATE: 11/05/08

NOTE:  
RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).  
RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.  
CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.



Russell Surveying  
1409 W. Aztec Blvd #2  
Aztec, New Mexico 87410  
(505) 334-8837

201000621 01/19/2010 12:38 PM  
2 of 2 B1504 P621 R \$11.00  
San Juan County, NM DEBBIE HOLMES





**envirotech**  
Analytical Laboratory

**EPA METHOD 8015 Modified  
Nonhalogenated Volatile Organics  
Total Petroleum Hydrocarbons**

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Reserve Pit	Date Reported	10-05-09
Laboratory Number	51900	Date Sampled	09-29-09
Chain of Custody No	7961	Date Received	09-29-09
Sample Matrix	Soil	Date Extracted	10-01-09
Preservative	Cool	Date Analyzed	10-02-09
Condition	Intact	Analysis Requested	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit

References      Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,  
SW-846, USEPA, December 1996

Comments      **Aztec A #100S**

Analyst

Review



**EPA METHOD 8015 Modified  
Nonhalogenated Volatile Organics  
Total Petroleum Hydrocarbons**

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Background	Date Reported	10-05-09
Laboratory Number	51901	Date Sampled	09-29-09
Chain of Custody No	7961	Date Received	09-29-09
Sample Matrix	Soil	Date Extracted	10-01-09
Preservative	Cool	Date Analyzed	10-02-09
Condition	Intact	Analysis Requested	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit


References      Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,  
SW-846, USEPA, December 1996

Comments:      **Aztec A #100S**

Analyst



Review





**EPA Method 8015 Modified  
Nonhalogenated Volatile Organics  
Total Petroleum Hydrocarbons**

**Quality Assurance Report**

Client	QA/QC	Project #	N/A
Sample ID	10-02-09 QA/QC	Date Reported	10-05-09
Laboratory Number	51895	Date Sampled	N/A
Sample Matrix	Methylene Chloride	Date Received	N/A
Preservative	N/A	Date Analyzed	10-02-09
Condition	N/A	Analysis Requested	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	05-07-07	9 8493E+002	9 8532E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1 0049E+003	1 0053E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	9.5	9.5	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	244	97.6%	75 - 125%
Diesel Range C10 - C28	9.5	250	255	98.1%	75 - 125%

ND - Parameter not detected at the stated detection limit

References      Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,  
SW-846, USEPA, December 1996

Comments      **QA/QC for Samples 51895 - 51901.**

Analyst

Review

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Reserve Pit	Date Reported	10-05-09
Laboratory Number	51900	Date Sampled	09-29-09
Chain of Custody	7961	Date Received	09-29-09
Sample Matrix	Soil	Date Analyzed	10-02-09
Preservative	Cool	Date Extracted	10-01-09
Condition	Intact	Analysis Requested	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
<b>Total BTEX</b>	<b>ND</b>	

ND - Parameter not detected at the stated detection limit


Surrogate Recoveries	Parameter	Percent Recovery
	Fluorobenzene	96.0 %
	1,4-difluorobenzene	96.0 %
	Bromochlorobenzene	96.0 %

References      Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

**Comments:**      **Aztec A #100S**

  
 Analyst

  
 Review

Client	ConocoPhillips	Project #	96052-0026
Sample ID	Background	Date Reported	10-05-09
Laboratory Number	51901	Date Sampled	09-29-09
Chain of Custody	7961	Date Received	09-29-09
Sample Matrix	Soil	Date Analyzed	10-02-09
Preservative	Cool	Date Extracted	10-01-09
Condition	Intact	Analysis Requested	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
<b>Total BTEX</b>	<b>ND</b>	


ND - Parameter not detected at the stated detection limit


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References      Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

**Comments:**      **Aztec A #100S**

  
 Analyst

  
 Review

Client	N/A	Project #	N/A
Sample ID	10-02-BT QA/QC	Date Reported	10-05-09
Laboratory Number	51889	Date Sampled	N/A
Sample Matrix	Soil	Date Received	N/A
Preservative	N/A	Date Analyzed	10-02-09
Condition	N/A	Analysis	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff.	Blank Conc	Detect Limit
		Accept Range 0 - 15%			
Benzene	1 2355E+006	1 2380E+006	0.2%	ND	0.1
Toluene	1 1197E+006	1 1220E+006	0.2%	ND	0.1
Ethylbenzene	9 8975E+005	9 9173E+005	0.2%	ND	0.1
p,m-Xylene	2 5180E+006	2 5230E+006	0.2%	ND	0.1
o-Xylene	9 3056E+005	9 3243E+005	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	48.9	97.8%	39 - 150
Toluene	ND	50.0	49.2	98.4%	46 - 148
Ethylbenzene	ND	50.0	48.6	97.2%	32 - 160
p,m-Xylene	ND	100	98.0	98.0%	46 - 148
o-Xylene	ND	50.0	47.9	95.8%	46 - 148

ND - Parameter not detected at the stated detection limit

References      Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996  
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

**Comments:      QA/QC for Samples 51889 - 51891 and 51895 - 51901.**

Analyst 

  
Review



Client	ConocoPhillips	Project #	96052-0026
Sample ID	Reserve Pit	Date Reported	10-05-09
Laboratory Number	51900	Date Sampled	09-29-09
Chain of Custody No	7961	Date Received	09-29-09
Sample Matrix	Soil	Date Extracted	10-01-09
Preservative	Cool	Date Analyzed	10-01-09
Condition	Intact	Analysis Needed	TPH-418 1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	144	12.7

ND = Parameter not detected at the stated detection limit

References      Method 418 1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No 4551, 1978

Comments      **Aztec A #100S.**

Analyst

Review



Client	ConocoPhillips	Project #	96052-0026
Sample ID	Background	Date Reported	10-05-09
Laboratory Number	51901	Date Sampled.	09-29-09
Chain of Custody No	7961	Date Received	09-29-09
Sample Matrix	Soil	Date Extracted	10-01-09
Preservative	Cool	Date Analyzed	10-01-09
Condition	Intact	Analysis Needed	TPH-418 1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	17.3	12.7

ND = Parameter not detected at the stated detection limit

References      Method 418 1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No 4551, 1978

Comments      Aztec A #100S.

Analyst

Review



Client	QA/QC	Project #	N/A
Sample ID	QA/QC	Date Reported	10-01-09
Laboratory Number	10-01-TPH QA/QC 51895	Date Sampled	N/A
Sample Matrix	Freon-113	Date Analyzed	10-01-09
Preservative	N/A	Date Extracted	10-01-09
Condition	N/A	Analysis Needed	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
	08-25-09	10-01-09	1,440	1,520	5.6%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	12.7

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
TPH	116	116	0.0%	+/- 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	116	2,000	2,250	106%	80 - 120%

ND = Parameter not detected at the stated detection limit

References      Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978

Comments:      **QA/QC for Samples 51792 - 51793 and 51895 - 51901.**

Analyst 

  
Review





Client	ConocoPhillips	Project #	96052-0026
Sample ID	Reserve Pit	Date Reported	10-05-09
Lab ID#	51900	Date Sampled	09-29-09
Sample Matrix	Soil	Date Received	09-29-09
Preservative	Cool	Date Analyzed	10-01-09
Condition	Intact	Chain of Custody	7961


Parameter	Concentration (mg/Kg)
-----------	-----------------------


**Total Chloride**

**185**

Reference                      U S E P A , 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983  
Standard Methods For The Examination of Water And Waste Water", 18th ed , 1992

Comments                      **Aztec A #100S.**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review



Client	ConocoPhillips	Project #	96052-0026
Sample ID	Background	Date Reported	10-05-09
Lab ID#	51901	Date Sampled	09-29-09
Sample Matrix	Soil	Date Received	09-29-09
Preservative	Cool	Date Analyzed	10-01-09
Condition	Intact	Chain of Custody	7961

Parameter	Concentration (mg/Kg)
-----------	-----------------------

**Total Chloride**

**5**

Reference U S E P A , 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983  
Standard Methods For The Examination of Water And Waste Water", 18th ed , 1992.

Comments **Aztec A #100S.**

Analyst

Review

Submit To Appropriate District Office Two Copies District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505	<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>1220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>	<b>Form C-105</b> July 17, 2008  1. WELL API NO. 30-045-34851 & 30-045-34916  2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN  3. State Oil & Gas Lease No
--	---	---

<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>	
---	--

4 Reason for filing  <input type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input checked="" type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19 15 17 13 K NMAC)	5 Lease Name or Unit Agreement Name AZTEC A  6 Well Number 100S & 1M
---	--

7 Type of Completion <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER	
---	--

8 Name of Operator Burlington Resources Oil Gas Company, LP	9 OGRID 14538
--	------------------

10 Address of Operator	11 Pool name or Wildcat
------------------------	-------------------------

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:										
BH:										

13 Date Spudded	14 Date T D Reached	15 Date Rig Released 05/28/2009	16 Date Completed (Ready to Produce)	17 Elevations (DF and RKB, RT, GR, etc )
-----------------	---------------------	------------------------------------	--------------------------------------	--

18 Total Measured Depth of Well	19 Plug Back Measured Depth	20 Was Directional Survey Made?	21 Type Electric and Other Logs Run
---------------------------------	-----------------------------	---------------------------------	-------------------------------------

22 Producing Interval(s), of this completion - Top, Bottom, Name	
--	--

<b>23 CASING RECORD (Report all strings set in well)</b>	
--	--

CASING SIZE	WEIGHT LB /FT	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED

<b>24. LINER RECORD</b>				<b>25. TUBING RECORD</b>			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

26 Perforation record (interval, size, and number)	27 ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL    AMOUNT AND KIND MATERIAL USED

<b>28 PRODUCTION</b>	
----------------------	--

Date First Production	Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> )	Well Status ( <i>Prod or Shut-in</i> )
-----------------------	--	--

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl	Gas - Oil Ratio
Flow Tubing Press	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - ( <i>Corr</i> )	

29 Disposition of Gas ( <i>Sold, used for fuel, vented, etc</i> )	30 Test Witnessed By
---	----------------------

31 List Attachments	
---------------------	--

32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit	
--	--

33 If an on-site burial was used at the well, report the exact location of the on-site burial	
---	--

Latitude 36 88111°N    Longitude 107 9725°W    NAD <input type="checkbox"/> 1927 <input checked="" type="checkbox"/> 1983	
---	--

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature <i>Crystal Tafoya</i>	Printed Name Crystal Tafoya	Title: Regulatory Tech	Date: 2/8/2010
---------------------------------	-----------------------------	------------------------	----------------

E-mail Address crystal.tafoya@conocophillips.com	
--	--

# ConocoPhillips

0

## Pit Closure Form:

Date: 11/17/2009

Well Name: Aztec A 1005

Footages: 1464 FSL 881 FEH Unit Letter: I

Section: 22, T-31-N, R-11-W, County: SJ State: NM

Contractor Closing Pit: Ritter

Construction Inspector: Norman Faver Date: 11/17/2009

Inspector Signature: Norman Faver

**Tafoya, Crystal**

---

**From:** Silverman, Jason M  
**Sent:** Tuesday, December 15, 2009 9 27 AM  
**To:** Clark, Joni E, Greer, David A  
**Cc:** 'jdritt@aol.com'; Elmer Perry, Faver Norman (faverconsulting@yahoo.com); Jared Chavez, Bassing, Kendal R ; Scott Smith, Silverman, Jason M, Smith Eric (sconsulting eric@gmail com); 'Steve McGlasson'; Terry Lowe, Becker, Joey W, Bonilla, Amanda, Bowker, Terry D; Gordon Chenault, GRP SJBu Production Leads; Hockett, Christy R; Johnson, Kirk L, Kennedy, Jim R, Lopez, Richard A, O'Nan, Mike J., Peace, James T, Pierce, Richard M, Poulson, Mark E, Smith, Randall O, Spearman, Bobby E; Stamets, Steve A, Thacker, LARRY, Work, Jim A, Blair, Maxwell O, Blakley, Mac; Clark, Joni E, Farrell, Juanita R, Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd ); Greer, David A; Hines, Derek J (Finney Land Co ), Maxwell, Mary Alice; McWilliams, Peggy L, Seabolt, Elmo F; Stallsmith, Mark R  
**Subject:** Aztec A 100S & Aztec A 1M (Twinned) : Complete Reclamation  
**Importance:** High  
**Attachments:** Aztec A 1M pdf; Aztec A 100S pdf

**JD Ritter** will move a tractor to the **Aztec A 100S & Aztec A 1M (twinned)** on **Thursday, December 17th, 2009** to complete the reclamation process.

**NOTE:** The PIT has already been closed on this location.

Please contact Norm Faver (320-0670) if you have any questions or need further assistance.

Thanks, Jason Silverman

**Burlington Resources Well- Network #: 10253537**  
**San Juan County, NM**

**AZTEC A 1M– FEE surface / FEE minerals**

**Twin:** Aztec A 1A

1566' FSL, 859' FEL

SEC. 22, T31N, R11W

Unit Letter 'I'

BH: NW1/4SE1/4 SEC. 22, T31N, R11W

Lease #: FEE-Calloway, ZELLA

Latitude: 36° 52 min 52.50000 sec N (NAD 83)

Longitude: 107° 58 min 20.92800 sec W (NAD83)

Elevation: 5790'

API #: 30-045-34916

-----  
**Burlington Resources Well- Network #: 10253152**  
**San Juan County, NM**

**AZTEC A 100S– FEE surface / FEE minerals**

**Twin:** Aztec A 1A

1464' FSL, 881' FEL

SEC. 22, T31N, R11W  
Unit Letter 'I'  
Lease #: FEE-Calloway, Carl G. ET. AL.  
Latitude: 36° 52 min 51.49200 sec N (NAD 83)  
Longitude: 107° 58 min 21.21600 sec W (NAD83)  
Elevation: 5790'  
API #: 30-045-34851

**Jason Silverman -----**  
*Construction Technician*  
**ConocoPhillips Company - SJBU**  
**Projects Team**  
**P.O. Box 4289**  
**Farmington, NM 87499-4289**  
**505-326-9821**  
**Jason.M.Silverman@ConocoPhillips.com**



## AZTEC A 1M

LATITUDE 36° 52 MIN. 52.50000 SEC. N (NAD 83)

LONGITUDE 107° 58 MIN. 20.92800 SEC. W (NAD 83)

UNIT 1 SEC 22 T31N R11W

1566' FSL 859' FEL

API # 30-045-34916

LEASE FEE-CALLOWAY, ZELLA ELEV. 5790

SAN JUAN COUNTY, NEW MEXICO

EMERGENCY CONTACT: 1-505-324-5170

2009/08/18



## AZTEC A 100S

LATITUDE 36° 52 MIN. 51.49200 SEC. N (NAD 83)

LONGITUDE 107° 58 MIN. 21.21600 SEC. W (NAD 83)

UNIT 1 SEC 22 T31N R11W

1464' FSL 881' FEL

API # 30-045-34851

LEASE FEE-CALLOWAY, Carl G. ET. AL ELEV. 5790

SAN JUAN COUNTY, NEW MEXICO

EMERGENCY CONTACT: 1-505-324-5170

05/22/2009





# WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: Aztec A 100S & Aztec A 1M

API#: 30-045-34851 & 30-045-34916

DATE	INSPECTOR	SAFETY CHECK	LOCATION CHECK	PICTURES TAKEN	COMMENTS
5/14/09	Jared Chavez				AWS #711 IS ON LOCATION
6/2/09	Jared Chavez	X	X	X	HOLES IN THE LINER AND FENCE NEEDS TIGHTENED - CONTACTED CROSSFIRE FOR REPAIRS
6/10/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
6/22/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
6/30/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
7/10/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
7/16/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
7/29/09	Jared Chavez				FRAC CREW IS ON LOCATION
7/30/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
8/6/09	Jared Chavez				BJ FRAC CREW IS STILL ON LOCATION
8/13/09	Jared Chavez	X	X	X	FENCE NEEDS TIGHTENED - WELLHEAD IS LEAKING - REPORTED TO VERLE GARNER, AND KENDAL BASSING
8/20/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
9/18/09	Jared Chavez				BES #1549 IS ON LOCATION
9/24/09	Jared Chavez				BES # 1549 IS ON LOCATION
10/2/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
10/8/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
10/15/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
10/28/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
11/4/09	Jared Chavez	X	X	X	PIT AND LOCATION IN GOOD CONDITION
11/19/09	Jared Chavez				LOCATION IS BEING RECLAIMED
12/4/09	Jared Chavez				LOCATION IS BEING RECLAIMED

AZTEC A 100S & 1M  
API# 30-045-34851 & 30-039-34916  
PICTURES OF RECLAMATION  
PERMIT # 5195





