

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-102
Revised July 10, 2010
Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039 31087		² Pool Code 71599/72319	³ Pool Name BLANCO MESAVERDE / BASIN DAKOTA
⁴ Property Code 7465	⁵ Property Name SAN JUAN 29-7 UNIT		⁶ Well Number 129N
⁷ GRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP		⁹ Elevation 5682'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	17	29N	7W		1624'	SOUTH	980'	EAST	RIO ARRIBA


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	16	29N	7W		1650'	SOUTH	340'	WEST	RIO ARRIBA

¹² Dedicated Acres 320.00 ACRES - MV (W/2) 320.00 ACRES - DK (S/2)	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Arleen Kellywood 4/6/11
Signature Date

Arleen Kellywood
Printed Name

E-mail Address

18 SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MARCH 7, 2011

Date of Survey

Signature and Seal of Professional Surveyor:

David Russell



DAVID RUSSELL

Certificate Number

10201

A

PL

ConocoPhillips SJB

San Juan Basin - New Mexico Central Wells

San Juan 29 Wells

SJ 29-7 #129N

SJ 29-7 #129N

30-039-31087

Plan: Plan #1

Standard Planning Report

27 June, 2011



ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 29-7 #129N
Company:	ConocoPhillips SJBU	TVD Reference:	WELL @ 6697 0ft (Original Well Elev)
Project:	San Juan Basin - New Mexico Central Wells	MD Reference:	WELL @ 6697 0ft (Original Well Elev)
Site:	San Juan 29 Wells	North Reference:	True
Well:	SJ 29-7 #129N	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 29-7 #129N		
Design:	Plan #1		

Project	San Juan Basin - New Mexico Central Wells, New Mexico, Directional "S"		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico Central 3002		Using geodetic scale factor

Site		San Juan 29 Wells, Township 29			
Site Position:		Northing:	2,076,530 52 ft	Latitude:	36° 41' 58 902 N
From:	Lat/Long	Easting:	116,124 83 ft	Longitude:	107° 33' 33 948 W
Position Uncertainty:	3 5 ft	Slot Radius:	6-1/8"	Grid Convergence:	-0 78 °

Well	SJ 29-7 #129N, MV/DK - S-curve - Long					
Well Position	+N/-S	0 0 ft	Northing:	2,085,186.80 ft	Latitude:	36° 43' 23.353 N
	+E/-W	0.0 ft	Easting:	107,853.88 ft	Longitude:	107° 35' 16.973 W
Position Uncertainty		3 0 ft	Wellhead Elevation:	ft	Ground Level:	6,682.0 ft

Wellbore	SJ 29-7 #129N				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2011	6/27/2011	9 81	63 49	50,724

Design	Plan #1			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0 0
Vertical Section:	Depth From (TVD)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0 0	0.0	0 0	89 21

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0 0	0 00	0 00	0.0	0 0	0 0	0.00	0 00	0 00	0 00	
350 0	0 00	0 00	350 0	0 0	0 0	0.00	0 00	0 00	0 00	
1,567.5	24 35	89 21	1,531 2	3 5	254.8	2 00	2 00	0 00	89 21	
3,735 8	24 35	89 21	3,506 6	15 9	1,148 7	0 00	0.00	0.00	0 00	
4,547 4	0 00	0 00	4,294 0	18 2	1,318 6	3 00	-3 00	0 00	180 00	SJ 29-7 #129N - ICP
8,185 4	0 00	0 00	7,932.0	18 2	1,318 6	0 00	0 00	0 00	0 00	SJ 29-7 #129N - PCP

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 29-7 #129N
Company:	ConocoPhillips SJB	TVD Reference:	WELL @ 6697.0ft (Original Well Elev)
Project:	San Juan Basin - New Mexico Central Wells	MD Reference:	WELL @ 6697.0ft (Original Well Elev)
Site:	San Juan 29 Wells	North Reference:	True
Well:	SJ 29-7 #129N	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 29-7 #129N		
Design:	Plan #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
230.0	0.00	0.00	230.0	0.0	0.0	0.0	0.00	0.00	0.00
9-5/8" Surface									
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
350.0	0.00	0.00	350.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	1.00	89.21	400.0	0.0	0.4	0.4	2.00	2.00	0.00
500.0	3.00	89.21	499.9	0.1	3.9	3.9	2.00	2.00	0.00
600.0	5.00	89.21	599.7	0.2	10.9	10.9	2.00	2.00	0.00
700.0	7.00	89.21	699.1	0.3	21.4	21.4	2.00	2.00	0.00
748.3	7.97	89.21	747.0	0.4	27.6	27.6	2.00	2.00	0.00
Nacimiento									
800.0	9.00	89.21	798.2	0.5	35.3	35.3	2.00	2.00	0.00
900.0	11.00	89.21	896.6	0.7	52.6	52.6	2.00	2.00	0.00
1,000.0	13.00	89.21	994.4	1.0	73.4	73.4	2.00	2.00	0.00
1,100.0	15.00	89.21	1,091.5	1.3	97.6	97.6	2.00	2.00	0.00
1,200.0	17.00	89.21	1,187.6	1.7	125.2	125.2	2.00	2.00	0.00
1,300.0	19.00	89.21	1,282.7	2.2	156.1	156.1	2.00	2.00	0.00
1,400.0	21.00	89.21	1,376.6	2.6	190.3	190.3	2.00	2.00	0.00
1,500.0	23.00	89.21	1,469.4	3.1	227.7	227.7	2.00	2.00	0.00
1,567.5	24.35	89.21	1,531.2	3.5	254.8	254.8	2.00	2.00	0.00
1,600.0	24.35	89.21	1,560.8	3.7	268.2	268.2	0.00	0.00	0.00
1,700.0	24.35	89.21	1,651.9	4.3	309.4	309.5	0.00	0.00	0.00
1,800.0	24.35	89.21	1,743.0	4.8	350.7	350.7	0.00	0.00	0.00
1,900.0	24.35	89.21	1,834.1	5.4	391.9	391.9	0.00	0.00	0.00
2,000.0	24.35	89.21	1,925.2	6.0	433.1	433.2	0.00	0.00	0.00
2,100.0	24.35	89.21	2,016.3	6.6	474.3	474.4	0.00	0.00	0.00
2,200.0	24.35	89.21	2,107.4	7.1	515.6	515.6	0.00	0.00	0.00
2,300.0	24.35	89.21	2,198.5	7.7	556.8	556.9	0.00	0.00	0.00
2,400.0	24.35	89.21	2,289.6	8.3	598.0	598.1	0.00	0.00	0.00
2,500.0	24.35	89.21	2,380.7	8.8	639.3	639.3	0.00	0.00	0.00
2,600.0	24.35	89.21	2,471.8	9.4	680.5	680.5	0.00	0.00	0.00
2,662.7	24.35	89.21	2,529.0	9.8	706.3	706.4	0.00	0.00	0.00
Ojo Alamo									
2,700.0	24.35	89.21	2,562.9	10.0	721.7	721.8	0.00	0.00	0.00
2,793.4	24.35	89.21	2,648.0	10.5	760.2	760.3	0.00	0.00	0.00
Kirtland									
2,800.0	24.35	89.21	2,654.0	10.6	762.9	763.0	0.00	0.00	0.00
2,900.0	24.35	89.21	2,745.1	11.1	804.2	804.2	0.00	0.00	0.00
3,000.0	24.35	89.21	2,836.3	11.7	845.4	845.5	0.00	0.00	0.00
3,100.0	24.35	89.21	2,927.4	12.3	886.6	886.7	0.00	0.00	0.00
3,200.0	24.35	89.21	3,018.5	12.8	927.8	927.9	0.00	0.00	0.00
3,216.0	24.35	89.21	3,033.0	12.9	934.4	934.5	0.00	0.00	0.00
Fruitland Coal									
3,300.0	24.35	89.21	3,109.6	13.4	969.1	969.2	0.00	0.00	0.00
3,400.0	24.35	89.21	3,200.7	14.0	1,010.3	1,010.4	0.00	0.00	0.00
3,500.0	24.35	89.21	3,291.8	14.5	1,051.5	1,051.6	0.00	0.00	0.00
3,600.0	24.35	89.21	3,382.9	15.1	1,092.7	1,092.8	0.00	0.00	0.00
3,700.0	24.35	89.21	3,474.0	15.7	1,134.0	1,134.1	0.00	0.00	0.00
3,702.2	24.35	89.21	3,476.0	15.7	1,134.9	1,135.0	0.00	0.00	0.00
Pictured Cliffs									
3,735.8	24.35	89.21	3,506.6	15.9	1,148.7	1,148.8	0.00	0.00	0.00

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 29-7 #129N
Company:	ConocoPhillips SJB	TVD Reference:	WELL @ 6697.0ft (Original Well Elev)
Project:	San Juan Basin - New Mexico Central Wells	MD Reference:	WELL @ 6697.0ft (Original Well Elev)
Site:	San Juan 29 Wells	North Reference:	True
Well:	SJ 29-7 #129N	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 29-7 #129N		
Design:	Plan #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
3,800.0	22.42	89.21	3,565.5	16.2	1,174.2	1,174.3	3.00	-3.00	0.00
3,883.1	19.93	89.21	3,643.0	16.7	1,204.2	1,204.3	3.00	-3.00	0.00
Lewis									
3,900.0	19.42	89.21	3,658.9	16.7	1,209.9	1,210.0	3.00	-3.00	0.00
4,000.0	16.42	89.21	3,754.1	17.2	1,240.7	1,240.8	3.00	-3.00	0.00
4,100.0	13.42	89.21	3,850.7	17.5	1,266.4	1,266.5	3.00	-3.00	0.00
4,200.0	10.42	89.21	3,948.5	17.8	1,287.1	1,287.2	3.00	-3.00	0.00
4,300.0	7.42	89.21	4,047.3	18.0	1,302.6	1,302.7	3.00	-3.00	0.00
4,400.0	4.42	89.21	4,146.7	18.2	1,312.9	1,313.0	3.00	-3.00	0.00
4,447.4	3.00	89.21	4,194.0	18.2	1,316.0	1,316.1	3.00	-3.00	0.00
Huerf. Bent									
4,500.0	1.42	89.21	4,246.6	18.2	1,318.0	1,318.1	3.00	-3.00	0.00
4,547.4	0.00	0.00	4,294.0	18.2	1,318.6	1,318.7	3.00	-3.00	0.00
Interm. Csg Pt. - 7" Intermediate - SJ 29-7 #129N - ICP									
4,600.0	0.00	0.00	4,346.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
4,679.4	0.00	0.00	4,426.0	18.2	1,318.6	1,318.7	0.00	0.00	0.00
Chacra									
4,700.0	0.00	0.00	4,446.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
4,800.0	0.00	0.00	4,546.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
4,900.0	0.00	0.00	4,646.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,000.0	0.00	0.00	4,746.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,100.0	0.00	0.00	4,846.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,200.0	0.00	0.00	4,946.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,300.0	0.00	0.00	5,046.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,400.0	0.00	0.00	5,146.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,423.4	0.00	0.00	5,170.0	18.2	1,318.6	1,318.7	0.00	0.00	0.00
Massive Cliff House									
5,500.0	0.00	0.00	5,246.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,538.4	0.00	0.00	5,285.0	18.2	1,318.6	1,318.7	0.00	0.00	0.00
Menefee									
5,600.0	0.00	0.00	5,346.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,700.0	0.00	0.00	5,446.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,800.0	0.00	0.00	5,546.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
5,890.4	0.00	0.00	5,637.0	18.2	1,318.6	1,318.7	0.00	0.00	0.00
Massive Point Lookout									
5,900.0	0.00	0.00	5,646.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,000.0	0.00	0.00	5,746.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,100.0	0.00	0.00	5,846.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,200.0	0.00	0.00	5,946.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,300.0	0.00	0.00	6,046.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,307.4	0.00	0.00	6,054.0	18.2	1,318.6	1,318.7	0.00	0.00	0.00
Mancos									
6,400.0	0.00	0.00	6,146.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,500.0	0.00	0.00	6,246.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,600.0	0.00	0.00	6,346.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,700.0	0.00	0.00	6,446.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,800.0	0.00	0.00	6,546.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
6,900.0	0.00	0.00	6,646.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
7,000.0	0.00	0.00	6,746.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
7,100.0	0.00	0.00	6,846.6	18.2	1,318.6	1,318.7	0.00	0.00	0.00
7,144.4	0.00	0.00	6,891.0	18.2	1,318.6	1,318.7	0.00	0.00	0.00
Gallup									

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 29-7 #129N
Company:	ConocoPhillips SJB	TVD Reference:	WELL @ 6697 0ft (Original Well Elev)
Project:	San Juan Basin - New Mexico Central Wells	MD Reference:	WELL @ 6697 0ft (Original Well Elev)
Site:	San Juan 29 Wells	North Reference:	True
Well:	SJ 29-7 #129N	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 29-7 #129N		
Design:	Plan #1		

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
7,200 0	0 00	0 00	6,946 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
7,300 0	0 00	0 00	7,046 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
7,400 0	0 00	0 00	7,146 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
7,500 0	0 00	0 00	7,246 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
7,600 0	0 00	0 00	7,346 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
7,700 0	0 00	0 00	7,446 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
7,800 0	0 00	0 00	7,546 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
7,879 4	0 00	0 00	7,626 0	18 2	1,318 6	1,318 7	0 00	0 00	0 00
Greenhorn									
7,900 0	0 00	0 00	7,646 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
7,928 4	0 00	0 00	7,675 0	18 2	1,318 6	1,318 7	0 00	0 00	0 00
Graneros									
7,979 4	0 00	0 00	7,726 0	18 2	1,318 6	1,318 7	0 00	0 00	0 00
Two Wells									
8,000 0	0 00	0 00	7,746 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
8,034 4	0 00	0 00	7,781 0	18 2	1,318 6	1,318 7	0 00	0 00	0 00
Paguete									
8,090 4	0 00	0 00	7,837 0	18 2	1,318 6	1,318 7	0 00	0 00	0 00
Upper Cubero									
8,100 0	0 00	0 00	7,846 6	18 2	1,318 6	1,318 7	0 00	0 00	0 00
8,115 4	0 00	0 00	7,862 0	18 2	1,318 6	1,318 7	0 00	0 00	0 00
Lower Cubero									
8,177 4	0 00	0 00	7,924 0	18 2	1,318 6	1,318 7	0 00	0 00	0 00
Encinal									
8,185 4	0 00	0 00	7,932 0	18 2	1,318 6	1,318 7	0 00	0 00	0 00
Prod. Csg. Pt. - 4-1/2" Production - SJ 29-7 #129N - PCP									

Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
SJ 29-7 #129N - ICP - plan hits target center - Point	0 00	0 00	4,294 0	18 2	1,318 6	2,085,186 62	109,172 69	36° 43' 23 533 N	107° 35' 0 778 W
SJ 29-7 #129N - PCP - plan hits target center - Point	0 00	0 00	7,932 0	18 2	1,318 6	2,085,186 62	109,172 69	36° 43' 23 533 N	107° 35' 0 778 W

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 29-7 #129N
Company:	ConocoPhillips SJB	TVD Reference:	WELL @ 6697 0ft (Original Well Elev)
Project:	San Juan Basin - New Mexico Central Wells	MD Reference:	WELL @ 6697.0ft (Original Well Elev)
Site:	San Juan 29 Wells	North Reference:	True
Well:	SJ 29-7 #129N	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 29-7 #129N		
Design:	Plan #1		

Formations						
Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)	
8,090 4	7,837 0	Upper Cubero		0 00		
4,679 4	4,426 0	Chacra		0 00		
7,879 4	7,626 0	Greenhorn		0 00		
8,034 4	7,781 0	Paguate		0 00		
3,883.1	3,643.0	Lewis		0 00		
7,144 4	6,891.0	Gallup		0 00		
3,216 0	3,033 0	Fruitland Coal	COAL	0 00		
7,979 4	7,726 0	Two Wells		0 00		
5,423 4	5,170 0	Massive Cliff House		0 00		
7,928.4	7,675 0	Graneros		0 00		
748 3	747.0	Nacimiento		0 00		
5,890 4	5,637 0	Massive Point Lookout		0 00		
5,538 4	5,285 0	Menefee		0 00		
2,662 7	2,529 0	Ojo Alamo		0 00		
8,177 4	7,924 0	Encinal		0 00		
2,793 4	2,648 0	Kirtland		0 00		
8,115 4	7,862 0	Lower Cubero		0 00		
6,307 4	6,054 0	Mancos		0 00		
3,702 2	3,476 0	Pictured Cliffs		0 00		


WELL @ 6697.0ft (Original Well Elev)
 Ground Elevation 6682.0
 Reference Lat: 36° 43' 23.353 N
 Reference Long: 107° 35' 16.973 W

Project: San Juan Basin - New Mexico Central
 Site: San Juan 29 Wells
 Well: SJ 29-7 #129N
 Wellbore: SJ 29-7 #129N
 Design: Plan #1



SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	350.0	0.00	0.00	350.0	0.0	0.0	0.00	0.00	0.0	
3	1567.5	24.35	89.21	1531.2	3.5	254.8	2.00	89.21	254.8	
4	3735.8	24.35	89.21	3506.6	15.9	1148.7	0.00	0.00	1148.8	
5	4547.4	0.00	0.00	4294.0	18.2	1318.6	3.00	180.00	1318.7	SJ 29-7 #129N - ICP
6	8185.4	0.00	0.00	7932.0	18.2	1318.6	0.00	0.00	1318.7	SJ 29-7 #129N - PCP



FORMATION TOP DETAILS

TVD	MD	Path	Formation
747.0	748.3		Nacimiento
2529.0	2662.7		Ojo Alamo
2648.0	2793.4		Kirtland
3033.0	3216.0		Fruitland Coal
3476.0	3702.2		Pictured Cliffs
3643.0	3883.1		Lewis
4426.0	4679.4		Chacra
5170.0	5423.4		Massive Cliff House
5285.0	5538.4		Menefee
5637.0	5890.4		Massive Point Lookout
6054.0	6307.4		Mancos
6891.0	7144.4		Gallup
7626.0	7879.4		Greenhorn
7675.0	7928.4		Graneros
7726.0	7979.4		Two Wells
7781.0	8034.4		Paguate
7837.0	8090.4		Upper Cubero
7862.0	8115.4		Lower Cubero
7924.0	8177.4		Encinal

