State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

4942	Pit, Closed-Loop System, Below-Grade Tank, or
11932	Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

perator Burnington	Resources Oil & C	as Company, LP		OGF	KID#: 145.	38		.
ddress: PO Box 42	89, Farmington, N	M 87499						.
acılıty or well name	Farmington Com	1						.
API Number	300451	0-103-	OCD Perr	nıt Number				.
J/L or Qtr/Qtr: L(N	W/SW) Section:	36 Township:	31N Ran	ge <u>13W</u>	County.	San Juan		.
Center of Proposed De	sign Latitude [.]	36.85362	°N Longitu	de108	3.16133	<u>°W</u> NAD	. X 1927 1983	
Surface Owner	Federal X	State Priva	te Tribal Trust	or Indian Allo	otment			
?								Ē
Pit: Subsection F	or G of 19 15 17 11 N	IMAC						
Temporary Di	rilling Workover							
Permanent Er	nergency Cavitat	ion P&A				_		
Lined Ui	nlined Liner ty	pe Thickness	mıl	DPE HDPE	E PVC	Other		
String-Reinforced								ı
Liner Seams V	Velded Factory	Other	Volume	bbl	Dimension	s Lx W	x D	
3								Ħ
X Closed-loop Sys	tem: Subsection H	of 19 15 17 11 NMAC						
Type of Operation	P&A X Dril		orkover or Drilling (Applies to activi	ities which req	uire prior appro	val of a permit or	-
	1		otice of intent)				-12	<u>.</u>
X Drying Pad X X Lined Un	Above Ground Sto lined Liner type	_	<u> </u>	PE HDPE		70than	93031-12;	3 8
Liner Seams X W	``	_					*************************************	Ì
Enter Seams [A]	- Indicate of the control of the con				 	/!	3031-12; RECEIV	Œ!
	S. haratan Lafit	15 17 11 NIMAC				26	FEB 20 OIL CONS. DIV	10
	k: Subsection I of 19					/ 6	OH CONSODIV	nist
Volume	bbl	Type of fluid				\	SC OIL COMO DIA	
Tank Construction mat		- DVblood	walls, liner, 6-inch li	O dto	a conflore along	. off	1,55	
Visible sidewalls	nent with leak detection	Visible sidewalls only	Other	n and automatic	overnow shu	t-011	£02618	<u> </u>
	L	mil HDPE		Other			_	
Liner Type Thick	iless							
5	41-1-							
Alternative Me	thod:							
Submittal of an except	on request is required	Exceptions must be su	bmitted to the Santa	e Environmenta	al Bureau offic	ce for considerat	ion of approval	
Form C-144	1		ıl Conservation Di	/ISIOn			Page 1 of 5	
1 Omi C-145	r	U	ii Comovi vanon Di	101011				

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	institution or church) .
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	consideration of approval
Siting Criteria (regarding permitting) 19 15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search; USGS, Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	ke YesNo
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	□□NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes No
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	ng Yes No
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site.	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geologica Society; Topographic map	Yes No
Within a 100-year floodplain - FEMA map	Yes No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9			
NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC			
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
14			
Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative			
Proposed Closure Method Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Groun			
Instructions Please identify the facility or facilities for the disposal of liquids, di facilities are required	rilling fluids and drill cuttings. Use attachment if more than two)	
Disposal Facility Name	Disposal Facility Permit #		
Disposal Facility Name			
Will any of the proposed closed-loop system operations and associated a Yes (If yes, please provide the information No			
Required for impacted areas which will not be used for future service and opera Soil Backfill and Cover Design Specification - based upon the ap Re-vegetation Plan - based upon the appropriate requirements of S Site Reclamation Plan - based upon the appropriate requirements of	propriate requirements of Subsection H of 19 15 17 13 Nubsection I of 19 15 17 13 NMAC	IMAC	
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 N Instructions Each siting criteria requires a demonstration of compliance in the closure placeriain siting criteria may require administrative approval from the appropriate district off office for consideration of approval. Justifications and/or demonstrations of equivalency a	in Recommendations of acceptable source material are provided below fice or may be considered an exception which must be submitted to the S	v Requests regarding changes to Santa Fe Envivonmental Bureau	
Ground water is less than 50 feet below the bottom of the buried waste		Yes No	
- NM Office of the State Engineer - IWATERS database search, USGS Da	ta obtained from nearby wells		
Ground water is between 50 and 100 feet below the bottom of the buries - NM Office of the State Engineer - iWATERS database search, USGS, Dat		Yes No	
	,	∐ ^{N/A}	
Ground water is more than 100 feet below the bottom of the buried was: - NM Office of the State Engineer - iWATERS database search, USGS, Dat		Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other (measured from the ordinary high-water mark)	·	Yes No	
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site, Aerial photo, satellite	••	Yes No	
		Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that le purposes, or within 1000 horizontal fee of any other fresh water well or spring, if - NM Office of the State Engineer - iWATERS database. Visual inspection (n existence at the time of the initial application		
Within incorporated municipal boundaries or within a defined municipal fresh was pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approve		Yes No	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visu.		Yes No	
Within the area overlying a subsurface mine		☐Yes ☐No	
 Written confirantion or verification or map from the NM EMNRD-Mining Within an unstable area 	and Mineral Division	Yes No	
Engineering measures incorporated into the design, NM Bureau of Geology Topographic map	& Mineral Resources, USGS, NM Geological Society,		
Within a 100-year floodplain - FEMA map		Yes No	
0n-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions:	Each of the following items must bee attached to the clo	osure plan. Please indicate,	
by a check mark in the box, that the documents are attached.			
Siting Criteria Compliance Demonstrations - based upon the app Proof of Surface Owner Notice - based upon the appropriate requ			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirement	• • • • • •		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requ			
☐ Disposal Facility Name and Permit Number (for liquids, drilling ☐ Soil Cover Design - based upon the appropriate requirements of		ds cannot be achieved)	
Re-vegetation Plan - based upon the appropriate requirements of			
Site Reclamation Plan - based upon the appropriate requirements			

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:Approval Date:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 1/19/2009
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005 Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliating to the items below) No Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Proof of Closure Notice (surface owner and division) Proof of Closure Notice (surface owner and division) Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Jamie Goodwin Title Regulatory Technician
Signature (Frint) Date 1/28/2010
e-mail address Jamie L Goodwin@conocophillips.com Telephone 505-326-9784