District I. 1625 N. French Dr., Hobbs, NM 88240 District IL 1301 W Grand Avenue, Artesia, NM 88210 District\_IIL 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008

Form C-144 CLEZ

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

389	Closed-Loop System Permit or Closure Plan Application (that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)  Type of action: Permit Closure
10-	(that only use above ground steel lanks or haul-off bins and propose to implement waste removal for closure)
1991	Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a

ity should operations result in pollution of surface water with any other applicable governmental authority's rule			
OGRID#: 162928	CVD AUG 17'05		
	IL CONS. DIV.		
	DIST. 3		
Facility or well name:			
Longitude 107.26376 W	NAD:□1927 🗓 1983		
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment			
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Operation:			
	CVD OCT 23 09 DIL CONS. DIV. DIST. 3		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19 15 17.13 NMAC   Previously Approved Design (attach copy of design)   API Number:			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)   Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.   Disposal Facility Name: Envirotech			
vities occur on or in areas that will not be used for	-24278 future service and operations?		
perations: propriate requirements of Subsection H of 19.15.1 bsection I of 19.15.17.13 NMAC Subsection G of 19.15.17.13 NMAC	future service and operations? 7.13 NMAC		
prevalues occur on or in areas that will not be used for operations: propriate requirements of Subsection H of 19.15.1 besettion I of 19.15.17.13 NMAC Subsection G of 19.15.17.13 NMAC accurate and complete to the best of my knowled	future service and operations? 7.13 NMAC		
perations: propriate requirements of Subsection H of 19.15.1 basection I of 19.15.17.13 NMAC Subsection G of 19.15.17.13 NMAC accurate and complete to the best of my knowled Title District Engineer	future service and operations? 7.13 NMAC		
prevalues occur on or in areas that will not be used for operations: propriate requirements of Subsection H of 19.15.1 besettion I of 19.15.17.13 NMAC Subsection G of 19.15.17.13 NMAC accurate and complete to the best of my knowled	future service and operations? 7.13 NMAC		
	OCD Permit Number:  32N Range 4W County: Longitude 107.26376 W  Allotment  Ctivities which require prior approval of a permit of the sergency telephone numbers  ection B of 19.15.17.9 NMAC ation. Please indicate, by a check mark in the box NMAC the sergency telephone of 19.15.17.12		

Oil Communication Decision

OCD Approval:     Permit Application (including closure plan)			
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.			
Closure Completion Date:  V/ Y/ZVV 1			
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name: 4PI NV. 3U-V34-24278			
Disposal Facility Name: Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below)			
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique			
10.			
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print): Patricia W. Sanchez Title. District Engineer			
Name (Print): Patricie W. Sanche 2 Title. District Engineer  Signature: Date: 10-23-2009			
Signature:			
Name (Print): Patricia W. Sanche 2  Signature: Date: 10-23-2009  e-mail address: Psanche 2 energen. Con  Telephone: 324-4141			

## Closed-loop Design Plan:

Our closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1) Fencing is not required for an above ground closed-loop system.
- 2) It will be signed in compliance with 19.15.3.103 NMAC.
- 3) A frac tank will be on location to store fresh water.

## Closed-loop Operating and Maintenance Plan:

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain this goal the following steps will be followed:

- 1) The liquids will be vacuumed out and disposed of at the Carracas SWD #1 facility (Disposal API Number 30-039-24278). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM-01-0011) on a periodic basis to prevent over topping.
- 2) No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tank.
- 3) The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately.
- 4) All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

## Closed-loop Closure Plan:

The closed loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludge to Envirotech (Permit Number NM-01-0011) following rig operations. All remaining liquids will be transported and disposed of in the Carracas SWD #1 facility (Disposal API Number 30-039-24278). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.