District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301-W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road. Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1.
Operator: Chevron Midcontinent, LP OGRID #: 131944 Address: P.O. Box 36366 Houston, TX 77236
Address: P.O. Box 36366 Houston, TX 77236
Facility or well name: <u>State 16-1E</u> API Number: <u>30-045-24298</u> OCD Permit Number:
U/L'or Qtr/Qtr Otr/Qtr P Section 16 Township 26N Range 8W County: San Juan
Center of Proposed Design: Latitude <u>36.48295244°</u> Longitude <u>-107.6826514°</u> NAD: [1927] 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
Surface Owner:
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 95 bbl Type of fluid: Produced Water Tank Construction material: Steel □ Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off □ Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other
5. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Sencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
8. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for			
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No☐ Yes ☐ No			
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐ Yes ☐ No ☐ NA			
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.				
 Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological 	Yes No			
Society; Topographic map Within a 100-year floodplain. - FEMA map	Yes No			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:					
Treviously Approved Design (attach copy of design) Arrivation.					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API Number:					
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use					
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.					
Disposal Facility Name:	Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Date of the State Engineer - iWATERS database	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Date	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; USGS	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh wat adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approx	•	☐ Yes ☐ No			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visu	al inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining	g and Mineral Division	☐ Yes ☐ No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map	ry & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No			
Within a 100-year floodplain FEMA map					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Name (Print): Title:			
Name (Print): Title:			
Signature: Date:			
e-mail address:Telephone:			
OCD Approval: Permit Application (Including closure plan) (Closure Plan (only) OCD Conditions (see attachment)			
OCD Representative Signature: Drattle Colly Approval Date: 10/18/20[
Title: Compliance Office OCD Permit Number:			
Closure Report (required within 60 days of closure completion): Subsection K of 19.15,17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.			
☑ Closure Completion Date: July 14, 2011			
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.			
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.			
Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number:			
Disposal Facility Name: Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No			
Required for impacted areas which will not be used for future service and operations:			
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation			
Re-vegetation Application Rates and Seeding Technique			
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) See Attached Proof of Deed Notice (required for on-site closure) Not Required Plot Plan (for on-site closures and temporary pits) Not Required			
 ☐ Confirmation Sampling Analytical Results (if applicable) See Attached ☐ Waste Material Sampling Analytical Results (required for on-site closure) Not Required ☐ Disposal Facility Name and Permit Number Envirotech Landfarm #2 NM-01-0011 ☐ Soil Backfilling and Cover Installation See attached Photograph Page ☐ Re-vegetation Application Rates and Seeding Technique Site still in use will Re-vegetate Pursuant to the BLM MOU upon decommission of site. 			
Site Reclamation (Photo Documentation) See Attached Photograph Page On-site Closure Location: Latitude 36.483193' Longitude -107.692261' NAD: □1927 ☑ 1983			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complete with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print): Ms. Laura Clenney DON L. LINDS TILLe: Facilities Engineer FONT ON ANE JIM Signature: Date: 9/19/11			
e-mail address:			



September 19, 2011

Project Number 92270-0798

Mr. Brandon Powell
New Mexico Oil Conservation Division
1000 Rio Brazos Rd.
Aztec, NM 87410

Phone (505) 334-6178

OCT 2011

RE: BELOW-GRADE TANK CLOSURE DOCUMENTATION FOR THE STATE 16-1E WELL SITE, SAN JUAN COUNTY, NEW MEXICO

Dear Mr. Powell:

On behalf of Chevron North America, please find enclosed the Below-grade Tank (BGT) Closure Plan, Form C-141, Form C-144 and required documents for BGT closure activities conducted at the State 16-1E well site located in Section 16, Township 26 North, Range 8 West, San Juan County, New Mexico.

This report details sample results above the regulatory limit for total petroleum hydrocarbons (TPH), confirming a release had occurred; see attached *Analytical Results*. However, the sample returned results below the cleanup standards determined for the site. Envirotech, Inc. recommends no further action in regards to this incident.

We appreciate the opportunity to be of service. If you have any questions, or require any additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

ENVIROTECH, INC.

Toni McKnight, ELP

Environmental Project Manager tmcknight@envirotech-inc.com

Enclosures: Below Grade Tank Closure Plan

Form C-141

Form C-144 and required documents

Email Cc: Laura Cle

Laura Clenney - Chevron NA

Don Lindsey - Chevron NA



September 19, 2011

Project Number 92270-0798

Ms. Laura Clenney
Chevron North America
Post Office Box 730
Aztec, New Mexico 87410

Phone: (281) 881-0322

RE: BELOW-GRADE TANK CLOSURE DOCUMENTATION FOR THE STATE 16-1E WELL SITE, SAN JUAN COUNTY, NEW MEXICO

Dear Ms. Clenney,

Enclosed please find the attached Below-grade Tank (BGT) Closure Plan, Form C-141, Form C-144 and required documents, naturally occurring radioactive material (NORM) screening results, and field notes for below-grade tank (BGT) closure activities conducted at the State 16-1E well site located in Section 16, Township 26 North, Range 8 West, San Juan County, New Mexico. Upon Envirotech personnel's arrival on July 14, 2011, one (1) five (5)-point composite sample was collected from directly beneath the former BGT; see attached *Field Notes*. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) using USEPA Method 418.1, for organic vapors using a photoionization detector (PID) and for chlorides. Additionally, the sample was placed into a four (4)-ounce glass jar, capped headspace free, and transported on ice, under chain of custody, to Envirotech's Analytical Laboratory to be analyzed for benzene and total BTEX using USEPA Method 8021 and for total chlorides using USEPA Method 4500. The sample returned results below the regulatory limits for benzene, BTEX and total chlorides; however, the sample returned results above the regulatory standard for TPH using USEPA Method 418.1, confirming a release did occur; see attached *Analytical Results*.

Upon Envirotech's arrival, a brief site assessment was conducted. Because distance to surface water was between 200 feet and 1,000 feet from the well site, the regulatory standards for the site were determined to be 1,000 parts per million (ppm) total petroleum hydrocarbons (TPH) and 100 ppm organic vapors, pursuant to New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills, and Releases. The sample returned results below the regulatory standards for TPH using USEPA Method 418.1. Envirotech recommends no further action in regards to this incident.

Naturally occurring radioactive material (NORM) testing was performed on the BGT tank. The results were below the allowable limit of two (2) times the background concentration; see attached *Field Notes*.

There was no paint observed on the former BGT, therefore, lead paint was not present on the BGT tank.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully submitted, **ENVIROTECH, INC.**

Rene Garcia-Reyes

Senior Environmental Field Technician

rgarcia@envirotech-inc.com

Enclosures: Below-grade Tank (BGT) Closure Plan

Form C-141

Form C-144 and Required Documents

NORM Screening Results

Field Notes

Cc: Client File 92270



BELOW GRADE TANK (BGT) CLOSURE PLAN

SITE NAME:

STATE 16-1E WELL SITE
UNIT LETTER P, SECTION 16, TOWNSHIP 26N, RANGE 8W
SAN JUAN COUNTY, NEW MEXICO
LATITUDE: N36.483193° LONGITUDE: W107.692261°

SUBMITTED TO:

MR. BRANDON POWELL
NEW MEXICO OIL CONSERVATION DIVISION
1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO 87410
(505) 334-6178 ext 15

SUBMITTED BY:

MR. DON LINDSEY
CHEVRON NORTH AMERICA
P.O. BOX 370
AZTEC, NEW MEXICO 87410
(432) 687-7123

INITIALLY SUBMITTED WITH BGT PERMIT
MARCH 2010

BELOW GRADE TANK (BGT) CLOSURE PLAN CHEVRON NORTH AMERICA STATE 16-1E WELL SITE SAN JUAN COUNTY, NEW MEXICO

TABLE OF CONTENTS

INTRODUCTION	1
SCOPE OF CLOSURE ACTIVITIES	1
REPORTING	3

Introduction

Chevron North America would like to submit a closure plan for the below grade tank (BGT) at the State 16-1E Well Site located in the NE ¼ SW ¼ of Section 16, Township 26N, Range 8W, San Juan County, New Mexico. This closure plan has been prepared in conformance with New Mexico Oil Conservation Division (NMOCD) procedures.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure plan is to provide the details of activities involved in the closure of the BGT at the State 16-1E Well Site. The following scope of closure activities has been designed to meet this objective:

- 1) Chevron North America shall submit a closure plan to the division's environmental bureau. Upon receipt of this plan the division shall review the current closure plan for adequacy and accordance with 19.15.17.9 Subsection C NMAC and 19.15.17.13 NMAC.
 - a. Closure plan was submitted on March 1, 2010, to the division's environmental bureau, in accordance with 19.15.17.9 Subsection C NMAC and 19.15.17.13 NMAC. The closure plan was approved on September 12, 2011, by Mr. Brad Jones of the NMOCD, Santa Fe office.
- 2) No less than 72 hours and no greater than one (1) week prior to BGT removal Chevron North America will provide written notification to the appropriate division district office, as in accordance with 19.15.17.13 Subsection J Paragraph (2) NMAC.
 - a. Please find attached the written notification to the district office sent on July 11, 2011.
- 3) Chevron North America shall provide written notification to the surface owner no later than 24 hours prior to BGT removal. BLM will receive notification per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC.
 - a. Please find attached the written notification and Certified Mail Certificate for land owner notification sent on June 27, 2011.
- 4) Chevron North America or a contractor acting on behalf of Chevron will remove all liquids, and/or sludge, if applicable, prior to closure. Material will be disposed of at Envirotech's Landfarm, Permit # NM-01-0011, as in accordance with 19.15.17.13 Subsection E Paragraph (1) NMAC.
 - a. All waste material was removed from the BGT by Riley Services and transported to Envirotech's NMOCD approved Landfarm #2 as listed above; see attached Bill of Lading.
- 5) Chevron North America or a contractor acting on behalf of Chevron will remove the BGT and all on-site equipment associated with this BGT that cannot or will not be reused on-site, as in accordance with 19.15.17.13 Subsection E Paragraphs (2) and (3) NMAC.
 - a. Chevron has removed the BGT and associated equipment that will not be reused on-site; see attached Site Photography.

6) Once the BGT is removed a five (5) - point composite sample will be collected from directly below the tank or below the leak detection system if present. An additional discrete sample will be collected from any area that is wet, discolored, or showing other evidence of a release. All samples being collected will be analyzed for benzene and total BTEX via USEPA Method 8021, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection E Paragraph (4) NMAC.

Sample ID TPH (418.1)		Benzene	BTEX	Total Chlorides
5pt	232 ppm	<0.0009	0.0012	30 ppm
Composite		ppm	ppm	

- 7) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - a. If soil samples pass the regulatory standards of 0.2 ppm benzene, 50 ppm BTEX, 100 ppm TPH, and 250 ppm or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection E Paragraph (4) NMAC.
 - i. Chevron North America or a contractor acting on behalf of Chevron will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC.
 - 1. BGT pit was backfilled with clean earthen material in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC.
 - ii. Upon decommissioning of the well site Chevron North America or a contractor acting on behalf of Chevron will construct a divison-prescribed soil cover, substantially restore, recontour and re-vegetate the site, in accordance with 19.15.17.13 Subsections G, H, and I NMAC.
 - 1. Well site is still in use re-vegetation will occur upon the decommissioning of the well site.
 - b. If soil samples exceed the regulatory standards stated above.
 - i. Chevron North America will submit a Release Notification by Form C-141 to the appropriate division district office, in accordance with 19.15.17.13 Subsection E Paragraph (4) NMAC.
 - 1. C-141 release notification form is attached.
 - ii. Activities beyond this point will be in accordance with 19.15.3.116 NMAC and 19.15.11.19 NMAC.
 - 1. Upon Envirotech's arrival, the closure standard for the site was determined be 1,000 ppm TPH and 100 ppm organic vapors in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for the Remediation of Leaks, Spills, and Releases. Therefore, no remedial action was taken.

REPORTING

Reporting will occur within 60 days following the BGT closure and will consist of a form C-144 with all supporting data, and a form C-141 with all supporting data, if necessary. The supporting data will include analytical results, a site diagram, and other information related to the onsite activities.

We appreciate the opportunity to be of service. If you have any questions or require further information, please do not hesitate to contact our office at (505) 632-0615.

Respectfully Submitted:

Chevron North America

Don Lindsey

Chevron North America

Exploration & Production Company

District 1 1625 N. French Dr., Hobbs. NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec. NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe. NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action **OPERATOR** Initial Report Final Report Name of Company: Chevron Midcontinent, LP Contact: Ms. Laura Clenney Address: P.O. Box 36366 Houston, TX 77236 Telephone No. (281) 881-0322 Facility Name: State 16-1E Facility Type: Gas Well Surface Owner: State Mineral Owner: Lease No.: N/A LOCATION OF RELEASE Unit Letter Section Feet from the North/South Line Township Range Feet from the East/West Line County P: 16 26N 8W 1110. South. 1050 East San Juan Latitude 36.483193° Longitude -107.692261°

NATURE OF RELEASE Type of Release: Produced Water Volume of Release: Unknown Volume Recovered: Not Applicable Date and Hour of Occurrence: Source of Release: Below Grade Tank Date and Hour of Discovery: Unknown Not Applicable If YES, To Whom? Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Required By Whom? Date and Hour Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes 🛛 No If a Watercourse was Impacted, Describe Fully.* Describe Cause of Problem and Remedial Action Taken.*

Produced water from gas well at the above mentioned location formerly discharged into a Below-grade Tank (BGT) on location. The Below-grade Tank was removed on July 14, 2011. Soli sampling from directly beneath the tank in accordance with Subsection E of 19,15,17,13 NMAC performed on July 14, 2011, indicated that a release had occurred; however, upon a quick site assessment the spill closure standard at this site was determined to be 1,000 parts per million (ppm) total petroleum hydrocarbons (TPH) and 100 ppm organic vapors. All analytical results were below the regulatory limits for all constituents analyzed in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for the Remediation of Leaks, Spills and Releases. Therefore, no remedial action was taken.

Describe Area Affected and Cleanup Action Taken.*

A five (5) point composite sample was collected from directly beneath the former BGT immediately once it was removed. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) using USEPA Method 418.1, and in Envirotech's Analytical Laboratory for benzene and BTEX using USEPA Method 8021 and for total chlorides using USEPA Method 4500B. The sample returned results below the 'Pit Rule' standards of 0.2 mg/kg benzene, 50 mg/kg BTEX and 250 mg/kg total chlorides, but above the 'Pit Rule' standard of 100 ppm TPH, confirming that a release had occurred. However, upon a quick site assessment the spill closure standard at this site was determined to be 1,000 parts per million (ppm) total petroleum hydrocarbons (TPH) and 100 ppm organic vapors. All analytical results were below the regulatory limits for all constituents analyzed in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for the Remediation of Leaks, Spills and Releases. Analytical results are attached for your reference.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other

rederat, state, or focal taws and/or regulations.	<u> </u>	·
Signature:		RVATION DIVISION
Printed Name: Laura Clenney	Approved by District Supervisor:	
Title: Facilities Engineer	Approval Date:	Expiration Date:
E-mail Address: laura.clenney@chevron.com	Conditions of Approval:	Attached
Date: 9/14/11 Phone: 281-881-0322		Attacles L
Attach Additional Sheets If Necessary		,

<u>District I</u> 1625 N. French Dr., Hobbs. NM 88240 District III
1000 Rio Brazos Road, Aztec, NM 87410
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505


Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 1 16 on back side of form


Release Notification and Corrective Action

					OPERA'	ror		Initi	al Report	\boxtimes	Final Report	
Name of Company: Chevron Midcontinent, LP					. Laura Clenne							
Address: P.O. Box 36366 Houston, TX 77236				Telephone No. (281) 881-0322								
Facility Name: State 16-1E				Facility Typ	e: Gas Well	<u>. </u>						
Surface Owner: State Mineral Owner:								Lease 1	lo.: N/A			
			LOCA	N OF REI	LEASE							
Unit Letter	Section	Township	Range	Feet from the		/South Line	Feet from the	East/W	est Line	County		
P	- 16	26N	8W	1110	1	South	1050	E	ast	San Juan		
LLLLL					<u> </u>			1		<u></u>		
	Latitude_36.483193° Longitude107.692261°											
	NATURE OF RELEASE											
Type of Rele							Release: Unknow			Recovered: N		
Source of Re	lease: Belo	w Grade Tank				Date and F Unknown	lour of Occurrence		Date and Not Appl	Hour of Disc	overy:	
Was Immedia	ne Notice (Jiven?			- ·	If YES, To	Whom?		HOL APPI	Caule		· · · · · · · · · · · · · · · · · · ·
			Yes [No 🖾 Not Re	equired						,	
By Whom?						Date and I						
Was a Water	course Read		. v	1 xr-		If YES, Vo	lume Impacting (ihe Water	course.			
			Yes 🛭	No								
		pacted, Descri	ibe Fully.									
Not Applicat		em and Reme	dial Actio	n Taken *								
1				ioned location for	merly (discharged into	a Below-grade 1	Tank (BG	T) on loc	ation. The B	elow-g	rade Tank
was removed	on July 14	, 201 i. Soil s	ampling fr	om directly benea	ath the	ank in accord	ance with Subsect	tion E of	19.15.17.	13 NMAC pe	rforme	ed on July
				owever, upon a q								
				bons (TPH) and I w Mexico Oil Co								
		remedial action			_	Division (1						
		and Cleanup A										
				from directly bearing USEPA Metho								
				ng USEPA Metho								
				hlorides, but abov								
				closure standard a								
				s. All analytical (
vour reference		nservation Div	usion (iniv	IOCD) Guidelines	s for the	e Kemediauon	or Leaks, Spills	mo Keles	ises. Ana	iyucar resuns	are au	tactied for
		information gi	ven above	is true and comp	lete to t	he best of my	knowledge and u	nderstand	that purs	uant to NMC	CD ru	les and
	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger											
public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health												
	or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other											
	federal, state, or local laws and/or regulations.											
1 ()8.)				OIL CONSERVATION DIVISION								
Signature: An A. C.												
Olgitaldic.		204	LI	INDSAY	€ 64	Annroved by	District Supervise	or.				
Printed Name	Printed Name: Laura Clenney				- approved by	District Super vise	···				<u> </u>	
Title: Facilit	es Enginee	r		ţ		Approval Date	e:	Expiration Date:				
		enney@chevn	an com	,	1						_	
al.	<u> </u>		HANNEL TO SERVICE			Conditions of Approval:			Attached 🔲			
Date:	1/1(281-881-0322	1					<u></u>		
Attach Addit	ional Shee	ets If Necess	агу									

Site Photography Chevron North America State 16-1E Well Site Below Grade Tank Closure Project No. 92270-0798 07/14/11



Picture 1: Former Below Grade Tank



Picture 2: Backfilled Below Grade Tank Pit



FIELD REPORT NORM TESTING VERIFICATION

OH A DOMESTIC		HE CO	245 24258	'
a ser e a como	SE/SE SEC		RNG: SW P	
4 6	· · · ·	·	, V.S.	1
NCAKE PROBE OUND READIN	IG PROBE 2: 10 AL	LOWABLE CONCENTRATI	ION (2 TIMES BACKROI	JND):SO U
SAMPLE	SAMPLE	DESCRIPTION	CONCENTR	ATION
			PROBE 1	PROBE 2
BET	, e , e , e , e , e , e , e , e , e , e	100	DD4mR/HR	10u R/H
- A - A - A - A - A - A - A - A - A - A	· · · · · · · · · · · · · · · · · · ·		 	
		A CONTRACT TO SERVICE STATE OF THE SERVICE STATE ST	<u> </u>	
		· · · · · · · · · · · · · · · · · · ·	l. :	
2.4	10 To			
1		·		
			<u> </u>	
		,	<u> </u>	
	, , ,			
		· · · · · · · · · · · · · · · · · · ·		· ·
	٠,			
A).				
<u> </u>				· · · · · · · · · · · · · · · · · · ·
				
······································				
,				
<u>.</u>		·	1	
	<u> </u>			
	į ,		<u> </u>	<u> </u>
	OUND READIN NCAKE PROBE OUND READIN IILLATION PROB SAMPLE I.D.	OUND READING PROBE 1: 0.0 4 AL NCAKE PROBE OUND READING PROBE 2: 10 AL ILLATION PROBE SAMPLE I.D. SG. T	OUND READING PROBE 1: 0.0 4 ALLOWABLE CONCENTRATING PROBE OUND READING PROBE 2: 10 ALLOWABLE CONCENTRATIFILLATION PROBE SAMPLE SAMPLE DESCRIPTION 1.D. S-6-7	OUND READING PROBE 1: D.O 4 ALLOWABLE CONCENTRATION (2 TIMES BACKROIN NCAKE PROBE OUND READING PROBE 2: D. ALLOWABLE CONCENTRATION (2 TIMES BACKROIN ILLATION PROBE SAMPLE SAMPLE DESCRIPTION CONCENTRATION DESCRIPTION CONCENTRATION (2 TIMES BACKROIN ILLATION PROBE 1 D.O.) 4 M.P./HR



Field Chloride

Client:

Chevron North America

Project #:

92270-0798

Sample No.:

Date Reported:

7/27/2011

Sample ID:

BGT Composite

Date Sampled:

7/14/2011

Sample Matrix:

Soil

Date Analyzed:

7/14/2011

Preservative:

Cool

Analysis Needed:

Chloride

Condition:

Cool and Intact

\$ 		<u> </u>
		Det.
· , · , · ·	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Field Chloride

ND

33.0

ND = Parameter not detected at the stated detection limit.

References:

"Standard Methods for the Examination of Water and Wastewater", 18th ed., 1992

Hach Company Quantab Titrators for Chloride

Comments:

State 16-1E

Rene Garcia Reyes

Printed

Review

Toni McKnight, EIT

Printed



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Chevron North America

Project #:

92270-0798

Sample No.:

1 4 3

Date Reported:

7/27/2011

Sample ID:

BGT Composite

Sample Matrix:

Soil

Date Sampled: Date Analyzed: 7/14/2011 7/14/2011

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

,			Det.
1	,	Concentration	Limit
:	Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

232

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

State 16-1E

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Rene Garcia Reyes

Printed

Toni McKnight, EIT

Printed



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

14-Jul-11

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
ТРН	100		,
	200	200	
` · · · · · .	500		
*	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

FOR RENE	7/27/2011
Anertyst	Date
Rene Garcia Reyes	
Print Name	
Ton Milmyth	7/27/2011
Review	Date
Toni McKnight, EIT	

Print Name



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

		•	Det.
,		Dilution:	. 10
Condition:	Intact	Analysis Requested:	BTEX
Preservative:	Cool	Date Extracted:	07-15-11
Sample Matrix:	Soll	Date Analyzed:	07-15-11
Chain of Custody:	12184	Date Received:	07-14-11
Laboratory Number:	58950	Date Sampled:	07-14-11
Sample ID:	BGT	Date Reported:	07-18-11
Client:	Chevron	Project #:	92270-0798

Parameter	Concentration (ug/Kg)		Det. Limit (ug/Kg)	
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	ND ND ND ND		0.9 1.0 1.0 1.2 0.9	
Total BTEX	, ND	,		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries	\$1. fa	Parameter	Percent Recovery
,	, 1	Fluorobenzene	87.8 %
	,	1,4-difluorobenzene	97.3 %
4		Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

State 16 #1E

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A		Project#:		N/A	
Sample ID:	0715BBLK QA/Q	3	Date Reported:		07-18-11	
Laboratory Number:	58950		Date Sampled:		N/A	ν,
Sample Matrix:	Soil		Date Received:		N/A	
Preservative:	N/A	•	Date Analyzed:	*	07-15-11	, 4.
Condition:	N/A		Analysis:		BTEX	
		* *	Dilution:	,	10	., .
Calibration, and	I-Cal RF:	C-Cal RF:	%Diff/	Blank	Detec	t.
Detection Limits (ug/L)		Accept Ra	nge 0 - 15%	Conc	Limit	
Benzene	3.8196E+006	3.8273E+006	0.2%	ŃD	0.1	* * * * * * * * * * * * * * * * * * * *
Toluene	3.8814E+006	3.8892E+006	0.2%	ND ^	0.1	
Ethylbenzene	3.4376E+006	3.4445E+006	0.2%	ND "	0.1	
p,m-Xylene	9.3013E+006	9.3199E+006	0.2%	ND:	0.1	

Duplicate Conc. (ug/Kg)			-			
Duplicate Conc. (ug/kg)	Sam	ole : D	uplicate	:%Um:	Accept Range	Detect: Limit
				r,	• 4	
Benzene		ND	ND	0.0%	0 - 30%	0.9
Toluene	•	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	•	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ه د په استر	ND	ND	0.0%	0 - 30%	1.2 ·
o-Xylene		ND	ND	0.0%	0 - 30%	. 0.9
13,				•		

3.2109E+008

		AT.		* **. ,	· · · · · · · · · · · · · · · · · · ·	
Senzene	,	ND	500	504	101%	39 - 150 , 1
oluene		ND.	500	496	99.2%	46 - 148
thylpenzene		NĎ	500	498	100%	32 - 160
,m-Xylene		ND	1000	1,030	103%	46 - 148
o-Xylene	-	ND	500	529	106%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

3.2044E+006

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-848, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photolonization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/Q

QA/QC for Samples 58950-58954

Analyst



Chloride

Client: Chevron Project #: 92270-0798 Sample ID: **BGT** Date Reported: 07/18/11 Lab ID#: 58950 Date Sampled: 07/14/11 Sample Matrix: Soil Date Received: 07/14/11 Preservative: Cool Date Analyzed: 07/18/11 Condition: Intact Chain of Custody: 12184

Parameter Concentration (mg/Kg)

Total Chloride

30

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

State 16 #1E

Analyst

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

CHAIN OF CUSTODY RECORD

12184

Client:	ron	P	roject Name / L	ocation:	6 #	16	-							,	ANAL	YSIS /	/ PAR	AME	TERS					
Client Address:		Si	ampler Name: Column Colum	<u> </u>	5-04C1	in Do	<u>-</u>	<u> </u>		8015)	BTEX (Method 8021)	8260)	કા	_		а								
Client Phone No.:		C	lient No.: タックコ	? ~	A 7 9	e.	7			lethod	Metho	Aethod	8 Meta	/ Anior		vith H/I		118.1)	3DE			į	Cool	9 Intact
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sa	ample latrix	No./Volume of Containers	Pres	erva HCI	tive	TPH (Method 8015)	втех (VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE				Sample Cool	Sample Intact
BGT	7/14	17:00	58950	Solid	Sludge Aqueous	402			4		X								X				Y	4
			·	Soil Solid	Sludge Aqueous										:									
				Soll Solid	Sludge Aqueous																			
			_4 *	Soll Solid	Sludge Aqueous																			
·				Soil Solid	Sludge Aqueous																			
				Soil Solid	Sludge Aqueous												,							
	·			Soil Solid	Sludge Aqueous																			
,				Soil Solid	Sludge Aqueous					·														
				Soil Solid	Sludge Aqueous					·														
ż , ,				Soil Solid	Sludge Aqueous																			
Relinquished by: (Signa	ture) ,	13	Den		Date 7/14	Time /8:50	- 1	Rece	ive	i by:	(Sign	(ture)	R	≫ .	30	· _	,	1			7/1	ate	Tir 185	me C/J
Relinquished by: (Signa	ture)		pe u		<u> </u>	1000	F	lece	iV99	y by:	(Signa	(iture)	6							<u>.</u> .	"	7	100	~
Relinquished by: (Signa	ture)						F	lece	oive	d by:	(Signa	ıture)				•								

RUSH



envirotech Analytical Laboratory

5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com

(36	env	iro	te	ch	
-----	-----	-----	----	----	--

Bill of Lading

MANIFEST #______ 37693

PHON	E: (505) 632-061	5 • 57	96 U.S. HIGHWAY	64 • FARMINGT	ON, NEW W	EXICO 87	401	DATE 2-11-	Щ.	JOB# _	0270.0721
LOAD		CON	APLETE DESCR	IPTION OF SHIF	PMENT			TR.	ANSPOR	TING CO	OMPANY
NO.	POINT OF ORIG	iN	DESTINATION	MATERIAL	GRID	YDS	BBLS	COMPANY	TRK#	TIME	DRIVER SIGNATURE
	Cheuron State 16-1	E	BF LFIT-5	Tank	E-34	-	20	Riley	19010	9:00p	Sully
							21				
											, in the second
,											
	7.4										
)									
		1									
			1								,
RESUL -29		/	LANDFARM EMPLOYEE:				04	NOTES:			
	PAINT FILTER TEST	/	Certifica	ion of above	-						·
hat no	dditional materials h	ave hee	n added "								mentioned Generator, and
TRANS	PORTER CO		· ·	NAME_[W. Rile	Ψ		SIG	NATURE,	Aw	Lly
COMPA	PORTER CO NY CONTACT_LIKE	MA	n Dreyer	PHONE	505-3	20-35	549	DAT	E_2-1	1-11	
Signat	ures required prio	r to dis	stribution of this	legal document	it.						CCENT Printing • Farm 28-1212

PERIMETER WELL LAB SAMPLES SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO & DRO CHLORIDES	NOTES:	PID RESUL AMPLE ID	TS RESULTS (mg/kg)	¢	0 0 0 pGd	0) 6
LAB SAMPLES SAMPLE D ANALYSIS RESULTS BENZENE BTEX GRO & DRO CHLORIDES	NOTES:	PID RESUL	TS RESULTS (mg/kg)		0 0	0) 6
Read Read Read LAB SAMPLES SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO & DRO	NOTES:	PID RESUL	TS RESULTS (mg/kg)	° San	0 0	0) 6
LAB SAMPLES SAMPLE ID ANALYSIS RESULTS BENZENE BTEX	NOTES:	PID RESUL	TS RESULTS (mg/kg)	@ san	0 0	0) 6
Road Meter LAB SAMPLES SAMPLE ID ANALYSIS RESULTS	NOTES:	PID RESUL	TS RESULTS (mg/kg)	* San	0 0	0) 6
Road Road Meter LAB SAMPLES	NOTES:	PID RESUL	TS RESULTS (mg/kg)	* Sau	0 0	0) 6
Road Weled Weled	BG1	PID RESUL	(mg/kg) TS RESULTS (mg/kg)	° San	0 0	0) 6
Road Meter	BG1	PID RESUL	(mg/kg) TS RESULTS (mg/kg)		0 0	0) 6
Road Meter	BG1	PID RESUL	(mg/kg) TS RESULTS (mg/kg)		0 0	6
Road @	BG1	PID RESUL	(mg/kg) TS RESULTS (mg/kg)		16	6
Road @	BG1	PID RESUL	(mg/kg) TS RESULTS (mg/kg)	* (A)	16	6
Road	BG1	PID RESUL	(mg/kg) TS RESULTS (mg/kg)		16	
Road	W BG	PID RESUL	(mg/kg)		16	
Roa d	D D	READING	(mg/kg)		16	
Road With	D D	READING	(mg/kg)		16'	
Market III	D D	READING	(mg/kg)		16'	1 1
	D D	READING	(mg/kg)		F	
	D D	READING	(mg/kg)	*		-
	D D	READING	(mg/kg)			
	A SAMI	'LC	CALC.	B		
PERIMETER			CALC.		110	
•	वान	D CHLORIDES	RESULTS		PRO	FILE
,		s	-			
	6					
`	5					<u> </u>
	1000 STD 3 BGT 4	- 5	20	X4	1000 58	732
, , ,	SOO STD 2		`, .	,	500	` <u>u</u>
	1			. , .,		
- I IME	SANI LET.D. LAB I	WEIGHT (g	-	-	200	Cribor (mg/ag)
TIME	"SAMPLE I.D. LAB		mL FREON		READING	CALC. (mg/kg)
			D 418.1 ANAL	VSIS		
BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg	g/kg, TPH (418.1) ≤ 100 r	ng/kg, CHLORIDI	S ≤ 250 mg/kg			
PERMANENT PIT OR BGT						,
BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg	/kg, GRO & DRO FRAC	TION (8015) ≤ 500	mg/kg, TPH (4	118.1) ≤ 2500 i	ng/kg, CHLO	RIDES ≤ 1000 mg/kg
_ TEMPORARY PIT - GROUNDWA	TER ≥100 FEET DEE	•				
BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg	ykg, GRO & DRO FRAC	TION (8015) ≤ 50	0 mg/kg, TPH (418.1) ≤ 2500	mg/kg, CHLC	RIDES ≤ 500 mg/kg
_ TEMPORARY PIT - GROUNDWA			7)			
PTH TO GROUNDWATER:			,			
OCATION APPROXIMATELY:	67 FT. S	$\overline{\omega}$	FROM WELL	HEAD	,	
NSTRUCTION MATERIAL: STe.		LE-WALLED, V				۲1
ND OWNER:	API:	300-45 -2		BGT / PIT V	OLUME:	
SPOSAL FACILITY:			TION METHO		-	,
CAVATION APPROX: 16	FT. X 6	FT. Xr	idjal	FT. DEEP	CUBIC YAI	RDAGE:
R/FOOTAGE: ///O'FSLL 10	SO FEL CNTY	: A Saa 7	كعيم	ST: Ne.	i ele	XICO
GAL ADD: UNIT: SE/SE	SEC: 16		6 N	RNG: 8	-	PM:
CATION: NAME: 5 ate	16 WELL	#: 1E	TEMP PIT:	PERMAN	ENT PIT:	BGT:
FIELD I	REPORT: BGT	/ PIT CLOS	URE VE	RIFICAT	ION	,
TE FINISHED: 7/14/2011		HONE: (505) 63				7.692.2612
		IGTON, NEW M				483193"
TE STARTED: 7/14/2011	/"	796 U.S. HIGHW	7			
TE STARTED: 7/14/2011	· · · · · · · · · · · · · · · · · · ·	NTAL SCIENTS	STS & ENGIN	IEERS	16mg	Genera
TE STARTED: -7/14/2011	ENVIRONME	IDAI COIDIM				

Toni McKnight

From:

Lindsey, Don (LLIN) [LLIN@chevron.com] Monday, July 11, 2011 7:21 AM

Sent:

To:

Powell, Brandon, EMNRD

Cc:

Clenney, Laura E; Goldstein, Kevin J; Toni McKnight; Greg Crabtree

Subject:

FW: OCD Notification: Chevron State 16-1E: Below Ground Tank Removal planned this week

Brandon.

I am sending this note to satisfy our OCD notification requirement, regarding our planned removal this week, of the Below Ground Pit Tank at this location.

The Surface Owner (NM State Land Office) has been notified via Certified Mail. We will have Envirotec on site next week during the removal for sampling & remediation identification (if needed), and data gathering for the Final Report. I am CCing Envirotec with this e-mail as well.

Location specifics: State 16-1E API 30-045-24298 Section 16 T26N R8W San Juan County, New Mexico.

Please contact me at the numbers below, should you have any questions.

Thank you,

Don Lindsey Environmental & Health Specialist Aztec, NM Office 505-333-1920 Cell 505-301-5576 llin@chevron.com



VIA CERTIFIED MAIL

June 27, 2011

New Mexico State Land Office 310 Old Santa Fe Trail Santa Fe, NM 87504

RE: STATE 16 – 1E WELL SITE: BELOW GRADE TANK CLOSURE NOTIFICATION

To whom it may concern,

This letter serves as surface owner notification for Below Grade Tank closure activities at the State 16 – 1E well site, owned and operated by Chevron Midcontinent, L.P. The State 16 – 1E is located in Section 16 T26N R8W, San Juan County, New Mexico. Closure activities are anticipated to occur and be completed during July, 2011.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact me at (505) 333-1920.

Respectfully Submitted

Don Lindsey

Environmental Specialist

Chevron Mid-Continent

llin@chevron.com

2. Article Number 7010 16 (Transfer from service label)	370 0003 6388 4068
gratel 616	4. Restricted Delivery? (Extra Fee) Yes
Sonta 7e nm 815	3. Service Type Conflied Mail Depress Mail Registered Deturn Receipt for Merchandise
310 Old Santa Te Jan	il l
nm State hands Office	
Article Addressed to:	D. Is delivery address different from item 17 Yes If YES, enter delivery address below:
so that we can return the card to you. Attach this card to the back of the maliplece, or on the front if space permits.	B. Received by (Printed Name) C. Date of Delivery
Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired. Print your name and address on the reverse	X Julia W Agent
SENDER (COMPLETE) THIS SECTION (*COMPLETE THIS (SECTION, ON, DERIVERY)