1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Ave, Artesia, NM 88210

State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

District III 1000 Rio Brazos Rd, Aztec, NM 87410 Santa Fe, NM 87505 District IV

Address. PO Box 4289, Farmington, NM 87499 Facility or well name Delhi Taylor 5 API Number 30-045-13034 OCD Permit Number	220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please to advasted that approval of the requested or or relevance or the teleparate of the superated for a policy permitted or non-permitted pit, closed-loop system, below-grade tank or alternative request Please to advasted that approval of disease approval or disease the operative of the responsibility to camply with any criter applicable governmental anthony's rules, regulations or ordinances and surface or disease approval or disease the operative of the responsibility to camply with any criter applicable governmental anthony's rules, regulations or ordinances and surface or disease application of the operation of the operati	Pit, Closed-Loop System	
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method	Proposed Alternative Method I	Permit or Closure Plan Application
Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed laternative method	Type of action Permit of a pit, closed-loop sys	stem, below-grade tank, or proposed alternative method
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Piene be advaed that approval of the request does not relieve the operator of tablety should operations result in pollution of surface water, ground water or the encountered Nor does approval relieve the operator of the other water and the other of the encountered Nor does approval relieve the operator of the other water, ground water or the encountered Nor does approval relieve the operator of the other water, ground water or the encountered Nor does approval relieve the operator of the other water, ground water or the encountered Nor does approval relieve the operator of the other water, ground water or the encountered Nor does approval relieve the operator of the other water, ground water or the encountered Nor does approval relieve the operator of the other water, ground water or the encountered Nor does application of the encountered Nor does not not the other water, ground water or the encountered Nor does not	X Closure of a pit, closed-loop sy	stem, below-grade tank, or proposed alternative method
Deliver grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request	=	
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, helow-grade tank or alternative request Please be advaged that approval of this request does not relieve the operator of inhibity should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of as responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. OGRID#: 217817		
censroament Nor does approval relave the operator of at responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator ConocoPhillips Company		
OGRID# 217817 Address. PO Box 4289, Farmington, NM 87499 actifty or Well name	· · · · · · · · · · · · · · · · · · ·	
actity or well name	environment Nor does approval relieve the operator of its responsibility to comply	with any other applicable governmental authority's rules, regulations or ordinances
Active of the properties Active of the properties Active of the properties	Operator ConocoPhillips Company	OGRID#· <u>217817</u>
API Number 30-045-13034 OCD Permit Number Dr. or Qtir/Qtr. A(NE/NE) Section. 17 Township. 26N Range. 11W County: San Juan	Address. PO Box 4289, Farmington, NM 87499	
Alternative Method:	Pacifity or well name Delhi Taylor 5	
center of Proposed Design. Latitude. 36.492858 °N Longitude. 108.02024 °W NAD. X 1927 1983 urface Owner X Federal State Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Scams Welded Factory Other Volume bbl Dimensions L x W x D X Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Liner Scams Welded Factory Other Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Oil Cons. DIV. DIS. Alternative Method:	API Number 30-045-13034	OCD Permit Number
urface Owner X Federal State Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC		
Pit: Subsection For G of 19 15 17 11 NMAC Temporary		
Temporary Drilling Workover Permanent	urface Owner X Federal State Private T	ribal Trust or Indian Allotment
Type of Operation	String-Reinforced Liner Seams Welded Factory Other	
Alternative Method:	Type of Operation X P&A Drilling a new well Workover of	
Alternative Method:	Lined Unlined Liner type Thicknessmil	Other LLDPE HDPE PVD Other
Alternative Method:	Relow-orade tank: Subsection Lof 19 15 17 11 NMAC	A DECENTED
Alternative Method:		A DECEIVE
Alternative Method:		75 100 2011
Alternative Method:	Secondary containment with leak detection Visible sidewalls, line	er, 6-inch lift and automatic overflow shut-off QIL CONS. DIV. DIST.
Alternative Method:		Other
	Liner Type Thicknessmil HDPE PVC	Other Other
	Alternative Methods	
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
	Submittal of an exception request is required Exceptions must be submitted to	the Santa Fe Environmental Bureau office for consideration of approval

6~		,
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	utution or chui	rch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8 Signs: Subsection C of 19 15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		i
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	proval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	_	
10		
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions. The applicant must demonstrate compliance for each siting criteria below in the application Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	□No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No
(measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	∐NA	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	□No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		L_J. 10
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. 	Yes	□No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
Within an unstable area.	Yes	□No
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	_	_
Within a 100-year floodplain	Yes	□No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Lach of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Frosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tai			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluid facilities are required			
X	osal Facility Permit #		
Disposal Facility Name Disp	osal Facility Permit #		
Will any of the proposed closed-loop system operations and associated activities occur. Yes (If yes, please provide the information No	cur on or in areas that will not be used for future se	ervice and	
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate re Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsect	I of 19 15 17 13 NMAC		
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions: Lach string criteria requires a demonstration of compliance in the closure plan Reco certain siting criteria may require administrative approval from the appropriate district office or n office for consideration of approval. Justifications and/or demonstrations of equivalency are required.	ay be considered an exception which must be submitted to the		
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained	from nearby wells	☐ Yes ☐ No ☐ N/A	
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No	
- NM Office of the State Engineer - (WATERS database search, USGS, Data obtained	rom nearby wells	□N/A	
Ground water is more than 100 feet below the bottom of the buried waste		Yes No	
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained	rom nearby wells	N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant w (measured from the ordinary high-water mark)	atercourse or lakebed, sinkhole, or playa lake	Yes No	
- Topographic map, Visual inspection (certification) of the proposed site		□v _{as} □N _a	
Within 300 feet from a permanent residence, school, hospital, institution, or church in exister - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	ice at the time of initial application	∐Yes ∐No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database, Visual inspection (certification	at the time of the initial application		
Within incorporated municipal boundaries or within a defined municipal fresh water well fiel pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained		Yes No	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection		Yes No	
Within the area overlying a subsurface mine		Yes No	
- Written confiramtion or verification or map from the NM EMNRD-Mining and Minera	Division		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral	Resources, USGS, NM Geological Society,	YesNo	
Topographic map Within a 100-year floodplain - FEMA map		Yes No	
18			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.	e following items must bee attached to the closur	re plan Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropriate req	,		
Proof of Surface Owner Notice - based upon the appropriate requirements of	Subsection F of 19 15 17 13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable), based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and of		anot be achieved)	
Soil Cover Design - based upon the appropriate requirements of Subsection		mor be demoved)	
Re-vegetation Plan - based upon the appropriate requirements of Subsection			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including cosure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: 9/12/2011
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only. Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized Disposal Facility Name
Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Signature Date 9/30/2011
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837

Form C-144 Oil Conservation Division Page 5 of 5