District I 1625 N French Dr , Hobbs, NM 88240

Ì,

District II
1301 W Grand Ave , Artesia, NM 88210
District III

1000 Rio Brazos Rd , Aztec, NM 87410

<u>District IV</u> 1220 S St Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

tauns, suomin to tile appropriate (Wieles District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
48105	Pit, Closed-Loop System, Below-Grade Tank, or
Prop	osed Alternative Method Permit or Closure Plan Application
Type of action	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit o	ne application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative
environment Nor does approval re	of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the lieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator Burlington Resources O	ril & Gas Company, LP OGRID# 14538
ddress PO Box 4289, Farmingt	on, NM 87499
acility or well name. San Juan 27	'-4 Unit 140C
API Number	30-039-30484 OCD Permit Number
J/L or Qtr/Qtr <u>I(NE/SE)</u> Sect	ion 10 Township 27N Range 4W County Rio Arriba
Center of Proposed Design Latitud	
urface Owner X Federal	State Private Tribal Trust or Indian Allotment
Permanent Emergency Lined Unlined I	Cavitation P&A Liner type Thickness mil LLDPE HDPE PVC Other Factory Other Volume bbl Dimensions L x W x D
_ ,	x Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
X Lined Unlined Lin	und Steel Tanks
Tank Construction material	Tof 19 15 17 11 NMAC bbi Type of fluid OIL CONS. DIV. DIST. 3
Secondary containment with leak of Visible sidewalls and liner Liner Type Thickness	letection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls only Other mil HDPE PVC Other
Alternative Method:	
Submittal of an exception request is re	equired Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval
• •	•••

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insti Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	tution or church)			
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality. Written approval obtained from the municipality	Yes No			
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. 	Yes No			
 Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map Within a 100-year floodplain FEMA map 	Yes No			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit Number				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plar				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC				
Instructions Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Burial				
. Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15 Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must be attached to the closure plan				
Please indicate, by a check mark in the box, that the documents are attached				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Gr Instructions Please identify the facility or facilities for the disposal of liquids	ound Steel Tanks or Haul-off Bins Only: (1915 1713 D NMAC) s, drilling fluids and drill cuttings. Use attachment if more than two fa	cilines		
are required				
Disposal Facility Name	Disposal Facility Permit #			
Disposal Facility Name Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No		vice and operations?		
Required for impacted areas which will not be used for future service and op- Soil Backfill and Cover Design Specification - based upon the a Re-vegetation Plan - based upon the appropriate requirements o Site Reclamation Plan - based upon the appropriate requirement	appropriate requirements of Subsection H of 19 15 17 13 NMAC of Subsection I of 19 15 17 13 NMAC			
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19 15 17 1 Instructions Each string criteria requires a demonstration of compliance in the closur string criteria may require administrative approval from the appropriate district office consideration of approval Justifications and/or demonstrations of equivalency are re	re plan-Recommendations of acceptable source material are provided below- or may be considered an exception which must be submitted to the Santa Fe E			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS		Yes No		
Ground water is between 50 and 100 feet below the bottom of the burie	ed waste	Yes No		
- NM Office of the State Engineer - (WATERS database search, USGS,	Data obtained from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried was	ste	Yes No		
- NM Office of the State Engineer - (WATERS database search, USGS,	Data obtained from nearby wells	N/A'		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any off (measured from the ordinary high-water mark)	ner significant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or conversal inspection (certification) of the proposed site, Aerial photo, sately		Yes No		
		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring the purposes, or within 1000 horizontal fee of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database, Visual inspective	g, in existence at the time of the initial application			
Within incorporated municipal boundaries or within a defined municipal fres pursuant to NMSA 1978, Section 3-27-3, as amended	·	Yes No		
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site 		Yes No		
Within the area overlying a subsurface mine		Yes No		
- Written confiramtion or verification or map from the NM EMNRD-Mir	ning and Mineral Division			
Within an unstable area		Yes No		
 Engineering measures incorporated into the design, NM Bureau of Geo Topographic map 	logy & Mineral Resources, USGS, NM Geological Society,			
Within a 100-year floodplain - FEMA map		Yes No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions check mark in the box, that the documents are attached.	:: Each of the following items must bee attached to the closure	plan Please indicate, by a		
Siting Criteria Compliance Demonstrations - based upon the ap	propriate requirements of 19 15 17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate rec	quirements of Subsection F of 19 15 17 13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the ap				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling Soil Cover Design - based upon the appropriate requirements of	g fluids and drill cuttings or in case on-site closure standards cani f Subsection H of 19 15 17 13 NMAC	not be achieved)		
Re-vegetation Plan - based upon the appropriate requirements of				
Site Reclamation Plan - based upon the appropriate requiremen	ts of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Cartification:					
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief					
•					
Name (Print) Title					
Signature Date					
e-mail address Telephone					
20					
OCD Approval: Permit Application (including classare plan)					
OCD Representative Signature Approval Date:					
The state of the s					
Title: Compliance (Adrice OCD Permit Number:					
21					
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC					
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report					
is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.					
· _					
X Closure Completion Date:8/17/2009					
Closure Method:					
If different from approved plan, please explain					
23					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:					
Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were					
utilized					
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B					
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?					
Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)					
Required for impacted areas which will not be used for future service and operations					
Site Reclamation (Photo Documentation)					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
24 Closure Report Attachment Checklist. Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in					
the box, that the documents are attached					
Proof of Closure Notice (surface owner and division)					
Proof of Deed Notice (required for on-site closure)					
Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location Latitude Longitude NAD 1927 1983					
25					
Operator Closure Certification.					
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and befref I also certify that					
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan					
Name (Print) Crystal Tafoya Title Regulatory Technician					
Name (Print) Crystal Tafoya Title Regulatory Technician					
Signature Date 1192010					
Signature Date Date Date Date Date					