District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

7220 5 5 1 1 1 1 1 1 5 1 , 5 1 1 1 1 1 1 1 1	Santa Fe, NM 8/505	District Office.	o me appropriate Nivioob
Proposed Alternative	Loop System, Below-	-Grade Tank, or	
Proposed Alternative	e Method Permit or C	Closure Plan Applica	<u>ation</u>
☐ Modification to	, closed-loop system, below-so an existing permit ly submitted for an existing p	grade tank, or proposed alter	rnative method
Instructions: Please submit one application (Form	n C-144) per individual pit, clos	ed-loop system, below-grade to	ank or alternative request
Please be advised that approval of this request does not relieve to environment. Nor does approval relieve the operator of its response.			
Operator: Energen Resources		OGRID #:162	2928
Address: 2010 Afton Place, Farmington, New Mexico 8			
Facility or well name: Garland 3	•		
API Number: 3004524573	OCD Permit Number:		
U/L or Qtr/Qtr M Section 27 Towns	hip <u>29N</u> Range <u>11V</u>	V County: San Juan	<u></u>
Center of Proposed Design: Latitude 36.69273	Longitude107.9844	<u>18</u> NAD: □19	27 🛛 1983
Surface Owner: Federal State Private Tribal	rust or Indian Allotment		
Pit: Subsection F or G of 19.15 17.11 NMAC	-		
Temporary: Drilling Workover			RCVD OCT 27'10
□ Permanent □ Emergency □ Cavitation □ P&A			oil cons. oiv.
Lined Unlined Liner type: Thickness	mil □ LLDPE□ HDPE□	PVC Other	DIST. 3
String-Reinforced	222.22.2 _		Editional Make Palayers
- · · · · ·	Volume.	bbl Dimensions L	· xW xD
Liner Seams: Welded Factory Other			
Closed-loop System: Subsection H of 19 15 17.11 N	MAC		
Type of Operation □ P&A □ Drilling a new well □ V intent)		activities which require prior a	pproval of a permit or notice of
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-	off Bins	75.	
Lined Unlined Liner type: Thickness	mil	PVC Other	· · · · · · · · · · · · · · · · · · ·
Liner Seams: Welded Factory Other			
4.			
X Below-grade tank: Subsection I of 19.15.17.11 NMA			
Volume:bbl Type of fluid:		<u>.</u>	
Tank Construction material:			
☐ Secondary containment with leak detection ☐ Visibl			
☐ Visible sidewalls and liner X Visible sidewalls only			
Liner type: Thicknessmil	PPE PVC Utner		
-			

14

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hunstitution or church)	iospital,
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate Please specify	
7.	
Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks) ☐ Screen ☐ Netting ☐ Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.3.103 NMAC	
9.	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of	ffice for
consideration of approval.	office for
Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC	*
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept	
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approp office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of ap	
Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying	
above-grade tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	☐ Yes ☐ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes ☐ No
- Topographic map; Visual inspection (certification) of the proposed site	r
in terms 500 feet from a permanent residence, serious, mostration, si entaren in entaren et al line et initial approaches	☐ Yes ☐ No☐ NA
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No ☐ NA
(Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland.	
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine.	☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area.	
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological 	☐ Yes ☐ No

Toria C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids,		
facilities are required.	,g, u comm.g.n est unuemient y	nore man mo
Disposal Facility Name:	Disposal Facility Permit Number	
Disposal Facility Name:	Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities o ☐ Yes (If yes, please provide the information below) ☐ No		
Required for impacted areas which will not be used for future service and operati Soil Backfill and Cover Design Specifications based upon the appropriat Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	te requirements of Subsection H of 19.15.17.13 NMA n I of 19.15.17.13 NMAC	c
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may required considered an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	ire administrative approval from the appropriate dist al Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da	ata obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Da	·	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Da	ata obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other si lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sınkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or churc - Visual inspection (certification) of the proposed site; Aerial photo; Satelli		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that le watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database, Visual inspection	spring, in existence at the time of initial application.	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh wa adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written appro	•	☐ Yes ☐ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visu	ual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Minim	ng and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geolog Society, Topographic map 	gy & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Within a 100-year floodplain FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate re Waste Material Sampling Plan - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	quirements of 19.15.17.10 NMAC of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19. 15.17.13 NMAC quirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cann of H of 19.15.17.13 NMAC of 19.15.17.13 NMAC	15.17.11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurately.	urate and complete to the best of my knowledge and belief
	Title:
Signature:	Date:
e-mail address Telephone:	<u></u>
OCD Approval: Permit Application (including closure plan) Closure OCD Representative Signature: Title: Compliance Office	P lan (only)- OCD Conditions (see attachment) Approval Date: 10/04/201 OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of section of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the form until an approved closure plan has been obtained and the content of the content of the form until an approved closure plan has been obtained and the content of the cont	to implementing any closure activities and submitting the closure report. The completion of the closure activities. Please do not complete this
22. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Altern☐ If different from approved plan, please explain.	native Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please indentify the facility or facilities for where the liquids, dr two facilities were utilized. Disposal Facility Name: Disposal Facility Name: Were the closed-loop system operations and associated activities performed on the second content of the closed-loop system operations.	Disposal Facility Permit Number: Disposal Facility Permit Number:
 ☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No Required for impacted areas which will not be used for future service and operation ☐ Site Reclamation (Photo Documentation) ☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique 	ntrons.
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure require	
Name (Print). Ed Hasely	Title: Sr. Environmental Engineer
Signature 2 / Hasely@energen.com	Date: 10/25/10 Telephone: (505) 324-4131

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES Garland #3

CLOSURE STEPS: (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

 Attached
- (2) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility.

 No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner.

 Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
 - Collect, at a minimum, a five point, composite sample;
 Composite sample was collected.
 - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release;

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	0.0116
TPH (418.1)	100	16.4
Chlorides	250	230

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above</u>, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC.

Not applicable.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

RECLAMATION:

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- (B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
 - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover.
- (D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- (E) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #:	03022-0168
Sample ID:	BGT	Date Reported:	08-20-10
Laboratory Number:	55612	Date Sampled:	08-18-10
Chain of Custody:	10218	Date Received:	08-19-10
Sample Matrix:	Soil	Date Analyzed:	08-20-10
Preservative:	Cool	Date Extracted:	08-20-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	5.5	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	1.9	1.2
o-Xylene	4.2	0.9
Total BTEX	11.6	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
,	Fluorobenzene	103 %
	1,4-difluorobenzene	108 %
	Bromochlorobenzene	95.5 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Garland #3

Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen	Project #:	03022-0168
Sample ID:	BGT	Date Reported:	08-20-10
Laboratory Number:	55612	Date Sampled:	08-18-10
Chain of Custody No:	10218	Date Received:	08-19-10
Sample Matrix:	Soil	Date Extracted:	08-20-10
Preservative:	Cool	Date Analyzed:	08-20-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons 16.4 12.7

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: Garland #3

Revie



Chloride

Client:	Energen	Project #:	03022-0168
Sample ID:	BGT	Date Reported:	08-20-10
Lab ID#:	55612	Date Sampled:	08-18-10
Sample Matrix:	Soil	Date Received:	08-19-10
Preservative:	Cool	Date Analyzed:	08-20-10
Condition:	Intact	Chain of Custody:	10218

Parameter

Concentration (mg/Kg)

Total Chloride

230

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Garland #3

Analyst

Review

Ed Hasely

From:

Ed Hasely

Sent:

Thursday, August 12, 2010 4:46 PM

To: Subject: 'Powell, Brandon, EMNRD' BGT Closure Notifications

Brandon – This email is your notification that Energen plans to close the BGT's on the following locations in the near future. Let me know if you have questions. Thanks.

M ARTIN FEDERAL COM #1 - Unit Letter H, Section 13, Township 29N, Range 11W
TIBBAR FEDERAL #2 - Unit Letter P, Section 13, Township 26N, Range 9W
GARLAND #3 - Unit Letter M, Section 27, Township 29N, Range 11W
MARSHALL COM #1E - Unit Letter P, Section 14, Township 27N, Range 9W
NEWSOM B #11 - Unit Letter P, Section 5, Township 26N, Range 8W

Ed Hasely

Energen Resources Corporation

Sr. Environmental Engineer ed.hasely@energen com
Office: (505) 324-4131
Cell: (505) 330-3584



August 12, 2010

Bureau of Land Management 1235 La Plata Highway Farmington, New Mexico 87401 Attn: Mr. Jim Lavoto

Re:

Below Grade Tank Closures

Multiple Locations

Dear Mr. Lavoto:

Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in San Juan County, New Mexico.

4727

5397

0000

1490

700

Postage

Postmark

Here

Certified Fee

Return Receipt Fee (Endorsement Required)

Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees


Street, Apt. No.

City, State, ZIP+4

MARTIN FEDERAL COM #1 - Unit Letter H, Section 13, Township 29N, Range 11W
TIBBAR FEDERAL #2 - Unit Letter P, Section 13, Township 26N, Range 9W
GARLAND #3 - Unit Letter M, Section 27, Township 29N, Range 11W
MARSHALL COM #1E - Unit Letter P, Section 14, Township 27N, Range 9W
NEWSOM B #11 - Unit Letter P, Section 5, Township 26N, Range 8W

If there are any questions or concerns, please contact me at 505-330-3584.

Sincer	ely,	BLM BCT				
Ed Hasely Sr. Environmental Engineer		SENDER: COMPLETE THIS SECTION Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you.	A. Signature Agent Addresse B. Received by Printed Name) COMPLETE THIS SECTION ON DELIVERY Addresse B. Received by Printed Name) C. Date of Delivery			
	en Resources Well File	or on the front if space permits. 1. Article Addressed to:	D. Is delivery address different from item 1?			
	Correspondence	Feigminster, NM 87401 Jun Levelo	3. Service Type Certified Mail □ Express Mail □ Registered □ Return Receipt for Merchandis □ Insured Mail □ C.O.D. 4. Restricted Delivery? (Extra Fee) □ Yes			
		2. Article Number 7007 1490 00 (Transfer from service laper)	100 5397 4721			



 $\frac{District\ I}{1625\ N}\ French\ Dr\ ,\ Hobbs,\ NM\ 88240$ District II District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Revised October 10, 2003

Form C-141

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

71	12		Relea	se Notificat	ion and Corre	ctive Actio	n			
7113					OPERATO	OPERATOR		nitial Report 🛛 Final Report		
Name of Co	Name of Company: Energen Resources, Inc.					d Hasely				
Address: 20			gton, NM	87401	Telephone No: 5					
Facility Name: Garland #3				Facility Type: O	Facility Type: Oil/Gas Well Site					
Surface Ow	ner: Federa	il		Mineral Ow	ner: Federal	: Federal Lease No.				
LOCATION OF RELEASE										
Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West L	ine County		
M	27	29N	11W	1120	South	875	West	San Juar	1	
			Lat	itude <u>36.69273</u>	Longitude _.	-107.98448				
	··			NATU	RE OF RELEAS					
Type of Relea		EASE			Volume of Release		Volume Re	lecovered:		
Source of Rel	ease:				Date and Hour	of Occurrence:	Date and H	our of Discove	ery:	
Was Immediate Notice Given? Yes No Not Required					If YES, To Whom? Date and Hour:					
By Whom?					Date and Hour:		1000	会	** **\	
Was a Watercourse Reached? Yes No				If YES, Volume	If YES, Volume Impacting the Watercourse. RECEIVED					
If a Watercou	ırse was Im	pacted, Descr	ibe Fully.	*		 -	\ 0	(FEB)(20)	4	
					,	· ·	1000	الد CONS. DIV. D	ST. 3 (5)	
Describe Cau	se of Proble	m and Remed	dial Actio	n Taken.*	-		······	1508	<u>"</u>	
THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN. THIS FORM IS FILLED OUT TO SERVE AS A COVER FOR LAB ANALYSES - ONLY TO SATISFY 19.15.17.13.E(4)										
Describe Area Affected and Cleanup Action Taken.*										
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.										
Signature: DHun !!				<u>C</u>	OIL CONSERVATION DIVISION					
					Approved by Distr	Approved by District Supervisor				
Title Sr. Environmental Engineer A					Approval Date		Expiration Date:			
E-mail Address: ed.hasely@energen.com					Conditions of App	roval:	Attached			

Phone: 505-324-4131 / 505-330-3584(cell)

Date 2/15/11

* Attach Additional Sheets If Necessary