District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and

1220 South St. Francis Dr.

Santa Fe, NM 87505

For permanent pits and exceptions submit the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application	
Type of action Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method	
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request	
Please be advised that approval of this request does not relieve theoperator of liability should operations result in pollution of surface water, ground water or the invironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordination.	inces
Operator Energen Resources OGRID #	
Address 2010 Afton Place, Farmington, New Mexico 87401	
Facility or well name Jicarilla 89 5	
API Number 3003907096 OCD Permit Number	Ì
U/L or Qti/Qti A Section 14 Township 27N Range 03W County Rio Arriba	
Center of Proposed Design Latitude <u>36 57778</u> Longitude <u>-107 10809</u> NAD □1927 ⋈ 1983	
Surface Owner 🔲 Federal 🗍 State 🗎 Private 🖾 Tribal Trust or Indian Allotment	
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Scams Welded Factory Other Volume bbl Dimensions L x W x D 3	of
X Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume	6789707
5 Alternative Method: Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	

Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	hospital,
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19 15 17 11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19 15 3 103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area - Engineering measures incorporated into the design, NM Burcau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Instructions: Each of the following items must be attached to the application. attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements Hydrogeologic Data (Temporary and Emergency Pits) - based upon the recompliance Demonstrations - based upon the appropriate recompliance Design Plan - based upon the appropriate requirements of 19 15 17 11 NM Operating and Maintenance Plan - based upon the appropriate requirement Closure Plan (Please complete Boxes 14 through 18, if applicable) - based and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Number	Please indicate, by a check mark in the box, that the documents are s of Paragraph (4) of Subsection B of 19 15 17 9 NMAC quirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC equirements of 19 15 17 10 NMAC IAC s of 19 15 17 12 NMAC upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC
Closed-loop Systems Permit Application Attachment Checklist: Subsection Instructions: Each of the following items must be attached to the application. attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 11 NN Operating and Maintenance Plan - based upon the appropriate requirement Closure Plan (Please complete Boxes 14 through 18, if applicable) - based and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Number Previously Approved Operating and Maintenance Plan API Number above ground steel tanks or haul-off bins and propose to implement waste remove	the requirements of Paragraph (3) of Subsection B of 19 15 17 9 sed upon the appropriate requirements of 19 15 17 10 NMAC AAC ts of 19 15 17 12 NMAC d upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC (Applies only to closed-loop system that use
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 N Instructions: Each of the following items must be attached to the application. attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Ectified Engineering Design Plans - based upon the appropriate requirements Dike Protection and Structural Integrity Design - based upon the appropriate Leak Detection Design - based upon the appropriate requirements of 19 Ectified Engineering Design - based upon the appropriate requirements of 19 Ectified Engineering Design - based upon the appropriate requirements of 19 Ectified Engineering and Compatibility Assessment - based upon the appropriate Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection Control Plan Date Plan - based upon the appropriate requirements of Subsection Control Plan Closure Plan - based upon the appropriate requirements of Subsection Control Plan Closure Plan - based upon the appropriate requirements of Subsection Control Plan Closure Plan - based upon the appropriate requirements of Subsection Control Plan Closure Plan - based upon the appropriate requirements of Subsection Control Plan - based upon the appropriate requirements of Subsection Control Plan - based upon the appropriate requirements of Subsection Control Plan - based upon the appropriate requirements of Subsection Control Plan - based upon the appropriate requirements of Subsection Control Plan - based upon the appropriate requirements of Subsection Control Plan - based upon the appropriate requirements of Subsection Control Plan - based upon the appropriat	Subsection B of 19 15 17 9 NMAC requirements of 19 15 17 10 NMAC atter requirements of 19 15 17 11 NMAC atter requirements of 19 15 17 11 NMAC operate requirements of 19 15 17 11 NMAC atter requirements of 19 15 17 11 NMAC operate requirements of 19 15 17 11 NMAC operate requirements of 19 15 17 11 NMAC atter requirements of 19 15 17 11 NMAC operate requirements of 19 15 17 11 NMAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in research of the complete the applicable boxes, Boxes 14 through 18, in rese	Permanent Pit X Below-grade Tank Closed-loop System ss and closed-loop systems)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMA closure plan. Please indicate, by a check mark in the box, that the documents Protocols and Procedures - based upon the appropriate requirements of 19 15 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19 15 Disposal Facility Name and Permit Number (for liquids, drilling fluids and described propriate in the specifications - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	are attached. 5 17 13 NMAC uirements of Subsection F of 19 15 17 13 NMAC urill cuttings) requirements of Subsection H of 19 15 17 13 NMAC 1 of 19 15 17 13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.	Steel Tanks or Haul-off Bins Only: (19 15 17 13 I drilling fluids and drill cuttings. Use attachment if r	NMAC) nore than two
Disposal Facility Name	Disposal Facility Permit Number	
Disposal Facility Name	Disposal Facility Permit Number.	
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information below) No	occur on or in areas that will not be used for future serv	vice and operations?
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19 15 17 13 NMA(n I of 19 15 17 13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requi considered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	re administrative approval from the appropriate dist al Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - IWATERS database search, USGS, Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or churc - Visual inspection (certification) of the proposed site, Aerial photo, Satellit		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that leavatering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database, Visual inspection	spring, in existence at the time of initial application	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh was adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written appro	·	☐ Yes ☐ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visu	ial inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Minin	g and Mineral Division	☐ Yes ☐ No
 Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geolog Society, Topographic map 	gy & Mineral Resources, USGS, NM Geological	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the a Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19 1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	quirements of 19 15 17 10 NMAC of Subsection F of 19 15 17 13 NMAC appropriate requirements of 19 15 17 11 NMAC pad) - based upon the appropriate requirements of 19 15 17 13 NMAC quirements of Subsection F of 19 15 17 13 NMAC of Subsection F of 19 15 17 13 NMAC drill cuttings or in case on-site closure standards cannot 11 of 19 15 17 13 NMAC	15 17 11 NMAC

Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accu	rate and complete to the best of my knowledge and belief
Name (Print) Tit	le
Signature	Date
e-mail address Telephone:	
20 OCD Approval: ☐ Permit Application (includ∰g closure plan), ☒ Closure F	Han (লার্য)
OCD Representative Signature:	Approval Date: 10/04/20 (
Title: Compliance Office	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of section of the form until an approved closure plan has been obtained and the c	to implementing any closure activities and submitting the closure report. the completion of the closure activities. Please do not complete this
Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Altern ☐ If different from approved plan, please explain.	ative Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, dri two facilities were utilized.	
Disposal Facility Name	Disposal Facility Permit Number
Disposal Facility Name	
Were the closed-loop system operations and associated activities performed on o Yes (If yes, please demonstrate compliance to the items below) No	r in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operated Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Secding Technique	ions
24 Closure Report Attachment Checklist: Instructions: Each of the following in	same must be attached to the closure report. Please indicate by a cheek
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number T-N-T Environmental; W Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	
On-site Closure Location Latitude Longi	NAD 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief I also certify that the closure complies with all applicable closure requirer	
Name (Print) Ed Hasely	Title Sr Environmental Engineer
Signature 21 Hans	Date 7/29/11
e-mail address ed hasely@energen com	Telephone (505) 324-4131

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES Jicarilla 89 #5

CLOSURE STEPS: (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank

 Attached
- (2) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

- (3) Remove liquids from the below-grade tank Dispose of the liquids and sludge in a division-approved facility No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner **Tank removed.**
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank

All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred
 - Collect, at a minimum, a five point, composite sample,
 - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release,

Visual observation and odor indicated that the soils were impacted w/ hydrocarbons. No soil samples were collected until after excavation of impacted soils.

Analyze for BTEX, TPH and chlorides to demonstrate

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418 1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300 I or the background concentration, whichever is greater

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	NA
Total BTEX	50.0	NA
TPH (418.1)	100	NA NA
Chlorides	250	NA

(7) IF the soil analyses show that the soils meet the concentrations specified in (6) above, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Not applicable.

(8) <u>IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3 116 NMAC.</u>

Proceeded per 19.15.29 and 19.15.30.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval

Not applicable

FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results

This submittal is the closure report.

RECLAMATION:

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater
- (B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation
 - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover
- (D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices
- **(E)** Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.



U.S. Postal Service FED MAIL Certi S Certified Fee Postmark Return Receipt Fee lorsement Required) Restricted Delivery Fee (Endorsement Required) 2820 Total Postage & Fees Street Ant No. or PO Box No.

November 19, 2010

Jicarilla Apache Nation **Environmental Protection Office** P.O. Box 507 Dulce, NM 87528

Attn: Mr. Dixon Sandoval, Environmental Specialist

Re:

Below Grade Tank Closure

Jicarilla 89 #5

Dear Sirs:

Energen Resources plans to close the below grade tanks located on the well location listed below. You are on record as the surface owner where this well is located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The well is located in Rio Arriba County, New Mexico.

Jicarilla 89 #5 - Unit Letter A, Section 13, Township 27N, Range 3W

If there are any questions or concerns, please contact me at 505-324-4131.

Sincerely,

Ed Hasely

Sr. Environmental Engineer

Energen Resources

Cc: Well File Correspondence **SENDER: COMPLETE THIS SECTION**

Jic 89 5

■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.

Print your name and address on the reverse so that we can return the card to you.

Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Jicanlla Apache Netron EPO POB- 507

Delice NM 87528 Attn: Dixon Sand

COMPLETE THIS SECTION ON DELIVERY

D. Is delivery address different from item If YES, enter delivery address below:

Service Type

Certified Mall D Express Mail

Return Receipt for Merchandise ☐ Registered ☐ Insured Mail

☐ C.O.D.

Restricted Delivery? (Extra Fee) ☐ Yes

Energen Resources Corporation, an Ei 2. Article Number

(Transfer from service I

7009 2820 0000 5800 5866

Ed Hasely

From:

Ed Hasely

Sent:

Friday, November 19, 2010 7 32 AM

To:

'Powell, Brandon, EMNRD'

Cc:

'Dixon Sandoval'

Subject:

BGT Closure - Jicarilla 89 #5

Brandon – Energen plans to close the below listed BGT in the near future. Let me know if you have questions. Thanks.

Jicarilla 89 #5 - Unit Letter A, Section 13, Township 27N, Range 3W

Ed Hasely

Energen Resources Corporation

Sr Environmental Engineer ed hasely@energen.com
Office: (505) 324-4131
Cell (505) 330-3584

