District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1562)	Pit, Closed-Loop System, Below-Grade Tank, or
	Proposed Alternative Method Permit or Closure Plan Application

Type of action: [	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	☐ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
[	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank,	or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve theoperator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator. Energen Resources OGRID #: 162928		
Address 2010 Afton Place, Farmington, New Mexico 87401		
Facility or well name. Jicarilla 123 C 31		
API Number <u>3003922559</u> OCD Permit Number:		
U/L or Qtr/Qtr D Section 7 Township 25N Range 04W County: Rio Arriba		
Center of Proposed Design Latitude 36 41799 Longitude -107 29742 NAD. □1927 ☑ 1983		
Surface Owner   Federal   State   Private   Tribal Trust or Indian Allotment		
2		
Pit: Subsection F or G of 19 15.17 11 NMAC		
Temporary Drilling Workover		
Permanent Emergency Cavitation P&A		
Lined Unlined Liner type Thicknessmil LLDPE HDPE PVC Other		
☐ String-Reinforced		
Liner Seams. Welded Factory Other Volume bbl Dimensions: L x W x D		
3.  Closed-loop System: Subsection H of 19.15.17 11 NMAC		
Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of		
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other		
Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other		
Intent)  Drying Pad		
4		
Volume bbl Type of fluid: Produced Water Volume OIL CONS. DIV. DIST. 3		
Tank Construction material.		
Secondary containment with leak detection   Other   Other		
☐ Visible sidewalls and liner ▼ Visible sidewalls only ☐ Other		
Liner type Thicknessmil		
S Alternative Method:		

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

\ <u>'</u>		
Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,	
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate. Please specify		
Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8 Signs: Subsection C of 19 15 17 11 NMAC	,	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
☐ Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting): 19.15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)	☐ Yes ☐ No ☐ NA	
<ul> <li>Visual inspection (certification) of the proposed site, Aerial photo; Satellite image</li> <li>Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No	

11 ,			
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are			
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC  Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API Number or Permit Number			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17.9 ☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design)  API Number:			
Previously Approved Operating and Maintenance Plan API Number:			
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC			
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC ☐ Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17 11 NMAC			
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15 17 11 NMAC☐ Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC☐			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
<ul> <li>Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC</li> <li>Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17.11 NMAC</li> </ul>			
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan			
☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19 15 17 13 NMAC			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15.17 13 NMAC			
Proposed Closure: 19.15.17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative			
Proposed Closure Method. X Waste Excavation and Removal  Waste Removal (Closed-loop systems only)			
On-site Closure Method (Only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench Burial			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

A Property of

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground	Steel Tanks or Haul-off Bins Only: (19.15 17 13 I	O NMAC)
Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.	drilling fluids and drill cuttings. Use attachment if	more than two
Disposal Facility Name.	Disposal Facility Permit Number	
Disposal Facility Name	Disposal Facility Permit Number	
Will any of the proposed closed-loop system operations and associated activities o  Yes (If yes, please provide the information below)  No		
Required for impacted areas which will not be used for future service and operation  Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19 15 17 13 NMA I I of 19 15.17 13 NMAC	С
Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may required considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	re administrative approval from the appropriate dist. I Bureau office for consideration of approval.  Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS; Database search, USG	a obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS, Dat	a obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS; Database search, USGS	a obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site, Aerial photo, Satellit		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh wat adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approximately.	·	☐ Yes ☐ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visu	al inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geolog Society, Topographic map	y & Mıneral Resources; USGS; NM Geological	Yes No
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Confirmation Sampling Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	uirements of 19 15.17 10 NMAC f Subsection F of 19.15.17.13 NMAC propriate requirements of 19 15 17.11 NMAC pad) - based upon the appropriate requirements of 19 5 17 13 NMAC uirements of Subsection F of 19.15.17.13 NMAC Subsection F of 19.15 17.13 NMAC drill cuttings or in case on-site closure standards cannot of 19.15 17.13 NMAC I of 19.15 17.13 NMAC	15.17.11 NMAC

Operator Application Certification:	late to the best of the boundary and belief
I hereby certify that the information submitted with this application is true, accurate and comp	lete to the best of my knowledge and bellef
Name (Print) Title	
Signature Da	te
e-mail address: Telephone:	
	Approval Date: 10/04/2011
Title: Compliance Office U OCD Perm	iit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15 1' Instructions: Operators are required to obtain an approved closure plan prior to implement The closure report is required to be submitted to the division within 60 days of the completion section of the form until an approved closure plan has been obtained and the closure activities.  Closure	ing any closure activities and submitting the closure report.  n of the closure activities. Please do not complete this
22	
Closure Method:  ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure ☐ If different from approved plan, please explain	Method  Waste Removal (Closed-loop systems only)
Clearer Penert Penerties Wests Peneral Clearer For Clear deep Systems That Utiliza	Above Crowned Steel Tenlin on Head off Ding Only
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids an	
two facilities were utilized.	,
Disposal Facility Name Disposal Fa	acility Permit Number
Disposal Facility Name Disposal Fa	acility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that $\square$ Yes (If yes, please demonstrate compliance to the items below) $\square$ No	will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	
24	
Closure Report Attachment Checklist: Instructions: Each of the following items must be a mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)  Disposal Facility Name and Permit Number	attached to the closure report. Please indicate, by a check
On-site Closure Location. Latitude Longitude	NAD. □1927 □ 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, belief I also certify that the closure complies with all applicable closure requirements and con-	
Name (Print) _ Ed Hasely Title:	Sr Environmental Engineer
Signature Da	te. 5/20/10
e-mail address: ed hasely@energen com Telepho	one. (505) 324-4131

# BELOW-GRADE TANK CLOSURE REPORT

1 112

# ENERGEN RESOURCES Jicarilla 123C #31

### **CLOSURE STEPS:** (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

  Attached
- (2) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

#### Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility.

  No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner.

  Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

#### All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
  - Collect, at a minimum, a five point, composite sample;
     No sampling required soils were visually impacted.
  - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a
    - No additional sampling was necessary until excavation was complete.

#### Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	NA - visually impacted
Total BTEX	50.0	NA
TPH (418.1)	100	NA
Chlorides	250	NA

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above</u>, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

NA

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19 15.3.116 NMAC.

Attached. Proceeded per 19.15.29 and 19.15.30.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

#### **FINAL CLOSURE REPORT:**

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

#### **RECLAMATION:**

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- (B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
  - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover.
- (D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- (E) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.

## **Ed Hasely**

From: Ed Hasely

Sent: Thursday, April 22, 2010 2.01 PM

To: 'Powell, Brandon, EMNRD', 'Dixon Sandoval'

Subject: Spill and BGT Closure Notification - Jicarilla 123C #31

Energen plans to close the below grade tank (BGT) on the subject location in conjunction w/ the cleanup of a recent spill out of the BGT. An estimated volume of 5 bbls of produced water and 2 bbls of oil overflowed the BGT. All fluids were contained inside the berm immediately around the BGT. A vacuum truck was used to recover the free standing liquids. The Jicarilla 123C #31 is located in Unit letter D, Sec 7 – 25N -5W in Rio Arriba County.

# **Ed Hasely**

# **Energen Resources Corporation**

Sr Environmental Engineer ed hasely@energen.com
Office (505) 324-4131
Cell (505) 330-3584



April 22, 2010

Jicarilla Apache Nation **Environmental Protection Office** P.O. Box 507 Dulce, NM 87528

Attn: Mr. Dixon Sandoval, Environmental Specialist

Re:

Below Grade Tank Closure

Jicarilla 123C #31

Dear Sirs:

Energen Resources plans to close a below grade tank located on the subject location. You are on record as the surface owner where this tank is located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tank. NMOCD rules and guidelines will be followed. The well is located in Unit Letter D, Section 7, Township 25N, Range 4W in Rio Arriba County, New Mexico.

If there are any questions or concerns, please contact me at 505-324-4131.

Sincerely,

Ed Hasely

Cc: Well File Correspondence 1.c 1230 51 BGT

Ed Hasely	12 -	
Sr. Environmental Engineer	₹ <b>5</b>	ENDER: COMPLETE THIS SECTION
Energen Resources		Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
•		item 4 ii nestricted Delivery is desired.

- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece. or on the front if space permits.
- 1. Article Addressed to:

2. Article Number

Jicarille Apache Nedican EPO PO Box 507

Dulce, NM 87528

Attn: Duran Samley - 1

COMPLETE THIS SECTION ON DELIVERY

RIVED WAVE RECEIDS

Postmark Here

Certified Fee

Return Receipt Fee (Endorsement Required)

Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees

PS Form 3800 August 2006 - 3

79

268[

7007

Sent To

Street, Apr No.

City, State, ZIP+4

or PO Box No

Certified Ma. 🖺

☐ Addressee Date of Delivery Received by (Printed Name)

-30-10 LEANDRA HOLE D Is delivery address different from item 1?

If YES, enter delivery address below:

3. Service Type

Certified Mail ☐ Express Mail ☐ Return Receipt for Merchandise □ Registered

Insured Mail □ C.O.D.

☐ Yes 4. Restricted Delivery? (Extra Fee)

(Transfer from service lab PS Form 3811, February 2004

Domestic Return Receipt

7007 2680 0002 5579 6129

102595-02-M-154