District 1
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

Type of action:

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

	Pit, Closed-Loop System, Below-Grade Tank, or
47	Proposed Alternative Method Permit or Closure Plan Application

7347
------

☐ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance.

environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances			
Operator Energen Resources OGRID # 162928			
Address 2010 Afton Place, Farmington, New Mexico 87401			
Facility or well name			
API Number 3003924137 OCD Permit Number			
U/L or Qtr/Qtr M Section 23 Township 26N Range 03W County Rio Arriba			
Center of Proposed Design. Latitude 36 4653 Longitude -107 11905 NAD ☐1927 ☑ 1983			
Surface Owner 🔲 Federal 🔲 State 🔛 Private 🔀 Tribal Trust or Indian Allotment			
2			
Pit: Subsection F or G of 19 15 17 11 NMAC			
Temporary Drilling Workover			
Permanent Emergency Cavitation P&A			
Lined Unlined Liner type Thicknessmil LLDPE HDPE PVC Other			
☐ String-Reinforced			
Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D			
3			
Closed-loop System: Subsection H of 19 15 17 11 NMAC			
Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)			
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other			
Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other			
Liner Seams   Welded   Factory   Other      Volume   bbl Type of fluid   Produced Water			
X Below-grade tank: Subsection I of 19 15 17 11 NMAC   Volume			
Volumebbl Type of fluidProduced Water \[ \frac{2010}{5} \]			
Tank Construction material			
Secondary containment with leak detection   Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off			
☐ Visible sidewalls and liner 🗓 Visible sidewalls only ☐ Other			
Liner type Thicknessmil			

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monihly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	office for	
Siting Criteria (regarding permitting): 19.15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
<ul> <li>Within an unstable area</li> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mineral Resources, USGS, NM Geological Society, Topographic map</li> </ul>	☐ Yes ☐ No	
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No	

Page 2 of 5

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
<ul> <li>☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC</li> <li>☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC</li> <li>☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC</li> <li>☐ Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC</li> <li>☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC</li> </ul>			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API Number or Permit Number			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC  Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design)  API Number			
Previously Approved Operating and Maintenance Plan API Number			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC  Luner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closuic Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit 🔀 Below-grade Tank ☐ Closed-loop System ☐ Alternative			
Proposed Closure Method  Waste Excavation and Removal  Usaste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Burial  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the			
closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC  Stre Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions: Please indentify the facility or facilities for the disposal of liquids, difficulties are required.			
	Disposal Facility Permit Number		
	Disposal Facility Permit Number		
Will any of the proposed closed-loop system operations and associated activities occ ☐ Yes (If yes, please provide the information below) ☐ No			
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC			
Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed site	ficant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in Visual inspection (certification) of the proposed site, Aerial photo, Satellite	n existence at the time of initial application. mage	☐ Yes ☐ No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or sp  NM Office of the State Engineer - iWATERS database, Visual inspection (c	ring, in existence at the time of initial application	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approva	•	☐ Yes ☐ No	
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual	inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining a	and Mineral Division	☐ Yes ☐ No	
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology Society, Topographic map	& Mineral Resources, USGS, NM Geological	☐ Yes ☐ No	
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No	
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19 15 17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17 13 NMAC			

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only). OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 10/04/2011
Title: Compliance Office OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
☐ Closure Completion Date: 12/2/10
Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) \( \subseteq \) No
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.
<ul> <li>✓ Proof of Closure Notice (surface owner and division)</li> <li>✓ Proof of Deed Notice (required for on-site closure)</li> </ul>
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
<ul> <li>☐ Waste Material Sampling Analytical Results (required for on-site closure)</li> <li>☐ Disposal Facility Name and Permit Number</li> </ul>
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)     On-site Closure Location
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Ed Hasely Title Sr Environmental Engineer .
Signature
e-mail address <u>ed hasely@energen com</u> Telephone <u>(505) 324-4131</u>

# BELOW-GRADE TANK CLOSURE REPORT

## ENERGEN RESOURCES Jicarilla 99 #16

# **<u>CLOSURE STEPS:</u>** (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

  Attached
- (2) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

## Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility. No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner.

  Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

## All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
  - Collect, at a minimum, a five point, composite sample;
     Composite sample was collected.
  - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release,

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate.

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	ND
TPH (418.1)	100	83.3
Chlorides	250	5

(7) IF the soil analyses show that the soils meet the concentrations specified in (6) above, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC.

Not applicable.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval **Not applicable**.

## FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results

This submittal is the closure report.

## **RECLAMATION:**

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- (B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation
  - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover
- **(D)** If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- **(E)** Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted and when it successfully achieves re-vegetation

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.



## Chloride

Client:	Energen	Project #:	03022-0168
Sample ID:	Jicarilla 99 #16 Sep	Date Reported:	11-10-10
Lab ID#:	56441	Date Sampled:	11-09-10
Sample Matrix:	Soil	Date Received:	11-09-10
Preservative:	Cool	Date Analyzed:	11-10-10
Condition.	Intact	Chain of Custody:	10696

Parameter Concentration (mg/Kg)

**Total Chloride** 

5

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Jicarilla BGT's

Analyst

Review



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #.	03022-0168
Sample ID:	Jicarilla 99 #16 Sep	Date Reported:	11-10-10
Laboratory Number:	56441	Date Sampled:	11-09-10
Chain of Custody:	10696	Date Received:	11-09-10
Sample Matrix:	Soil	Date Analyzed.	11-10-10
Preservative <sup>,</sup>	Cool	Date Extracted:	11-09-10
Condition.	Intact	Analysis Requested.	BTEX
		Dilution:	10

	Dilution:	10	
		Det.	_
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	93.2 %
	1,4-difluorobenzene	93.5 %
	Bromochlorobenzene	86.6 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Jicarilla BGT's

Analyst

Review

## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen	Project #:	03022-0168	
Sample ID <sup>.</sup>	Jicarilla 99 #16 Sep	Date Reported:	11-10-10	
Laboratory Number:	56441	Date Sampled:	11-09-10	
Chain of Custody No:	10696	Date Received <sup>1</sup>	11-09-10	
Sample Matrix.	Soil	Date Extracted:	11-10-10	
Preservative:	servative: Cool		11-10-10	
Condition.	Intact	Analysis Needed:	TPH-418.1	

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

## **Total Petroleum Hydrocarbons**

83.3

12.3

ND = Parameter not detected at the stated detection limit.

References<sup>1</sup>

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Jicarilla BGT's

Analyst

Review



November 3, 2010

Jicarilla Apache Nation **Environmental Protection Office** P.O. Box 507 Dulce, NM 87528

Attn: Mr. Dixon Sandoval, Environmental Specialist

Re: Below Grade Tank Closures Multiple Wells

Dear Sirs:

Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in Rio Arriba County, New Mexico.

Jicarilla 99 #16 - Unit Letter M, Section 23, Township 26N, Range 3W Jicarilla H #1 - Unit Letter A, Section 5, Township 24N, Range 4W

If there are any questions or concerns, please contact me at 505-324-4131.

Sincerely,

Ed Hasely

Sr. Environmental Enginee

**Energen Resources** 

Cc: Well Files Correspondence

					Salar Contract
Э	ENI	1 = - 5	COME	OF ETE TH	SSECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.
- 1. Article Addressed to:

Jicarilla Apache Nedica EPO PO B .. 507

Oulce, NM 87528 Attn: Dixon Sandaval

# COMPLETE THIS SECTION ON DELIVERY

U.S. Posial Service ....

Certified Fee

Return Receipt Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees

or PO Box No

City, State, Zli

5800

2820

Certij 🖁

CENTIFIED MAILMRIEGEIZI

☑ Agent Addressee B. Received by (Printed Name)

- ☐ Yes D. Is delivery address different from item 1?
  - ☐ No If YES, enter delivery address below:
  - Service Type Certified Mail ☐ Express Mail
  - ☐ Registered ☐ Return Receipt for Merchandise
  - ☐ Insured Mail □ C.O.D.

4. Restricted Delivery? (Extra Fee) ☐ Yes

102595-02-M-1540

Energen Resources Corporation, an

2. Artı

## **Ed Hasely**

From:

Ed Hasely

Sent:

Wednesday, November 03, 2010 10 38 AM

To:

'Powell, Brandon, EMNRD'

Subject:

**BGT Closure Notification** 

Brandon – this is to notify you that Energen plans to close the BGT's on the following locations in the near future. Let me know if you have questions. Thanks.


Jica rilla 99 #16 - Unit Letter M, Section 23, Township 26N, Range 3W

Jicarilla H #1 - Unit Letter A, Section 5, Township 24N, Range 4W

# **Ed Hasely**

## **Energen Resources Corporation**

Sr Environmental Engineer ed hasely@energen com
Office (505) 324-4131
Cell (505) 330-3584



District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Initial Report

Form C-141

Revised October 10, 2003

7387

# **Release Notification and Corrective Action**

**OPERATOR** 

Name of Company: Energen Resources, Inc				Contact: Ed Hasely						
Address: 2010 Afton Place, Farmington, NM 87401			_	<b>Telephone No:</b> 505-324-4131						
Facility Name: Jicarilla 99 #16				F	Facility Type: Oil/Gas Well Site					
Surface Owner: Tribal Mineral Owner:			er:	Tribal		Lease No.	,			
				LOCATION	ON	OF RELEAS	SE			
Unit Letter	Section	Township	Range			th/South Line	Feet from the	East/West Li	1 ,	
	23	26N	3W	900	Sou		900	West	Rio Arriba	
			Latit	ude36 46530			<u>-107 11905</u> -			
Tune of Dalas	NO DEL	P A C P		NATUR	EE (	OF RELEASI		W.L. D.		
Type of Releas		EASE				Volume of Release: Volume I				
Source of Keit	ease:					Date and Hour of Occurrence: Date and Hour of Discovery:				
Was Immedia	te Notice Gi					If YES, To Who	m?	/55	\$10.10 10 17 18 19 30 30 30 30 30 30 30 30 30 30 30 30 30	
		Y	es L N	o Not Require	ed		H - 17-37-7-		\$ 30 mg/	
By Whom?						Date and Hour:	T	1	DECENTE	
Was a Watercourse Reached?				If YES, Volume Impacting the Watercourse.						
If a Watercou	rse was Imp	acted, Descri	be Fully.*	:				1000	IL CONS. DIV. DIST. 3	
If a Watercourse was Impacted, Describe Fully.*  OIL CONS. DIV. DIST. 3  LEDE 67 87 173										
Describe Caus	e of Proble	m and Remed	lial Action	Taken.*		· · · · · · · · · · · · · · · · · · ·			3000	
THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN THIS FORM IS FILLED OUT TO SERVE AS A COVER FOR LAB ANALYSES - ONLY TO SATISFY 19 15 17 13 E(4)										
Describe Area	Affected a	nd Cleanup A	ction Tak	en.*						
•										
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.										
	OIL CONSERVATION DIVISION					IVISION				
Signature										
Printed Name	Ed Hasely	y			Approved by District Supervisor					
Title.	Sr Enviro	nmental Engi	neer		A	Approval Date Expiration Date		ite		
E-mail Address	s ed hasely@	Denergen com	L		_   c	Conditions of Approval  Attached		Attached		
Date 2/14/11	P	hone 505-324	<u>-4131 /</u> 50	5-330-3584(cell)	)-3584(cell)					

<sup>\*</sup> Attach Additional Sheets If Necessary