

Submit to Appropriate District Office
Five Copies
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
July 17, 2008

1. WELL API NO.
30-045-35246
2. Type Of Lease
☒ STATE ☐ FEE ☐ FED/INDIAN
3. State Oil & Gas Lease No. V053511

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

- 4 Reason for filing.
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19.15.17 13 K NMAC)

5. Lease Name or Unit Agreement Name
MOHAVE
6. Well Number
#1H

- 9 Type of Completion
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8 Name of Operator
XTO ENERGY INC.

9. OGRID Number
5380

10. Address of Operator
382 CR 3100, AZTEC, NM 87410

11 Pool name or Wildcat
BASIN FRUITLAND COAL

12. Location	Unit Letter	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	16	31N	13W		885	NORTH	686	EAST	SAN JUAN
BH	O	16	31N	13W		717	SOUTH	1904	EAST	SAN JUAN

13. Date Spudded 7/23/11 14. Date T D. Reached 8/15/11 15. Date Rig Released 9/19/11 16. Date Completed (Ready to Produce) 9/16/11 17. Elevations (DF & RKB, RT, GR, etc) 5768'
18. Total Measured Depth of Well 5425' 19 Plug Back Measured Depth 5409' 20. Was Directional Survey Made YES 21 Type Electric and Other Logs Run GR

22 Producing Interval(s), of this completion - Top, Bottom, Name
BASIN FRUITLAND COAL

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36# J-55	401'	12-1/4"	270 sx	
7"	23# J-55	2326'	8-3/4"	140 sx	
4-1/2" PRE-PRED	11.6# J-55	2219' - 5368'	6-1/8"		
LINER					

24. LINER RECORD				25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET
					2-3/8"	2283'

26. Perforation record (interval, size, and number)
FRUITLAND COAL 2395' - 5363'
(1/2" TO 5/8" DIAM, 9,800 HOLES)
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
2395' - 5363'

28. PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)					Well Status (Prod or Shut-in)	
		PUMPING					SHUT IN	
Date of Test 9/16/11	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl	Gas - Oil Ratio	
Flow Tubing Press 240 (SI)	Casing Pressure 240	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl	Oil Gravity - API -(Corr)		

- 29 Disposition of Gas (Sold, used for fuel, vented, etc)
TO BE SOLD
- 30 Test Witnessed By

31 List Attachments

32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit

33. If an on-site burial was used at the well, report the exact location of the on-site burial
Latitude Longitude NAD: 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief
Signature *Lorri D. Bingham* Printed Name LORRI D. BINGHAM Title REGULATORY ANALYST Date 10/3/11
E-mail address Lorri.bingham@xtoenergy.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn "A"
T. Salt	T. Strawn	T. Kirtland 146'	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland 1322'	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	LWR FC 2245'
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

**OIL OR GAS
SANDS OR ZONES**

No. 1, from to
No. 2, from to
No. 3, from to
No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology