District I

1625 N French Dr , Hobbs, NM 88240 District II

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV 1220 S St Francis Dr , Santa Fe, NM 87505

Type of action:

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

	27
\mathcal{S}	S

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system
below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: P.O. Box 4289, Farmington, NM 87499
Facility or well name: HOLDER A 100
API Number: 30-045-34242 OCD Permit Number.
U/L or Qtr/Qtr: F(SE/NW) Section: 6 Township: 30N Range: 12W County: San Juan
Center of Proposed Design: Latitude: 36.84516 °N Longitude: 108.14236 °W NAD. 1927 X 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
2
Y Pit: Subsection F or G of 19 15 17.11 NMAC
Temporary X Drilling Workover
Permanent Emergency Cavitation P&A
X Lined Unlined Liner type Thickness 12 mil X LLDPE HDPE PVC Other
X String-Reinforced .
Liner Seams X Welded X Factory Other Volume 4400 bbl Dimensions L 65' x W 45' x D 10'
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams: Welded Factory Other Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Nother PVD Other RECEIVED FEB 2010
4
Below-grade tank: Subsection I of 19 15 17 11 NMAC
Volume bbl Type of fluid
Tank Construction material:
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume
Enter Type Timedices
5 Alternative Method:



Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospit Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	ital, institution or church)
Signs: Subsection C of 19 15 17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC	·
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office. (Fencing/BGT Liner). Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	for consideration of approval
Siting Criteria (regarding permitting) 19.15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	LINA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock water purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	ering Yes No
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site 	Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geologica Society, Topographic map	Yes No
Within a 100-year floodplain - FFMA man	Yes No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17 9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19 15 17 13 NMAC					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC					
Closure Plan (Please compléte Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9' NMAC and 19.15 17 13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
13					
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC					
Climatological Factors Assessmen					
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plar					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15.17 13 NMAC					
14					
Proposed Closure: 19 15 17 13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System					
☐ Alternative Proposed Closure Method ☐ Waste Excavation and Removal					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burnal On-site Trench Burnal					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings Seel Bookfell and Course Process Frace features, based upon the converged requirements of Subsection H of 10.15.17.13. NIMAC					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings Use attachment if more than two fac	cilities				
are required	onnies				
Disposal Facility Name Disposal Facility Permit #					
Disposal Facility Name Disposal Facility Permit #					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future services (If yes, please provide the information No	vice and operations?				
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC					
Site Reclamation Plan - based upon the appropraite requirements of Subsection G of 19 15 17 13 NMAC					
Siting Criteria (Regarding on-site closure methods only:19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Econsideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - 1WATERS database search, USGS Data obtained from nearby wells	∐N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby wells	∐N/A				
Ground water is more than 100 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No				
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application	Yes No				
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No				
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland	Yes No				
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No				
Within an unstable area	Yes No				
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map					
Within a 100-year floodplain - FEMA map	Yes No				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure check mark in the box, that the documents are attached.	plan. Please indicate, by a				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19	15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 13 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards can	not be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC					

)

Omenator Application C	Sand Florida			
Operator Application C I hereby certify that the info	rmation submitted with this application is true,	accurate and complete to the best of n	ny knowledge and belief	
Name (Print)	application to the state of the	Title	y kilo medge tild beller	
Signature		Date		
e-mail address.		Telephone		
		·		···
OCD Approval: P OCD Representative Signification	ermit Application (including closure plan) gnature:	Closure Plan (only) OCD Permit Nu	OCD Conditions (see attachment) Approval Date: mber:	<u> </u>
Instructions. Operators are is required to be submitted		rior to implementing any closure activ of the closure activities. Please do no eted	tties and submitting the closure report. The closure re t complete this section of the form until an approved upletion Date: July 21, 2	
22				
Closure Method: X Waste Excavation a	and Removal On-site Closure Meth proved plan, please explain	od Alternative Closure Metho	d Waste Removal (Closed-loop systems only)
Instructions: Please identifutilized. Disposal Facility Name Disposal Facility Name Were the closed-loop sy	Envirotech / JFJ Landfarm % IEI Basin Disposal Facility stem operations and associated activities perfor	Disposal Facility Permi Disposal Facility Permi Disposal Facility Permi	t Number NM-01-001 / NM-01-0010B t Number NM-01-005	s were
X Yes (If yes, please	demonstrate complilane to the items below)	No		
X Site Reclamation (FX Soil Backfilling and	ireas which will not be used for future service a Photo Documentation) d Cover Installatior lication Rates and Seeding Technique	nd operations		
the box, that the docum Proof of Closure Proof of Deed No X Plot Plan (for on- X Confirmation Sar X Waste Material S X Disposal Facility X Soil Backfilling a X Re-vegetation Ap	nents are attached. Notice (surface owner and division) otice (required for on-site closure) site closures and temporary pits) impling Analytical Results (if applicable) ampling Analytical Results (if applicable) Name and Permit Number and Cover Installation oplication Rates and Seeding Technique (Photo Documentation)	e following items must be attached to "N Longitude	the closure report. Please indicate, by a check man	k in
				
			nplete to the best of my knowledge and belief I also c lan	ertify that
Name (Print)	Crystal Tafoya	Title	Regulatory Technician	
Signature	Instal Tale	ya Date	2/1/2010	
e-mail address	crystal tafoya@conocophillips com	/ Telephone	505-326-9837	

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: HOLDER A 100 API No.: 30-045-34242

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- C-141 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

3. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 4. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

5. All contents of the temporary pit including the liner will be excavated and hauled to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit #NM-01-0011.

Liner of temporary pit and pit contents was excavated and hauled to Envirotech Land Farm (Permit #NM-01-0011). Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried.

6. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken from the soil beneath the pit to conclude if a release had occurred using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	11.0 ug/kG
ТРН	EPA SW-846 418.1	2500	26.8 mg/kg
GRO/DRO	EPA SW-846 8015M	500	ND mg/Kg
Chlorides	EPA 300.1	1000/500	20.0 mg/L

7. Upon testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. The cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The pit area passed testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. The cover included one foot of suitable material to establish vegetation at the site.

8. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

9. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

10. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

11. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The temporary pit was excavated and no on-site burial marker was required.

Form C-102 Revised October 12, 2005

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 67410

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code	³ Pool Name		
		FRUITLAND COAL\FRUITLAND	SAND	
Property Code	⁶ Pro	perty Name	* Well Number	
	H	OLDER A	100	
OGRID No.	^a Opa	⁶ Operator Name		
	BURLINGTON RE	SOURCES O&G CO LP	5909'	

	County SAN JUAN
--	--------------------

11 Bottom Hole Location If Different From Surface

Doctor fiote Location is printed barrace									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1		* ·· ·							,
			••						
12 Dedicated Acres		Joint or Infill Consolidation Code		ode	¹⁵ Order No.				
				i .					
į					1				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED


16		OR A NON-STA	ANDARD UNIT HA	S BEEN APPROVED	BY	THE DIVISION
	A			T31N	······	17 OPERATOR CERTIFICATION
ANNA TANÀN NY TRONG TANÀN NY TRONG TANÀN NY TRONG TANÀN NY TRONG T	2634.93 (M) 2631.42 (R) 18FW 1821	BLM	951 W 2071.2 89'53'49" W 2071.2 89'53' W 2069.76' (R)	T30N 7' (M)		I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hote location or has a right to drill this well at this localion pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division.
	1350' HOLDER A #2	LAT. 36.84516 LONG. 108.142	N (NAD 83)			Signature Date
	HOLDER A #	1 0 LAT. 36'50.709		15		Printed Name
	12	13	LEACE	# HEA SE 091070	!]	18 SURVEYOR CERTIFICATION
	D. 2. (1) (1) (1) (1)		14 LEASE	# USA SF-081239		I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by
	LEASE # USA	SF-077482			<u> </u>	ms or under my supervision, and that the same is true and correct to the best of my belief.
•	FND 3 1/4" BC BLM 1952			1.6		JANUARY 12, 2006 Date of Survey
	19	18	17	16		Signature and Seal of Professional Surveyor:
					-	
R13W		21	22	23		
						DAVID RUSSELL
						Certificate Number 10201


LATITUDE: 36.84516°N LONGITUDE: 108.14236°W DATUM: NAD 83

SLOPES TO BE CONSTRUCTED TO MATCH THE ORIGINAL CONTOURS AS CLOSE AS POSSIBLE.

BURLINGTON RESOURCES O&G CO LP

HOLDER A #100
1410' FNL & 1350' FWL
LOCATED IN THE SE/4 NW/4 OF
SECTION 6, T30N, R12W, N.M.P.M.,
SAN JUAN COUNTY, NEW MEXICO
GROUND ELEVATION: 5909', NAVD 88
FINISHED PAD ELEVATION: 5908.5', NAVD 88





330' x 400' = 3.03 ACRES OF DISTURBANCE

SCALE: 1" = 60'

JOB No.: COPC054; REV1

DATE: 1/16/07

RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).
RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.
CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR
CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR
TO CONSTRUCTION.



Russell Surveying 1409 W. Aztec Blvd. #5 Aztec, New Mexico 87410 (505) 334-8637 District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141
Revised October 10, 2003

Final Report

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

☐ Initial Report

Release Notification and Corrective Action

OPERATOR

Name of Company Burlington Resources Oil & Gas Company, LP Contact Crystal Tafoya					
Address 3401 East 30 th St, Farmington, NM Telephone No.(505) 326-9837					
Facility Name: HOLDER A 100 Facility Type: GAS WELL					
Surface Owner BLM Mineral OwnerBLM Lease No.NMSF-077482					
Surface Owner BLM Mineral OwnerBLM Lease No.NMSF-077482					
LOCATION	N OF RELEASE				
Unit Letter Section Township Range Feet from the North/	South Line Feet from the	East/West Line	County		
F 6 30N 12W			San Juan		
Latitude 36.84516	Longitude 108.14236				
NATURE	OF RELEASE				
Type of Release Pit Closure Summary	Volume of Release N/A		ecovered N/A		
Source of Release N/A	Date and Hour of Occurrence	N/A Date and I	Hour of Discovery N/A		
Was Immediate Notice Given?	If YES, To Whom?				
☐ Yes ☐ No ☒ Not Required	N/A				
By Whom? N/A	Date and Hour N/A				
Was a Watercourse Reached? N/A ☐ Yes ☐ No	If YES, Volume Impacting th N/A	e Watercourse.			
If a Watercourse was Impacted, Describe Fully.*	<u> </u>				
N/A					
Describe Cause of Problem and Remedial Action Taken *					
N/A					
Describe Area Affected and Cleanup Action Taken.*					
N/A	,		•		
The character of the control of the		danatan d that	and to NIMOCD miles and		
I hereby certify that the information given above is true and complete to the regulations all operators are required to report and/or file certain release n					
public health or the environment. The acceptance of a C-141 report by the	e NMOCD marked as "Final Re	eport" does not relie	eve the operator of liability		
should their operations have failed to adequately investigate and remediate	e contamination that pose a thre	at to ground water.	surface water, human health		
or the environment. In addition, NMOCD acceptance of a C-141 report d	oes not relieve the operator of re	esponsibility for co	ompliance with any other		
federal, state, or local laws and/or regulations.					
	OIL CONS	SERVATION	<u>DIVISION</u>		
Signatura / 10 4					
Signature: John Talono					
Printed Name: Crystal Tafoya	Approved by District Superviso	or:			
Trinica ivaine. Crystai raibya					
Title: Regulatory Technician	Approval Date:	Expiration I	Date:		
E-mail Address: crystal.tafoya@conocophillips.com	Conditions of Approval:		Attached		
			/ Italieu		
Date: 2/1/10 Phone: (505) 326-9837					
Attach Additional Sheets If Necessary					



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

O			
Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Holder A #100	Date Reported:	10-28-08
Laboratory Number:	47829	Date Sampled:	10-15-08
Chain of Custody No:	5484	Date Received:	10-22-08
Sample Matrix:	Soil	Date Extracted:	10-24-08
Preservative:	Cool	Date Analyzed:	10-27-08
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit- (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	. ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Pit Sample - Under Liner

Analyst



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC		Project #:		N/A
Sample ID:	10-27-08 QA/	QC	Date Reported:		10-28-08
Laboratory Number:	47823		Date Sampled:		N/A
Sample Matrix:	Methylene Chlo	ride	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		10-27-08
Condition:	N/A		Analysis Request	ted:	TPH
	I-Cal Date	i-cal RF:	C-Cal RF	% Difference	Accept. Rang
Gasoline Range C5 - C10	05-07-07	1.0052E+003	1.0056E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1.0180E+003	1.0184E+003	0.04%	0 - 15%
	arran	TING AT THE ANTENIA SECTION OF THE S	rm landword fieldol o nigeritale figure com	rokarhisan y tradition dikasa dalah 1971	· · · · · · · · · · · · · · · · · · ·
Blank Conc. (mg/L - mg/Kg)		Concentration		Detection Lin	hit
Gasoline Range C5 - C10		ND		0.2	
Diesel Range C10 - C28		ND		0.1	
Total Petroleum Hydrocarbons		ND		0.2	
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Rang	è
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%	
Diesel Range C10 - C28	5.0	5.0	0.0%	0 - 30%	
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Rang
	ND	250	247	98.8%	75 - 125%
Gasoline Range C5 - C10	שאו	230	241	30.076	10-120/0

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 47823, 47824, 47826, 47827, 47829, 47871, 47872, and 47875.

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Holder A #100	Date Reported:	10-28-08
Laboratory Number:	47829	Date Sampled:	10-15-08
Chain of Custody:	5484	Date Received:	10-22-08
Sample Matrix:	Soil	Date Analyzed:	10-27-08
Preservative:	Cool	Date Extracted:	10-24-08
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	,
Benzene	ND	0.9	gis Co
Toluene	6.6	1.0	
Ethylbenzene	1.1	1.0	*
p,m-Xylene	1.8	1.2	
o-Xylene	1.5	0.9	
Total BTEX	11.0		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
•	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Pit Sample - Under Liner

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	F	Project #:	1	N/A
Sample ID:	10-27-BT QA/QC	0	ate Reported:	1	0-28-08
Laboratory Number:	47823	E	ate Sampled:	t	√A
Sample Matrix:	Soil		ate Received:	1	√A
Preservative:	N/A	C	ate Analyzed:		0-27-08
Condition:	N/A	A	inalysis:	E	BTEX
Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF: Accept: Rang	%Diff.	Blank Conc	Detect. Limit
1 to an experience and market and the latter described	i i kroja pri po odina is principal prikativali in ili	ene de la	4 54 W 200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e at the control of the control	
Benzene	4.8470E+007	4.8567E+007	0.2%	ND	0.1
Toluene	3.7856E+007	3.7932E+007	0.2%	ND	0.1
Ethylbenzene	2.8462E+007	2.8519E+007	0.2%	ND	0.1
p,m-Xylene	6.0758E+007	6.0880E+007	0.2%	ND	0.1
n Vulana	2.7502E+007	2.7557E+007	0.2%	ND	0.1
o-Xylene	2.1002.5.1007	2,75072-501			egha
Duplicate Conc. (ug/Kg) Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	5.4 34.5 5.6 37.6 10.2	5.6 34.7 5.5 39.5 10.0		Accept Range 0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	0.9 1.0 1.0 1.2 0.9
Duplicate Conc. (ug/Kg) Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene Spike Conc. (ug/Kg)	5.4 34.5 5.6 37.6 10.2	5.6 34.7 5.5 39.5 10.0	3.7% 0.6% 1.8% 5.1% 2.0%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	Detect. Limit 0.9 1.0 1.0 1.2 0.9
Duplicate Conc. (ug/Kg) Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene Spike Conc. (ug/Kg)	Sample 5.4 34.5 5.6 37.6 10.2 Sample 5.4	5.6 34.7 5.5 39.5 10.0 Amount Spiked	3.7% 0.6% 1.8% 5.1% 2.0%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	0.9 1.0 1.0 1.2 0.9 Accept Range
Duplicate Conc. (ug/Kg) Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene Spike Conc. (ug/Kg) Benzene Toluene	5.4 34.5 5.6 37.6 10.2	5.6 34.7 5.5 39.5 10.0	3.7% 0.6% 1.8% 5.1% 2.0%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	Detect. Limit 0.9 1.0 1.0 1.2 0.9
Duplicate Conc. (ug/Kg) Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene Spike Conc. (ug/Kg)	Sample 5.4 34.5 5.6 37.6 10.2 Sample 5.4	5.6 34.7 5.5 39.5 10.0 Amount Spiked	3.7% 0.6% 1.8% 5.1% 2.0%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	0.9 1.0 1.0 1.2 0.9 Accept Range
Duplicate Conc. (ug/Kg) Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene Spike Conc. (ug/Kg) Benzene Toluene	Sample 5.4 34.5 5.6 37.6 10.2 Sample 5.4 34.5	5.6 34.7 5.5 39.5 10.0 Amount Spiked	3.7% 0.6% 1.8% 5.1% 2.0% Spiked Sample	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30% % Recovery 98.2% 94.0%	0.9 1.0 1.0 1.2 0.9 Accept Range

ND - Parameter not detected at the stated detection limit.

References

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments:

QA/QC for Samples 47823, 47824, 47826, 47827, 47829, 47867, 47868, 47871, 47872, and 47875.

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Holder A #100	Date Reported:	10-27-08
Laboratory Number:	47829	Date Sampled:	10-15-08
Chain of Custody No:	5484	Date Received:	10-22-08
Sample Matrix:	Soil	Date Extracted:	10-24-08
Preservative:	Cool	Date Analyzed:	10-24-08
Condition:	Intact	Analysis Needed:	TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
		**
Total Petroleum Hydrocarbons	26.8	5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Pit Sample - Under Liner.

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

•						
Client:		QA/QC		Project #:		N/A
Sample ID:		QA/QC		Date Reported	:	10-27-08
Laboratory Number:		10-24-TPH.QA/QC	47823	Date Sampled:		N/A
Sample Matrix:		Freon-113		Date Analyzed	:	10-24-08
Preservative:		N/A		Date Extracted	l:	10-24-08
Condition:		N/A		Analysis Need	ed:	TPH
Calibration	I-Cal Date 10-06-08	C-Cal Date 10-24-08	I-Cal RF: 1,770	C-Cal RF: 1,770	% Difference	Accept. Range +/- 10%
	10.00 00	10-24-00	1,110	1,110	010 70	, 1070
Blank Conc. (mg TPH	/Kg)	at i i dissettis (Concentration ND		Detection Lim	ilt de flaction de la company
Duplicate Conc. TPH	(mg/Kg)		Sample 99.2	Duplicate 70.9	% Difference 28.5%	Accept. Range +/- 30%
Spike Conc. (mg	/ (Kg) (15,15)	特別Sample (学成) 99.2	Spike Added 2,000	Spike Result	% Récovery 98.1%	Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 47823, 47824, 47826, 47827, 47829, 47830, 47871, 47872, 47867and 47868.

Analyst

Muster m Walter



Chloride

ConocoPhillips	Project #:	96052-0026
Holder A #100	Date Reported:	10-28-08
47829	Date Sampled:	10-15-08
Soil	Date Received:	10-22-08
Cool	Date Analyzed:	10-28-08
Intact	Chain of Custody:	5484
	Holder A #100 47829 Soil Cool	Holder A #100 Date Reported: 47829 Date Sampled: Soil Date Received: Cool Date Analyzed:

Parameter

Concentration (mg/Kg)

Total Chloride

20.0

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Pit Sample - Under Liner.

Analyst

Review Malter

Submit To Appropriate District Office Two Copies				State of New Mexico									1	Form (
District I 1625 N French Dr	Minerals and	inerals and Natural Resources				1. WELL	API	NO.			July 1	7, 2008				
District II 1301 W Grand Ave	enue, Artesia	, NM 88210		Oil Conservation Division						30-045-34242						
District III 1000 Rio Brazos Re	d, Aztec, NN	4 874 10			20 South St					2. Type of I			20	M ccn/r	NINIAN	
District IV 1220 S St Francis	Dr , Santa Fe	e, NM 87505		Santa Fe, NM 87505					STATE FEE FED/INDIAN 3 State Oil & Gas Lease No							
WELL COMPLETION OR RECOMPLETION REPOR							T AND			Federal N				15.6		
4. Reason for file		ETIONO	RREC	OMPL	ETION REI	POF	KIANL	LOG		5 Lease Na	7	Action Co. Co. A. P. Leading				*
COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)									Lease Name or Unit Agreement Name Holder A							
										6. Well Nun 100	iber.					
C-144 CLOS #33, attach this at	nd the plat t	ACHMENT to the C-144 c	(Fill in be	oxes #1 thr	rough #9, #15 Da rdance with 19.1	ite Rig 5 17 1	Released 3 K NMA	and #32 aı C)	nd/or							
7. Type of Comp	oletion. WELL	WORKOVER	R □ DEB	EPENING	□PLUGBACK	< □ :	DIFFEREI	NT RESE	RVOII	R □ OTHER						
8 Name of Opera	ator		•	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						9 OGRID						
Burlington Resou 10. Address of O		as Company,	LP							14538 11. Pool name or Wildcat						
12.Location	Unit Ltr	Section	Tov	vnship	Range	Lot		Feet from		N/S Line		Feet from the		E/W Line		nty
Surface:	- ,					<u> </u>										
BH:	. Lus	700		. D . D	D. 1										(5.5)	
13. Date Spudded	dded 14 Date T.D. Reached			15 Date Rig Released 1/12/2008			16	16 Date Completed (Ready to			roduce) 17 Elevati RT, GR, e				(DF and F	KB,
18 Total Measur	ed Depth of	f Well	19	19 Plug Back Measured Depth			20.	20. Was Directional Survey			e?	21 T	ype E	Electric and	Other Lo	ogs Run
22 Producing Int	erval(s), of	this completion	n - Top, I	Bottom, Na	ame					*****	****	L	·			
23				CAS	ING REC	ORI	D (Rene	ort all s	strin	gs set in v	vell)					
CASING SI	ZE	WEIGHT	LB /FT.					HOLE SIZE			CEMENTING RECORD AMOUNT PULL				.ED	
								~1 · · · · · · · · · · · · · · · · · · ·					+			
										<u> </u>			+			
								1								
24				LIN	ER RECORD				25		TUDE	NG RE	COR) D		
SIZE TOP B		BOTTON		SACKS CEM			SCREEN		ZE		EPTH S			CKER SE	T	
									_							
26 Perforation	record (int	erval, size, and	1 number)				27 AC	ID SHO	T FR	ACTURE C	EMEN	NT SO	HEE	ZE ETC		
26 Perforation record (interval, size, and i				,							TURE, CEMENT, SQUEEZE, ETC. AMOUNT AND KIND MATERIAL USED					
															······································	
28.						PRO	ODUC'	TION								
Date First Produc	ction	Pro	duction N	Aethod (Fla	owing, gas lift, pi	итріп	g - Size an	d type pun	np)	Well Stati	us (Pro	d. or Sh	ut-ın)	,		
Date of Test Hours Tested C		Choke S	ıze	Prod'n For Test Period		Oil - Bbl		Ga	Gas - MCF		Water - Bbl		Gas - Oıl Ratıo		10	
Flow Tubing Press.	1 ~ 1		Calculate Hour Ra		Oıl - Bbl	Gas		- MCF		Water - Bbl		Oil Gravity - A		y - API - <i>(</i>	H1 - (Corr.)	
29 Disposition of Gas (Sold, used for fuel, vented, etc.)											30.	Test Wit	tnesse	ed By		
31 List Attachme	ents										٠					
32 If a temporary	y pit was us	sed at the well,	attach a p	olat with th	ne location of the	tempo	orary pit.									
33. If an on-site b	ourial was u	ised at the wel	, report th	ne exact lo	cation of the on-s	site bu	irial [.]			• • •						
N/A for Dig & Haul Latitude °N Longitude °W NAD 1927 1983 I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																
Signature _	_		-/	Pri	nted	_			_					. 10	·· -y	
E-mail Address crystal.tafoya@conocophillips.com																

ConocoPhillips

t Closure Form:
nte: 7-21-2008
ell Name: Holder A 100
octages: 1410 FNL 1350 FWL Unit Letter: F
ection: 6, T-30-N, R-12-W, County: 53 State: MM
ontractor Closing Pit: Aztec
onstruction Inspector: Norman Faver Date: 7-21-2008
spector Signature:

Jaramillo, Marie E

From:

Busse, Dollie L

Sent:

Wednesday, July 16, 2008 3:47 PM

To:

Brandon.Powell@state.nm.us; Mark Kelly; Robert Switzer; Sherrie Landon

Cc:

'Faver Norman'; Aztec Excavation; Gilbert Meador; Randy Flaherty; Chavez, Virgil E; GRP:SJBU Production Foreman; GRP:SJBU Production Leads; Kramme, Jeff L; Blair, Maxwell O; Blakley, Maclovia; Clark, Joan E; Farrell, Juanita R; Finkler, Jane; Maxwell, Mary

A (SOS Staffing Services, Inc.); McWilliams, Peggy L; Seabolt, Elmo F

Subject:

Clean Up Notice - Holder A 100

Importance:

High

Attachments:

Holder A 100.pdf

Aztec Excavation will move a tractor to the **Holder A 100** on **Monday, July 21, 2008** to start the reclamation process. Please contact Norman Faver (320-0670) if you have any questions or need additional information. Thanks!

Dollie

Network #: 10195396 (NANN)

Operator:

Burlington Resources

Legals:

1410' FNL, 1350' FWL Section 6, T30N, R12W

Unit Letter 'F' (SENW) San Juan County, NM

Lease:

NMSF-077482

API#:

30-045-34242

Surface/Minerals:

BLM/BLM



Dollie L. Busse

ConocoPhillips Company-SJBU

Construction Technician Project Development 505-324-6104 505-599-4062 (fax)

Dollie.L.Busse@conocophillips.com

Tracking:

Recipient

Read

Recipient Read

Read: 7/16/2008 3:48 PM

Brandon.Powell@state.nm.us

Mark Kelly

Robert Switzer

Sherrie Landon

'Faver Norman'

Aztec Excavation

Gilbert Meador

Randy Flaherty

Chavez, Virgil E

GRP:SJBU Production Foreman

GRP:SJBU Production Leads

Kramme, Jeff L

Blair, Maxwell O

Blakley, Maclovia

Clark, Joan E

Farrell, Juanita R

Finkler, Jane

Maxwell, Mary A (SOS Staffing Services, Inc.)

McWilliams, Peggy L

Seabolt, Elmo F

2

ConocoPhillips


Reclamation Form:		
Date: 7-21-200	00_	
Well Name: Holder	- A 100	
Footages: <u>/4)の</u> ドル	12 1350 FWL Ur	nit Letter:F
Section: <u>6</u> , T- <u>30</u> .	N, R- <u>/</u> ZW, County: <u>55</u>	State: <u>// //</u>
Reclamation Contractor:	Aztec	
Reclamation Date:	7-22-2008	
Road Completion Date:	8-12-2008	
Seeding Date:	8-12-2008	
	•	
	Norman Faver	Date: 8-18-2008
Inspector Signature:	Norman F	
	,	


7-30-2008 waiting on work over Rig

ConocoPhillips

Reclamation Form:
Pate: 10/22/2008
Vell Name: Holder A 100
ootages: 1410 FWL 1350 FWL Unit Letter: F
ection: 6, T-30-N, R-12-W, County: 55 State: NM
eclamation Contractor: AzteC
eclamation Date: 10/17/2009
load Completion Date:
eeding Date: 10/21/2008
onstruction Inspector: Johnson Date: 10/22/2008 Inspector Signature:
Hawled Material to Enviro Tech.









WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME:	Holder A 100	older A 100 API 30-045-34242									
DATE	INSPECTOR	SAFETY CHECK	LOCATION CHECK	PICTURES TAKEN	COMMENTS						
9/20/2007	Eric Smith	x	x	x	Someone cut out the liner in the blow pit. Called Ace to repair						
10/12/2007	Eric Smith	x	x								
10/24/2007	Eric Smith	x	x	x							
11/2/2007	Eric Smith	х	x	×							
11/12/2007	Eric Smith	x	х	х							
11/21/2007	Eric Smith	x	×								
12/10/2007	Eric Smith	×	×								
12/20/2007	Eric Smith	x	×	×							
1/1/2008	Eric Smith	х	x	х							
1/16/2008	Eric Smith .	×	×	х	Liner has a small tear. Called MVCI & notified OCD						
1/24/2008	Eric Smith	x	×	х							
2/7/2008	Eric Smith	x	×	. X							
2/25/2008	Eric Smith				Unable to access location due to weather						
3/5/2008	Eric Smith	х	×	· · · -	Frac crew on location						
3/19/2008	Eric Smith	×	x	x	Small tear in liner. Called MVCI to repair & notified OCD						
4/21/2008	T. Jones	x	×	х							
4/25/2008	Jared Chavez	х	х	х	Liner has a few small holes. Called MVCI						
5/29/2008	Jared Chavez		·	х	Basic Rig 1576 is on location						
	Jared Chavez	x	x	х	Pit & location in good condition						
	Jared Chavez	x	х		Pit & location in good condition						
6/23/2008	Jared Chavez	X	X	X	Fence needs tightened. Called MVCI						
	Jared Chavez	x	x	x	Holes in liner & fence needs tightened.Contacted MVCI & Brandon/OCD						
	Jared Chavez	х	X	Х	Holes in liner. Constacted Crossfire & Brandon/OCD						
7/21/2008				х	Closed pit						
		 			J						
	<u> </u>	<u> </u>	1								