District I 1625 N French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1.

Pit, Closed-Loop System, Below-Grade Tank, or

Proposed Alternative Method Permit or Closure Plan Application					ure Plan Application		
	40°11	Type of action: below-grade tank	☐ Closure of Modifica ☐ Closure p	of a pit, closed-loop system tion to an existing permit	n, below-grade	ank, or proposed alternative method tank, or proposed alternative method tted or non-permitted pit, closed-loop system,	
	Instructi	ons: Please submit	one applicatio	n (Form C-144) per individ	ual pit, closed-loo	op system, below-grade tank or alternative request	
						result in pollution of surface water, ground water or the able governmental authority's rules, regulations or ordinances	
1	1.	E W (0)			OCRIP "	140100	-
	Operator:	EnerVest Operating	g, LLC		OGRID #:	143199	
	Address:	1001 Fannin St. S	te 800	_Houston, Texas 77002			

Operator:EnerVest Operating, LLC	OGRID #:	_143199		
Address:1001 Fannin St. Ste 800Houston, Texas	3 77002		· · · · · · · · · · · · · · · · · · ·	
Facility or well name:Jicarilla Contract 146 #019				
API Number:30-039-20211	OCD Permit Number:	····	·····	
U/L or Qtr/QtrA Section4 Township	25N Range5W_	County:Rio	Arriba	
Center of Proposed Design: Latitude36.433188	_Longitude107.358321	1	NAD: 🔲 1927 🔀 1983	
Surface Owner: ☐ Federal ☐ State ☐ Private ☒ Tribal Trust or Inc	dian Allotment			
2. □ Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A □ Lined □ Unlined Liner type: Thicknessmil □ L □ String-Reinforced Liner Seams: □ Welded □ Factory □ Other		U Otner	MAN GO OF	
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC			्०५ हा हा ए। वा वा का	
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)				
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other				
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other				
Liner Seams: Welded Factory Other				
4.				
■ Below-grade tank: Subsection I of 19.15.17.11 NMAC				
William of the Toronto College	d mateu			

Volume: ______95 _bbl Type of fluid: ______Produced water_ Tank Construction material: Steel ☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Visible sidewalls and liner ☒ Visible sidewalls only ☒ Other _See closure plan_ mil HDPE PVC Other Below grade tank to be closed per NMAC 19.15.17.13 Liner type: Thickness

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required of located within 1000 feet of a permanent residence, school, hospital. institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify_Four foot hog wire		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map		

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API Number: or Permit Number:				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API Number:				
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use				
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Gil Field Waste Stream Characterization Monitoring and Inspection Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☒ Below-grade Tank ☐ Closed-loop System ☐ Alternative				
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.		
Disposal Facility Name: Disposal Facility Permit Number:		
Disposal Facility Name: Disposal Facility Permit Number:		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

4.0				
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): Janet Bienski Title: Regulatory Assistant				
Signature and M. Stenski Date: 3/29/11				
e-mail address:jbienski@enervest.net Telephone:713-495-1571				
20. OCD Approval: ☐ Permit Application (including closure plan) ☑ Closure Plan (only) ☐ OCD Conditions (see attachment)				
OCD Representative Signature: Approval Date:				
Title: Compliance VOIFICE OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.				
Closure Completion Date:				
22. Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.				
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name: Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No				
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24. <u>Closure Report Attachment Checklist</u> : <u>Instructions</u> : Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.				
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
☐ Confirmation Sampling Analytical Results (if applicable) ☐ Waste Material Sampling Analytical Results (required for on-site closure)				
☐ Disposal Facility Name and Permit Number				
☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude Longitude NAD: 1927 1983				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Title:				
Signature:				
e-mail address:Telephone:				



VIA FEDERAL EXPRESS

March 29, 2011

Mr. Brandon Powell NMOCD 1000 Rio Brazos Drive Aztec, NM 87410

Re: C 144 Closure Forms

Dear Mr. Powell,

Enclosed for your approval is the C144 closure form for Jicarilla Contract 146 #019, API No. 30-039-20122.

I have not received the green card back from Bureau of Indian Affairs which was mailed on March 25, 2011.

If you have any questions regarding this process, please feel free to contact the undersigned at 713-495-1571 at any time. Thank you very much.

Sincerely,

Yanet M. Bienski Regulatory Assistant

EnerVest Operating, LLC



CERTIFIED MAIL W/ RETURN RECEIPT 7009-2250-0003-1416-2996


March 25, 2011

Mr. Manuel Myore Bureau of Indian Affairs Jicarilla Agency Branch of Real Property P. O. Box 167 Dulce, New Mexico 87528

RE:

Closure of Below-Grade Tank Jicarilla Contract 146 #019 API 30-039-20122

Dear Mr. Myore,



The tank located on this site is a below-grade tank and is no longer necessary. EnerVest has permanently plugged and abandoned this well. It is our intent to close this tank by June, 2011. This timeline is completely dependent upon the availability of equipment, testing requirements, and weather conditions. Enervest will fully comply with NMAC 19.15.17.13 (E) in all work performed.

If you have any questions regarding this process, please feel free to contact the undersigned at 713-495-1571 at any time.

Sincerely,

Janet M. Bienski Reguatory Assistant

EnerVest Operating, LLC

Western Division

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DEL	IVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse 	A. Signature	☐ Agent☐ Addressee
so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.	B. Received by (Printed Name)	C. Date of Delivery
Article Addressed to:	D. Is delivery address different from ite If YES, enter delivery address belo	
Mr. Manuel Myore Bureau of Indian Affairs Jicarilla Agency		
Branch of Real Property P. O. Box 167 Dulce, New Mexico 87528	3. Service Type Certified Mail Express Mail Registered Insured Mail C.O.D.	ail elpt for Merchandise
	4. Restricted Delivery? (Extra Fee)	☐ Yes
2. Article Number 1009-2350 1416 (Transfer from service label)	2996	
PS Form 3811, February 2004 Domestic Ret	urn Receipt	102595-02-M-1540



EnerVest Operating, LLC (EV)

BELOW-GRADE TANK CLOSURE REQUIREMENTS

Rule 19.15.17.13

J. EV shall research county tax records to determine the name and address of the surface owner of the properties involved. EV shall notify this surface owner via certified mail, return receipt requested that the closure of a below-grade tank is being planned.

EV will notify the appropriate district office prior to any closure operations beginning. Such notification shall be at least 72 hours prior to beginning work but not more than one week prior to beginning work. Such notice shall contain at a minimum the following:

Operators Name Unit letter, Section, Township, & Range of well Lease name and well number API Number of well

A. EV shall close all existing below-grade tanks which do not meet the requirements of NMAC 19.15.17.11 by June 15. 2013 or retrofit each one to insure total compliance with the subsections of 19.15.17.11 before June 15, 2013.

Within 60 days of cessation of the below-grade tanks operation or as required by Subsection B of 19.15.17.17 NMAC, EV shall close the below-grade tank in accordance with a closure plan that the appropriate division district office approves.

E. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in one of the below division-approved facility as indicated below:

TNT Land Farm P Environtech Land Farm P

Permit # NM-01-0008

Permit # NM-01-0011

EV will remove the below-grade tank and steam clean in an attempt to put back into service. If the tank is not reusable it will be disposed of, after cleaning, by crushing or cutting into pieces and sold for scrap iron.

EV will remove any and all on-site equipment associated with the below-grade tank, unless it is used elsewhere for other purposes.

In instances where there are multiple below-grade tanks on site, EV will make every attempt to limit the new below-grade tanks to a single unit. This will be dependent on possible hazardous road conditions during the winter months.

Upon removal of the below-grade tank, EV will inspect the area previously beneath the below-grade tank looking for any wet, discolored, or any other showing evidence of a release. Upon such discovery, EV will take, at a minimum, a five point composite sample; collect individual grab samples and analyze for the following:

Components	Test Method	Limits (mg/Lg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.1	250 or background,
		whichever is greater

EV will insure that the results of all sampling shall be reported to the division on approved form C-141.

If there is no indication of any release due to the absence of wet, discolored, or any other evidence or sampling demonstrates that concentrations specified above have NOT been exceeded, or that a release has NOT occurred, EV will backfill the excavation with compacted, non-waste containing, earthen material, construct a division prescribed soil cover, and recontour and re-vegetate the site. The division prescribed soil cover, recontouring, and re-vegetation shall comply with 19.15.17.13.

If it has been determined that a release HAS OCCURRED, EV will immediately begin the notification process, dependent upon the determination of a MAJOR or MINOR release, as defined in 19.15.29.7(A)(B). Within 24 hours the appropriate division district office and the Division Environmental Chief will receive verbal notification of such a release, to include well name and number, location, API No., and type & amount of release. Within fifteen (15) days, the appropriate division district office and the Division Environmental Chief will receive a completed form C-141, outlining the details of the release.

Any and all contaminated soil or sludge will be removed and transported to one of the following:

TNT Land Farm Permit # NM-01-0008 Environtech Land Farm Permit # NM-01-0011

EV will insure the site shall be contoured to blend in with the surrounding terrain.

EV will insure the soil cover shall consist of the background thicknes of topsoil or one foot of suitable material for establishing vegetation at the site, which ever is greater.

EV will insure the soil shall be spread in such a manner as to prevent the pooling of water

If the reclaimed area is NOT part of the pad area, the area shall be reseeded at the first growing season after the completion of all work. The seed mixture shall be drilled on the contour whenever practical and comprised of Jicarilla Apache Tribal approved mixture. At least 70 percent of the native perennial cover (unimpacted by overgrazing, fire, or other intrusive damage) shall be maintained through two successive growing seasons. Irrigation will not be used to accomplish the required ground cover.

Within 60 days of completion of closure operations, EV will file Form C-144, with attachments, outlining the detailed operations of the closing operations.