District I' 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505

Type of action.

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 South St. Francis Dr. Santa Fe, NM 87505

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil and Gas Company, LP OGRID # 14538 Address: c/o Huntington Energy, L L C, 908 N.W 71st St, Oklahoma City, OK 73116 Facility or well name Ute Mountain Ute #83 API Number 30-045-34482 OCD Permit Number: U/L or Qtr/Qtr A Section 29 Township 32N Range 14W County San Juan Co, NM
Center of Proposed Design. Latitude36 96401° N Longitude108 32698°W NAD. □1927 ☒ 1983
Surface Owner
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other Liner Seams Welded Factory Other Grand College Pvc Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC Subsection I of 19 15 17 11 NMAC Oll CONS DIV. DIST, 3
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)								
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, histitution or church)	hospital,							
institution or church) The Four foot height, four strands of barbed wire evenly spaced between one and four feet								
Alternate Please specify								
7								
Netting: Subsection E of 19 15 17.11 NMAC (Applies to permanent pits and permanent open top tanks)								
Screen Netting Other								
Monthly inspections (If netting or screening is not physically feasible)								
Signal Subsection Cof 10 15 17 11 NMAC								
Signs: Subsection C of 19.15 17 11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers								
✓ Signed in compliance with 19 15 3 103 NMAC								
Za organe in companie with 19 19 3 103 North								
9 Administrative Approvals and Exceptions:								
Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank:								
Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of	office for							
consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval								
10.								
Siting Criteria (regarding permitting): 19 15 17 10 NMAC								
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate the appropriate compliance of the appropriate compliance of the appropriate compliance of the appropriate compliance of the appropriate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate compliance for each siting criteria below in the application.	priate source priate district							
office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dryi	pproval.							
above-grade tanks associated with a closed-loop system.								
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No							
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No							
lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site								
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application	☐ Yes ☐ No☐ NA							
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	L NA							
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application	Yes No							
 (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	∐ NA							
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No							
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site								
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	☐ Yes ☐ No							
- Written confirmation or verification from the municipality, Written approval obtained from the municipality								
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No							
Within an unstable area.	Yes No							
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map								
Within a 100-year floodplain FEMA map	☐ Yes ☐ No							

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15 17 13 NMAC
Previously Approved Design (attach copy of design) API Number or Permit Number
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC
and 19 15 17 13 NMAC
☐ Previously Approved Design (attach copy of design) API Number
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15 17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15.17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method. Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Sol Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel I Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required.	<u>Fanks or Haul-off Bins Only:</u> (19 15 17 13 Eg fluids and drill cuttings. Use attachment if r	NMAC) nore than two						
· · · · · · · · · · · · · · · · · · ·	sal Facility Permit Number							
Disposal Facility Name Dispos								
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No								
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of	9 15 17.13 NMAC	2						
Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure provided below. Requests regarding changes to certain siting criteria may require admit considered an exception which must be submitted to the Santa Fe Environmental Bured demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guid	inistrative approval from the appropriate disti au office for consideration of approval. Justi,	ict office or may be						
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtain	ned from nearby wells	☐ Yes ☐ No ☐ NA						
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtain	ned from nearby wells	☐ Yes ☐ No ☐ NA						
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtain	ned from nearby wells	☐ Yes ☐ No ☐ NA						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	it watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist. Visual inspection (certification) of the proposed site, Aerial photo, Satellite image.		☐ Yes ☐ No						
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site								
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality								
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspec	ection (certification) of the proposed site	☐ Yes ☐ No						
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and M	Aineral Division	☐ Yes ☐ No						
 Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Missociety, Topographic map 	ineral Resources, USGS, NM Geological	☐ Yes ☐ No						
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No						
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the folloby a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Subset Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - be Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subset Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cur	ents of 19 15 17 10 NMAC ection F of 19 15 17 13 NMAC nate requirements of 19 15.17 11 NMAC passed upon the appropriate requirements of 19. 3 NMAC ents of Subsection F of 19 15 17 13 NMAC ection F of 19.15.17.13 NMAC titings or in case on-site closure standards cann	15 17 11 NMAC						
 Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of	9 15 17 13 NMAC							

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief								
Name (Print) Title								
Signature Date								
e-mail address Telephone								
OCD Approval: Permit Application (including closure plan) Conditions (see attachment) OCD Representative Signature: Title: OCD Permit Number:								
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 10/31/2008								
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.								
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name Disposal Facility Permit Number								
Disposal Facility Name Disposal Facility Permit Number								
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No								
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique								
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) □ On-site Closure Location Latitude 36 96401°N Longitude 108 32698°W NAD 1927 1983								
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan								
Name (Print)Catherine Smith TitleRegulatory								
Signature Date1/19/2009								
e-mail address csmith@huntingtonenergy com Telephone: 405-840-9876								

Submit To Appropriate Two Copies District I	iate Distri	ct Offic	ce		End		State of Ne						Form C-105					
1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210										July 17, 2008 1. WELL API NO. 30-045-34482								
District III 1000 Rio Brazos R							2 Type of Lease											
District IV 1220 S St Francis							Santa Fe, N						3 State Oil &		☐ FE Lease N			IAN
WELL	COMP			OR F	RECC		ETION RE				LOG							Av gen i e
4 Reason for filing COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)							5 Lea Ute Mou 6 Well Numb	ntaın	Ute	Jnit Agre	ement Na	me						
C-144 CLOS	SURE AT	l'TAC:	HMENT	(Fill	ın boxe	s#1 thr	ough #9, #15 Da	ite Ri	g Relea	ased		/or	o wen rume)CI 0	5			
#33, attach this a 7 Type of Comp NEW	letion						PLUGBACE					/OIF	L OTHER					
8 Name of Opera Burlington Resou	ator												9 OGRID 14:	538				
10 Address of O 908 N W 71st St	perator				unungu	ni Ener	gy, L L C						11 Pool name	or W	ildcat			
12.Location	Unit Ltr		Section		Towns	hıp	Range	Lot			Feet from t	he	N/S Line	Feet	from th	e E/W	Line	County
Surface:																		
BH:	71778	Ш.			1							•					/m =	
13 Date Spudded		_	D Reach	ed	7/22/	08	Released						(Ready to Prod			RT, GR,	etc)	and RKB,
18 Total Measur							ck Measured Dep	oth		20	Was Direct	iona	al Survey Made?		21 T	ype Elec	tric and O	ther Logs Run
22 Producing Int	erval(s),	of this	complet	ion - T	op, Bot	tom, Na	ame											
23						CAS	ING REC	OR	D (R			ring						
CASING SI	ZE	V	VEIGHT	LB /F	B/FT DEPTH SET				HOLE SIZE			CEMENTING RECOR		CORD	D AMOUNT PULLED			
											-,		 					
																ļ		
24		Ĺ				I IN	ER RECORD	i				25	Т	TIRII	NG RE	CORD		
SIZE	TOP			BOT	ТОМ	LIIV	SACKS CEM	ENT	SCR	REEN	1	SIZ			EPTH S		PACK	ER SET
26 Perforation	record (ntomro	l araa ar	<u> </u>	ahar)				127	4.0	ID CHOT	ED	ACTUDE CE	MEN	IT SO	UEEZE	ETC	
26 Perforation	recora (i	nterva	ı, sıze, aı	1a nun	noer)						ID, SHOT, INTERVAL		ACTURE, CE					
			, · · · · · · · · · · · · · · · · · · ·							T 69	TEODI							<u></u>
Date First Produc	ation	·	l n.	.a.dat.	on Mot	and (El	owing, gas lift, p				TION	.1	Well Status	/Duo	d or Sh)		
Date Flist Floud	Zuon		''	oducti	ion Micu	10 u (1-11	owing, gas iiji, p	инри	ig - 512	e un	и гуре ритр,	,	Well Status	S (170)	u or sn	ui-iii)		
Date of Test	Hour	s Teste	ed	Cho	ke Size		Prod'n For Test Period		Oıl -	- Bb	Gas - MCF		- MCF Water - Bbl Gas - C		Oil Ratio			
Flow Tubing Press	Casıı	ng Pres	ssure	t t	culated 2 ir Rate	24-	Oil - Bbl			Gas	- MCF	-	Water - Bbl Oıl Gravity - API - (Corr)				rr)	
29 Disposition o	f Gas (Sc	ld, use	ed for fue	l, vent	ed, etc)		1							30 1	rest Wit	nessed E	Sy .	
31 List Attachm	ents																·	
32 If a temporar	y pit was	used a	at the wel	l, atta	ch a plat	with th	e location of the	temp	orary p	oit							 -	
33 If an on-site	burial wa	s used	at the we	ell, rep	ort the e	xact lo	cation of the on-	site b	urial									
I hereby certi	fy that	the in	format	ion s	hown i	on hot	Latitude h sides of this	for	n is tr	rue	and comp	lete	Longitude to the best of	of my	know	ledge n	NA nd belie	AD 1927 1983 f
Signature 2	H.		Land Y	L			Printed Name Cathe								= 1/19/			,
E-mail Addre	ess csmi	√ ⊁ ith@h	or row	toner	nergy.c						J							

DISTRICT | PO Hox 1980 Hobbs N.M 88241-1980

State of New Mexico Energy, Minerals & Natural Resource: Department

OIL CONSERVATION DIVISION

Revised October 12 Instructions on Submit to Appropriate District

State Lease - 4
Fee Lease - 3

AMENDED RE

DISTRICT II 130) W. Grand Avenus, Artesia, N.M. 88210 .

DISTRICT III 1000 Rio Brazos IId Aztec N.M. 87410

DISTRICT IV

1220 South St Francis Dr Sante Fe, NM 87504-2088

1020 South St Francis Dr., Santa Fe NM 87505

BURLINGTON RESOURCES OIL & GAS COMPANY LP 10 Surface Location 10 Surface Location UL or lot no Section Township Range Lot idn Feet from the North/South line Feet from the East/West line County A 29 32-N 14-W 710 NORTH 1000 EAST SAN 11 Bottom Hole Location If Different From Surface UL or lot no Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County 12 Dedicated Acres Paint or inful Point Inful Porder No		WELL LOCATION AND A	ACREAGE DEDIC	CATION P	LAT
*Property Code 3200 /872 S UTE MOUNTAIN UTE **Operator Name **Operator	'API Number		Burley Com		
UTE MOUNTAIN UTE **Operator Name **Operator Name **Operator Name **Idevation 14538 **BURLINGTON RESOURCES OIL & GAS COMPANY LP **Surface Location **Description** **Description** **Deducated Acres** **Uperator Name **Uperator Name **Surface Location **Description** **Description** **Description** **Uperator Name **Surface Location **Description** **Descriptio	Property Code	$\frac{1}{2}$			
**Dedicated Acres* BURLINGTON RESOURCES OIL & GAS COMPANY LP **OGRID No **Operator Name - 'Elevation **Deprator Name - 'Elevation - 'Elevation **Operator Name - 'Elevation -	•	5 UTE MOUNT	AIN UTE		, ,
UL or lot no Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County A 29 32-N 14-W 710 NORTH 1000 EAST SAN 11 Bottom Hole Location If Different From Surface UL or lot no Section Township Range Lot Idn Feet from the North/South line Feet from the East/Rest line County 12 Dedicated Acres Pajoint or Infall Consolidation Code Porter No			or Name .		. Llevation
UL or lot no Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County A 29 32-N 14-W 710 NORTH 1000 EAST SAN 11 Bottom Hole Location If Different From Surface UL or lot no Section Township Range Lot Idn Feet from the North/South line Feet from the East/Rest line County 12 Dedicated Acres Paloint or Infill Consolidation Code Porter No	14538	BURLINGTON RESOURCES (DIL & GAS COMPAN	'LP	6138
A 29 32-N 14-W 710 NORTH 1000 EAST SAN 11 Bottom Hole Location If Different From Surface UL or lot no Section Township Kange Lot Idn Feet from the North/South line Feet from the East/Fest line County 12 Dedicated Acres 13 Joint or Infill Consolidation Code 14 Order No.		- 10 Surlac	e Location		
"Bottom Hole Location If Different From Surface UL or lot no Section Township Kange Lot Idn Feet from the North/South line Feet from the East/Fest line County "Dedicated Acres" "Joint or Infill "Consolidation Code "Order No	UL or lot no Section		1		1 000.00
UL or lot no Section Township Kange Lot Idn Feet from the North/South line Feet from the East/Fest line -County 12 Dedicated Acres 13 Joint or Infill . 14 Consolidation Code 15 Order No.	A 29				EAST - SAN
12 Dedicated Acres 13 Joint or Infill) . 14 Consolidation Code 15 Order No					
	UL or lot no Section	Township Kange Lot Idn Feel from the	North/South line	Feet from the	East/hest line - County
	12 Dedicated Acres	Doint or Infill . "Consolidation	Code	Order No -	
E/160	E/160		-		
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIOUS OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION:	NO ALLOWABLE W	ILL BE ASSIGNED TO THIS COMPLET OR A NON-STANDARD UNIT HAS E	ION UNTIL ALL IN BEEN APPROVED E	TERESTS H	HAVE BEEN CONSOLIE
17	16			17	
	10	BLM AC PATOR' (M)	BINA	· UI	
true and complete to the borrier man		•		1 true and	complete to the best of my
being and that this organization either owns				interest or	that this organization either owns
1000' including-the proposed beltom hole location of			1000'	Trobi to den	If this swell of the location or
LAT 36 96425 N (NAD 83) Contract with an owner of such a mineral or interest or to a voluntary pooling agreement compulsory pooling arder heretofore entered by	-	LAI 36 96425 N (NAD 83) LONG 108 32697 W (NAD 83)	-	interest or	to a patentiary made a mineral or -
drinson	- ~ ~		- ~ _	drasson.	
\mathbb{Z}) <u>~</u>	1//) = (/cil
athlum Inf 12/21				athle	in 12/21/
Signature Date Catherine Smith			-00	H	Date
			1	Printed	Name
ν		1	N	-	-
29 FD 3 1/4 IB SURVEYOR CERTIFICA		29	FD 3 1/4	18 SI	RVEYOR CERTIFICA
1986 hereby certify that the well location about			B.L.M. AC	I hereby cert	hy that the well location shows
me or under my supervision and that the some				was plotted	from field notes of actual surveys s
and correct to the best of my belsef				und correct i	in the best of my belief
MAY 30 7006				MAY	30 7006
Date of Super Of A. RUE				i	
RECEIVED Signatury and Sales Surveyor:		PECENT	<u> </u>	Signature	and Sal of The Slone! Surveyor:
TOUR TOUR TOUR TOUR TOUR TOUR TOUR TOUR		LOCIVE	D	1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1/0/1/28/2
TEO 0 8 2001		CEO O B ODO			JEAN (1888)
DEC 28 2005				11 17	367-01/3/
Bureau of Land Management Durango Colorado		Bureau of Land Manane	iment	1	Trock Mo
Durango Colorado		Durango Colorado	~G; [[SESIGNAL
Certificate Number				Certificate)	lumber

HUNTINGTON ENERGY, LLC CENTER OF PIT NAD 83 UTE MOUNTAIN UTE No. 83, 710 FNL 1000 FEL SEC. 29, T-32-N, R-14-W, N.M.P.M., SAN JUAN COUNTY, NEW MEXICO LAT = 36 96401° N .ONG = 108 32698° W LONG NAD 27 LAT. = 36'57'50.42430" N LONG = 108'19'34.84851" N GROUND ELEVATION: 6119. DATE: APRIL 3, 2006 40' В CONSTRUCTION ZONE F 9 4 (5) A 6 F 87 16.5 2 1 Slopes Reserve Pit DIKE \oplus 65, 00 COP 10' DEEP 8' DEEP 15 - 60' LAYDOWN S 39'40' E 35, (4) C 4 3 Wellhead to Front Wellhead to Back 1 C 5 4 140 160' 38 REAR side Wellhead to NEW ACCESS 130 595 FT 30, (3) A' C'(2) CONSTRUCTION ZONE В, C 203 C 52 30, C 88 $(270' \times 380) = 235 \text{ ACRES}$ 230' X 300' RESERVE PIT DIKE TO BE 8' ABOVE DEEP SIDE (OVERFLOW — 3' WIDE AND 1' ABOVE SHALLOW SIDE) BLOW PIT OVERFLOW PIPE HALFWAY BETWEEN TOP AND BOTTOM AND TO EXTEND OVER PLASTIC LINER AND INTO BLOW PIT NOTE DAGGETT ENTERPRISES, INC IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES NEW MEXICO ONE CALL TO BE NOTIFIED 48 HOURS PRIOR TO EXCAVATION OR CONSTRUCTION C/L ELEV A-A' 6130 6120 6110 6100 C/L ELEV B-B 6130 6120 Daggett Enterprises, Inc. Surveying and Oil Field Services P o Box 510 Farmington, NM 87499 Phone (505) 326-1772 - Fax (505) 326-6019 NEW MEXICO P.L.S. No. 14831 6110 6100 C/L ELEV C-C 6130 6120 6110 6100 CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR NOTE CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION

Cathy Smith

From: Cathy Smith

Sent: Monday, December 08, 2008 2 58 PM

To: 'brandon powell@state nm us', Ute Mountain Utes (ghammond@utemountain org)

Cc: Alan McNally, Mike McKinney

Subject: UMU Pit Information

Huntington Energy gives notification of pit closure for the Ute Mountain Ute #77, #83 & #84, San Juan County, NM Temporary pits closed on-site

Please contact me if you need any additional information

Thank you!

Cathy Smith (405) 840-9876 ext. 129 (405) 840-2011 Fax	
×	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client	Huntington Energy	Project #:	06111-0002
Sample ID:	5Pt Res. Pit	Date Reported:	01-05-09
Laboratory Number.	48572	Date Sampled:	12-29-08
Chain of Custody No.	6009	Date Received.	12-30-08
Sample Matrix:	Soil	Date Extracted:	12-30-08
Preservative	Cool	Date Analyzed ⁻	12-31-08
Condition	Intact	Analysis Requested.	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	12.9	0.2
Diesel Range (C10 - C28)	51.4	0.1
Total Petroleum Hydrocarbons	64.3	0.2

ND - Parameter not detected at the stated detection limit

References.

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Ute Mountain Ute #83



EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

		~			
Chent:	QA/QC		Project #.	A Among and a second	N/A
Sample ID.	12-31-08 QA/	ac	Date Reported		01-05-09
Laboratory Number	48570		Date Sampled		N/A
Sample Matrix	Methylene Chlo	ride	Date Received		N/A
Preservative:	N/A		Date Analyzed		12-31-08
Condition:	N/A		Analysis Reques	ted.	TPH
	I-Cal Date	I-Gal RF:	C-CallRF:	% Difference	the state of the s
Gasoline Range C5 - C10	05-07-07	1 0058E+003	1 0062E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1 0113E+003	1.0117E+003	0.04%	0 - 15%
Blank Conc. (mg/L - mg/Kg)		Concentration		Detection Lim	Œ ·
Gasoline Range C5 - C10		ND		0.2	••••
Diesel Range C10 - C28		ND		0.1	
Total Petroleum Hydrocarbons		ND		0.2	
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range	
Gasoline Range C5 - C10	1.2	1.1	8.3%	0 - 30%	545 -
Diesel Range C10 - C28	6.8	6.8	0.0%	0 - 30%	
		######################################			
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept, Rang
Gasoline Range C5 - C10	1.2	250	247	98.4%	75 - 125%
Diesel Range C10 - C28	6.8	250	259	101%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996

Comments:

QA/QC for Sample 48570 - 48578.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Huntington Energy	Project #:	06111-0002
Sample ID:	5Pt Res. Pit	Date Reported:	01-05-09
Laboratory Number:	48572	Date Sampled.	12-29-08
Chain of Custody:	6009	Date Received:	12-30-08
Sample Matrix:	Soil	Date Analyzed:	12-31-08
Preservative.	Cool	Date Extracted:	12-30-08
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	•
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References¹

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996

Comments:

Ute Mountain Ute #83

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client.	N/A	Project #	N/A
Sample ID.	12-31-BT QA/QC	Date Reported	01-05-09
Laboratory Number	48570	Date Sampled	N/A
Sample Matrix.	Soil	Date Received	N/A
Preservative.	N/A	Date Analyzed	12-31-08
Condition	N/A	Analysis	BTEX

Calibration and Detection Limits (ug/L	J Califfe	C-Cal-RF Accept Rang	%Diff. je 0 - 15%	Blank Gone	
Benzene	1,1105E+006	1 1128E+006	0.2%	ND	0.1
Toluene	1 0580E+006	1 0601E+006	0.2%	ND	0.1
Ethylbenzene	9 7380E+005	9 7575E+005	0.2%	ND	0.1
p,m-Xylene	2 3360E+006	2 3407E+006	0.2%	ND	0.1
o-Xylene	9 9439E+005	9 9638E+005	0.2%	ND	0.1

Duplicate Conc. (ug/kg) Sample Duplicate %Diff. Accept Range Detect Limit					
Benzene	1.4	1.4	0.0%	0 - 30%	0.9
Toluene	3.2	3.3	3.1%	0 - 30%	1.0
Ethylbenzene	1.6	1.7	6.3%	0 - 30%	1.0
p,m-Xylene	5.0	4.8	4.0%	0 - 30%	1.2
o-Xylene	5.1	4.8	5.9%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	1.4	50.0	49.4	96.1%	39 - 150
Toluene	3.2	50.0	51.9	97.6%	46 - 148
Ethylbenzene	1.6	50.0	49.6	96.1%	32 - 160
p,m-Xylene	5.0	100	100	95.1%	46 - 148
o-Xylene	5.1	50.0	57. 5	104%	46 - 148

ND - Parameter not detected at the stated detection limit

References

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments:

QA/QC for Samples 48570 - 48578.

Analyst

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Musteren Waeters

Client:	Huntington Energy	Project #;	06111-0002
Sample ID:	5 Pt. Res Pit	Date Reported:	01-05-09
Laboratory Number.	48572	Date Sampled:	12-29-08
Chain of Custody No.	6009	Date Received:	12-30-08
Sample Matrix:	Soil	Date Extracted:	01-02-09
Preservative:	Cool	Date Analyzed:	01-02-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons 159 5.0

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: Ute Mountain Ute #83.

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

1.9%

+/- 10%

1,560

Client:		QA/QC		Project #:		N/A
Sample ID:		QA/QC		Date Reported	d:	01-05-09
Laboratory Number:		01-02-TPH.QA/Q	C 48570	Date Sampled	:	N/A
Sample Matrix:		Freon-113		Date Analyzed	d:	01-02-09
Preservative:		N/A		Date Extracted	d:	01-02-09
Condition:		N/A		Analysis Need	led:	TPH
Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	6.4

01-02-09

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	343	305	11.1%	+/- 30%

1,590

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	343	2,000	2,480	106%	80 - 120%

ND = Parameter not detected at the stated detection limit.

12-03-08

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 48570 - 48573 and 48575 - 48581.

Analyst

Christum Watles
Review



Chloride

Huntington Energy Project #: 06111-0002 Client: 5Pt. Res. Pit Date Reported: 12-31-08 Sample ID: Lab ID#. 48572 Date Sampled 12-29-08 Soil Extract Date Received: 12-30-08 Sample Matrix: Preservative: Date Analyzed: 12-31-08 Cool Chain of Custody: 6009 Condition: Intact

Parameter

Concentration (mg/L)

Total Chloride

80.0

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Ute Mountain Ute #83

Analyst Analyst

Review

CHAIN OF CUSTODY RECORD

Client:	Project Name / Location:							ANALYSIS / PARAMETERS															
HUNTINGTON L	UTE MOUNTAIN UTE # 83							, a water of o , , , at it with the total															
Client Address: Sampler Name					MEKINDEY					BTEX (Method 8021)	(09												
							TPH (Method 8015)) g	98,	as	ے		٩		_						*		
Client Phone No.: Client No.:										er	VOC (Method 8260)	Met	li e		보		3.7	빌				Jo J	ntac
505-320-2533			11-0002			_ \(\frac{1}{8}\)	S	₹	8	1/0		× Kiti		(41	CHLORIDE				e l	<u>e</u>			
Sample No./	Sample Samp		เมลกเนก	Sample		No./Volume of	Pres	reservative		<u>資</u>	8	RCRA 8 Metals	Cation / Anion	교	TCLP with H/P	PAH	TPH (418.1)	글		1		Sample Cool	Sample Intact
Identification	Date	Time			Matrix	of Containers	Hguy	HU		<u> </u>	>	<u> </u>	Ö	Œ	F	<u>v</u>	F	0	-	 		Ø	Ö
5 Pr. RES. PIT	12.19.08	10:00 AM	48572	Solid	Sludge Aqueous	/			X	X							X	X				V	
				Soil Solid	Sludge Aqueous																		
		.,		Soil Solid	Sludge Aqueous				1														
				Soil	Sludge			_															
				Solid	Aqueous Sludge			+															
				Solid	Aqueous		-	_	-	ļ	ļ						ļ		ļ				
		· · · · · · · · · · · · · · · · · · ·		Soil Solid	Sludge Aqueous				_														
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge														_				
				Soil	Aqueous Sludge					ļ													
D-11				Solid	Aqueous	 	Щ		1	(0)		<u></u>	l	<u> </u>	<u> </u>								
Relinquished by: (Signature)						Time /0:30 Am	H	12/3h/ax 10											Tir	I			
Relinquished by: (Signature)						10.00414	F	Received by: (Signature)								10.	<u></u>						
Relinquished by: (Signature)							Receive				l by: (Signature)												
					-																	***************************************	
EMAIL TO:					ENVI	ROT	Ē	C		M	C.												
EMPROTECHIAC.																							
			5796 U.	S. High	way 64 •	Farming	ton	, NM	874	01 •	Tel	505-	632-	0615	5								

Burlington Resources Oil and Gas/Huntington Energy, L.L.C. UMU #83 Sec 29-32N-14W San Juan Co., NM

Soil Back Filling and Cover Installation

Upon completion of solidification and testing standards being passed (see attached test results), a minimum of 4 ft of cover is achieved including a suitable layer of material to establish vegetation at the site. All re-contouring of location will match fit shape, line, and texture of the surrounding area.

Re-Vegetation and Seeding Technique


Seeding shall commence on or about April 1st, or the first available growing season, barring weather. BLM stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover consisting of at least three native plant species, including at least one grass, and maintain that cover through two successive growing seasons. Repeated seeding or planting will be continued until successful growth occurs.


Temporary Pit Marker

A steel marker will be placed at the center of the on-site burial. The steel marker will not be less than 4" in diameter and will be cemented in a 3' hole. Marker shall extend 4' above ground level. Engraved into the marker will be the operator's name and legal location. This marker shall not be removed. Note: during active operations, a ground level marker will be employed due to safety concerns; upon abandonment, the 4" x 4' marker will be employed.

Disposal Facility

Facility Name: IEI Permit #: NM-010010B





, _

