District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St Francis Dr., Santa Fe, NM 87505	Saina	re, INIVI 87303	I		eau office and pro	rovide a copy to the
Prope	Pit, Closed-Loop Sosed Alternative M				plication	
	f this request does not relieve the op	d-loop system, belo isting permit mitted for an existing proposed alternative per individual pit, co perator of hability should	ow-grade tan  ng permitted  method  closed-loop s  operations resul	ik, or proposed d or non-permit system, below-p lt in pollution of sur	alternative metted pit, closed	d-loop system,  r alternative request d water or the
environment Nor does approval reli  Operator: ConocoPhillips Compan	-	to comply with any other		OGRID#: 217		is of ordinances
Address: PO Box 4289, Farmingto	on, NM 87499					
Facility or well name: Maddox WN	Federal 9					-
	0-045-34051	OCD Peri	mıt Number		<del> </del>	
U/L or Qtr/Qtr: I(NE/SE) Section		 30N Ran	ge: 13\	W County:	: San Juan	
Center of Proposed Design: Latitude		°N Longitu		08.151421		D: X 1927 1983
Surface Owner: X Federal	State Priva		t or Indian A			
Permanent Emergency C Lined Unlined Li String-Reinforced	7 11 NMAC  kover  Cavitation P&A  ner type Thickness  actory Other	mil LL Volume		DPE PVC	Otherx	Wx D
X Closed-loop System: Subsect Type of Operation P&A   Drying Pad X Above Grou Lined Unlined Line			Applies to act		quire prior appr	oval of a permit or
Below-grade tank: Subsection of Volume by Tank Construction material Secondary containment with leak de Visible sidewalls and liner Liner Type. Thickness	bl Type of fluid	ewalls, liner, 6-inch li Other _	ft and automa	itic overflow shu		CVD NOV 16'11 OIL CONS. DIV. DIST. 3
5 Alternative Method: Submittal of an exception request is req	uired Exceptions must be sul	omitted to the Santa F	e Environme	ntal Bureau offic	ee for considera	ation of approval.

$ar{\mathfrak{c}}$				
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins  Four foot height, four strands of barbed wire evenly spaced between one and four feet	munon or chui	(CH)		
Alternate Please specify				
Tricinate Trease specify				
7 Notice Subsection Field 15 17 11 NIMAC (dealers to recover and assessment of the field of the				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Monthly hispections (if hearing or screening is not physically feasible)				
8 Signary Subsection Cof 10 15 17 11 NIMAC				
Signs: Subsection C of 19 15.17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19 15 3 103 NMAC				
9 Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for constant	ideration of ap	proval		
(Fencing/BGT Liner)				
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
10				
Siting Criteria (regarding permitting): 19.15 17.10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		_		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	No		
- NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	∐No		
(measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial		□No.		
application.		Пио		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∏NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)	□NA			
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	No		
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	—	_		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended		□140		
- Written confirmation or verification from the municipality, Written approval obtained from the municipality				
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	∐No		
Within the area overlying a subsurface mine.	Yes	□No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		□. <sup>1</sup> 10		
Within an unstable area.				
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		_		
Society, Topographic map		Пы		
Within a 100-year floodplain - FEMA map	Yes	∐No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC					
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19 15.17 9 NMAC and 19 15.17 13 NMAC					
Previously Approved Design (attach copy of design)  API					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
X   Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC					
X   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC					
X   Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9					
NMAC and 19.15 17.13 NMAC					
Previously Approved Design (attach copy of design)  API					
Previously Approved Operating and Maintenance Plan API					
13					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17 9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15 17.13 NMAC					
14					
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System					
Alternative					
Proposed Closure Method Waste Excavation and Removal					
X Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Bookfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee	l Tanks or Haul-off Bins On	<u>lv:</u> (19 15 17,13 D NMAC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	fluids and drill cuttings Use	attachment if more than two			
	Disposal Facility Permit #	NM-01-0011 / NM-01-0	010B		
	Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities  Yes (If yes, please provide the information No	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC					
17 Siting Criteria (Regarding on-site closure methods only: 19.15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS. Data obtain	ned from nearby wells		Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste			Yes No		
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtain	ned from nearby wells		□ N/A		
Ground water is more than 100 feet below the bottom of the buried waste			 ∏Yes ∏No		
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtain	ned from nearby wells		□ N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significal (measured from the ordinary high-water mark)	Yes No				
- Topographic map, Visual inspection (certification) of the proposed site	□va. □va				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image			∐Yes ∐No  ∏Yes ∏No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality					
Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site			Yes No		
Within the area overlying a subsurface mine			Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division			Пу Пу.		
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,			YesNo		
Topographic map Within a 100-year floodplain - FEMA map			Yes No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	of the following items mus	t bee attached to the closu	re plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Co	rtification			
Operator Application Ce I hereby certify that the inform	rtilication: nation submitted with this application is true, acc	curate and complete to the	best of my knowledge and belief	
Name (Print)	CRYSTAL TAFOYA	-	STAFF REGULATORY TECHN	IICIAN
Signature	motel Taloux	Date	///////////////////////////////////////	
e-mail address	crystal tafoya@conocophillips com	Telephone	(505) 326-9837	
20 OCD Approval: Per OCD Representative Sign Title:	mit Application (including closure plan) nature:	Closure Plan (only	Approval Date:	achment) 18/2011
Instructions Operators are r report is required to be subm	I within 60 days of closure completion): Sweequired to obtain an approved closure plan prior utted to the division within 60 days of the completeen obtained and the closure activities have been	r to implementing any clo tion of the closure activit completed	sure activities and submitting the cle	-
22				
Closure Method:  Waste Excavation and If different from appr	i Removal On-site Closure Method oved plan, please explain	Alternative Closu	re Method Waste Removal (C	Closed-loop systems only)
23				
	Waste Removal Closure For Closed-loop Syste the facility or facilities for where the liquids, dra			
were utilized.	ine facility or facilities for where the liquius, are	uung junas ana aru cu	ungs were uisposeu. Ose uituchmer	a ty more man two juctuies
Disposal Facility Name		_ Disposal Facili	ty Permit Number	
Disposal Facility Name			ty Permit Number	
l —	em operations and associated activities performed monstrate complilane to the items below)	on or in areas that will r	of be used for future service and ope	eartions?
	•	_		
Site Reclamation (Pho	eas which will not be used for future service and onto Documentation)	operations*		
Soil Backfilling and C	Cover Installation			
Re-vegetation Applica	ation Rates and Seeding Technique			
the box, that the document Proof of Closure Not Proof of Deed Notice Plan (for on-site Confirmation Samp	nment Checklist: Instructions: Each of the forms are attached.  otice (surface owner and division)  oe (required for on-site closure)  e closures and temporary pits)  oling Analytical Results (if applicable)  appling Analytical Results (if applicable)  ame and Permit Number	ollowing items must be a	ttached to the closure report. Pleas	e indicate, by a check mark in
Soil Backfilling and	l Cover Installation			
l <u>=</u> · · · ·	ication Rates and Seeding Technique			
, <u> </u>	Photo Documentation)			1005 🗖 1005
On-site Closure Loc	cation Latitude	Longitude	NAD [	1927 1983
	cation: mation and attachments submitted with this closu applicable closure requirements and conditions :	-	-	owledge and belief I also certify that
Name (Print)		Tıtle·		
Signature.		Date		
e-mail address		Telephone		

Form C-144 Oil Conservation Division

## ConocoPhillips Company Closed-loop Plans

## Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.