District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
	System, Below-Grade Tank, or
Proposed Alternative Mo	ethod Permit or Closure Plan Application
Type of action: Permit of a pit, closed	1-loop system, below-grade tank, or proposed alternative method
$\overline{X}$ Closure of a pit, closed	ed-loop system, below-grade tank, or proposed alternative method
Modification to an exi	isting permit
·	omitted for an existing permitted or non-permitted pit, closed-loop system,
-	proposed alternative method
	per individual pit, closed-loop system, below-grade tank or alternative request perator of liability should operations result in pollution of surface water, ground water or the
	y to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: San Juan 27-4 Unit 147	
API Number: 30-039-22991	OCD Permit Number
U/L or Qtr/Qtr: A(NE/NE) Section: 3 Township:	27N Range: 4W County: Rio Arriba
Center of Proposed Design: Latitude: 36.6069	<u>°N</u> Longitude: <u>107.23329</u> <u>°W</u> NAD: X 1927 1983
Surface Owner: X Federal State Priva	ate Tribal Trust or Indian Allotment
Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type Thickness  String-Reinforced  Liner Seams Welded Factory Other	mil LLDPE HDPE PVC Other  Volume: bbl Dimensions L x W x D
	Workover or Drilling (Applies to activities which require prior approval of a permit or office of intent)  off Bins Other PVD Other
4 Below-grade tank: Subsection I of 19 15 17 11 NMAC	RCVD NOV 22'11
Volumebbl Type of fluid	OIL CONS. DIV.
Tank Construction material	UIL GUNJ. DIV.
Secondary containment with leak detection Visible side  Visible sidewalls and liner Visible sidewalls only  Liner Type Thickness mil HDPE	ewalls, liner, 6-inch lift and automatic overflow shut-off  Other  PVC Other Other
5  Alternative Method:  Submittal of an exception request is required. Exceptions must be sub-	hmutted to the Santa Fe Environmental Bureau office for consideration of approval

6 · •				
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8 Signs: Subsection C of 19 15 17 11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19 15 3 103 NMAC				
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of approval.			
(Fencing/BGT Liner)				
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
10				
Siting Criteria (regarding permitting): 19 15.17 10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes No			
(measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∐Yes ∐No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	$\sqcap_{NA}$			
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applied to permanent pits)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<b>□</b>			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes No			
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.				
ANALOGO CALIGO DE LA MATERIO LA LA LA LA LA LA CALIGO CALI				
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	∐Yes ∐No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland.	Yes No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
	Yes No			
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological</li> </ul>				
Society; Topographic map				
Within a 100-year floodplain	Yes No			
- FEMA map	1			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19 15 17 9 NMAC and 19 15 17.13 NMAC		
Previously Approved Design (attach copy of design)  API		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API  Previously Approved Operating and Maintenance Plan  API		
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17 11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15 17 13 NMAC		
Proposed Closure: 19.15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative		
Proposed Closure Method		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Wester Execution and Democral Clasure Plan Checklists (10.15.17.12 NIMAC) Justinations, Each of the following itsus must be attrached to the electron plan.		
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC.		

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	eel Tanks or Haul-off Bins Only: (19.15.17 13.D NMAC) g fluids and drill cuttings Use attachment if more than two			
Disposal Facility Name	Disposal Facility Permit #			
Disposal Facility Name	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activit  Yes (If yes, please provide the information No		service and		
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC				
17				
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC  Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - IWATERS database search, USGS. Data ob	tained from nearby wells	□N/A		
Ground water is between 50 and 100 feet below the bottom of the buried wast	e	∏Yes ∏No		
- NM Office of the State Engineer - iWATERS database search, USGS; Data obt		□ <sub>N/A</sub> □		
Ground water is more than 100 feet below the bottom of the buried waste		☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search, USGS; Data obt	ained from nearby wells	□ res □ ivo □ n/A		
-	·			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	cant watercourse or lakebed, sinkhole, or playa lake	YesNo		
- Topographic map, Visual inspection (certification) of the proposed site				
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in</li> <li>Visual inspection (certification) of the proposed site; Aerial photo, satellite image</li> </ul>		∐Yes ∐No		
visual inspection (continuation) of the proposed site, vietna prioto, satellite image		□Yes □No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exis - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	tence at the time of the initial application			
Within incorporated municipal boundaries or within a defined municipal fresh water w pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obt	· ·	Yes No		
Within 500 feet of a wetland	amou non the manopunty	□Yes □No		
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual insp	pection (certification) of the proposed site			
Within the area overlying a subsurface mine.		Yes No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and M	Ameral Division			
Within an unstable area.	L LD LIGORANA LA LA	∐Yes ∐No		
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; M</li> <li>Topographic map</li> </ul>	lineral Resources; USUS; NM Geological Society,			
Within a 100-year floodplain - FEMA map		Yes No		
18				
On-Site Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a dry	ring pad) - based upon the appropriate requirements of	19.15 17 11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of	19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subse				

19 Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief				
Name (Print) Title				
Signature: Date				
e-mail address Telephone				
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: Closure Plan (only) OCD Permit Number:				
Closure Report (required within 60 days of closure completion):  Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  [X] Closure Completion Date: 10/25/2011				
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain				
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B				
Disposal Facility Name. Basin Disposal Facility Disposal Facility Permit Number NM-01-005				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate comphiane to the items below)				
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location  Latitude  Longitude  NAD  1927  1983				
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print). CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN				
Signature Date. 11/21/2011				
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837				