

District I
1625 N. French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

30-045-26520

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company	Dugan Production Corp.	Contact	Kurt Fagrelus
Address	P.O. Box 420	Telephone No.	505-325-1821
Facility Name	August #1	Facility Type	Permanent Pit
Surface Owner	Federal	Mineral Owner	Federal
		Lease No.	NM43443


LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
M	35	24N	10W	660	South	660	West	San Juan

Latitude 36.26505 N Longitude 107.87149 W

NATURE OF RELEASE

Type of Release	Spill Cleanup and Pit Closure	Volume of Release		Volume Recovered	N/A
Source of Release		Date and Hour of Occurrence ?		Date and Hour of Discovery	N/A
Was Immediate Notice Given?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	N/A		
By Whom?		Date and Hour			
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			
If a Watercourse was Impacted, Describe Fully.* N/A					
Describe Cause of Problem and Remedial Action Taken.* During permanent pit closure a chloride impact was discovered. A five-point composite sample tested 6,800-mg/kg Chloride.					
Describe Area Affected and Cleanup Action Taken.* 52-yards of contaminated soil were dug from permanent pit and hauled to Envirotech land farm. Once all contaminated soil had been removed a five-point composite sample was taken and tested 256-mg/kg Chloride and 250-mg/kg TPH (Analytical Method 418.1). The C-144 spill ranking was determined to be 0. The Chloride and TPH release do not pose a threat to groundwater contamination.					
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Signature: Kurt Fagrelus		OIL CONSERVATION DIVISION			
Printed Name: Kurt Fagrelus		Approved by District Supervisor: Jonathan Kelly			
Title: VP Exploration		Approval Date: 11/30/2011 Expiration Date:			
E-mail Address: kfagrelus@duganproduction.com		Conditions of Approval.		Attached <input type="checkbox"/>	
Date: 11/11/2010 Phone: 505-325-1821					



* Attach Additional Sheets If Necessary

15K1133455374

August 1



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

October 29, 2010

MIKE SANDOVAL

DUGAN PRODUCTION

P. O. BOX 420

FARMINGTON, NM 87499

RE: PIT CLOSURES

Enclosed are the results of analyses for samples received by the laboratory on 10/22/10 9:30.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager

Analytical Results For:

DUGAN PRODUCTION
MIKE SANDOVAL
P. O. BOX 420
FARMINGTON NM, 87499
Fax To: (505) 327-4043

Received:	10/22/2010	Sampling Date:	10/20/2010
Reported:	10/29/2010	Sampling Type:	Soil
Project Name:	PIT CLOSURES	Sampling Condition:	Cool & Intact
Project Number:	AUGUST #1 TANK & SEP PIT	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: AUGUST #1 (H021124-01)

BTEX 8260B		mg/kg		Analyzed By: CMS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.100	0.100	10/27/2010	ND	1.00	100	1.00			
Toluene*	<0.100	0.100	10/27/2010	ND	0.970	97.0	1.00			
Ethylbenzene*	<0.100	0.100	10/27/2010	ND	1.04	104	1.00			
Total Xylenes*	<0.300	0.300	10/27/2010	ND	3.09	103	3.00			

Surrogate, Dibromofluoromethane 85.9 % 80-120

Surrogate, Toluene-d8 90.0 % 80-120

Surrogate, 4-Bromofluorobenzene 96.4 % 80-120

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	256	16.0	10/25/2010	ND	432	108	400	0.00		

TPH 418.1		mg/kg		Analyzed By: CK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
TPH 418.1	250	10.0	10/27/2010	ND	120	91.6	131	8.00	SUB-SS	

TPH 8015M		mg/kg		Analyzed By: AB						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	10/23/2010	ND	211	105	200	6.63		
DRO >C10-C28	253	10.0	10/23/2010	ND	180	90.2	200	5.39		
Total TPH C6-C28	253	10.0	10/23/2010	ND	391	97.8	400	0.903		

Surrogate 1-Chlorooctane 102 % 70-130

Surrogate 1-Chlorooctadecane 100 % 70-130

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE Liability and Damages Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

SUB-SS	Analysis subcontracted to SunStar Laboratories, Inc.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN OF CUSTODY RECORD

Page ____ of ____

Client: Dugan Prod.
Contact: Mike Sanders
Address: _____
Phone Number: 330-6929
FAX Number: 327-4043

NOTES:

- 1) Ensure proper container packaging.
- 2) Ship samples promptly following collection.
- 3) Designate Sample Reject Disposition.

PO# August #1
Project Name: Truck & sep pit

Table 1. - Matrix Type

1 = Surface Water, 2 = Ground Water
3 = Soil/Sediment, 4 = Rinsate, 5 = Oil
6 = Waste, 7 = Other (Specify) _____

FOR GAL USE ONLY

GAL JOB # _____

Samplers Signature: [Signature]

Lab Name: Green Analytical Laboratories (970) 247-4220 FAX (970) 247-4227		Analyses Required										Comments								
Address: 75 Suttle Street, Durango, CO 81303																				
Sample ID	Collection		Miscellaneous			Preservative(s)														
	Date	Time	Collected by: (Init.)	Matrix Type From Table 1	No. of Containers	Sample Filtered ? Y/N	Unpreserved (Ice Only)	HNO3	HCL	H2SO4	NAOH	Other (Specify)								
H21124-1																				
1 August #1	10-20-10	12:15																		
2.																				
3.																				
4.																				
5.																				
6.																				
7.																				
8.																				
9.																				
10.																				

Relinquished by: <u>[Signature]</u>	Date: <u>10-20-10</u>	Time: <u>3:58</u>	Received by: <u>[Signature]</u>	Date: <u>10/20/10</u>	Time: <u>7:58</u>
Relinquished by: _____	Date: _____	Time: _____	Received by: <u>[Signature]</u>	Date: <u>10/22/10</u>	Time: <u>9:30</u>

* Sample Reject: | | Return | | Dispose | | Store (30 Days)

5°C #26

Envirotech
5796 US Hwy 64
Farmington, NM 87401
Phone: 505-632-0615
Fax 505-632-1865



To
Dugan Production Corp
PO Box 420
Farmington, NM 87401

Invoice

Invoice Number 22452
Job 06094-0039
DATE December 19, 2008

August #1- accept exempt contaminated soil
and oil from production stream

Ordered by Fred Cornish

Project Manager. April Pohl

<u>Employee</u>	<u>Staff Type</u>	<u>Description</u>	<u>Units</u>	<u>Rate</u>	<u>Total</u>
12/10/2008					
Landfarm					
		BOL# 32168	2.00 ea	10.00	20.00
Paint Filter Test		BOL# 32168	2.00 ea	15.00	30.00
Chloride Analysis-Water		BOL# 32168	20.00 cy	18.00	360.00
Contaminated Soil Recerval					
Landfarm Total:			24.00		410.00
12/10/2008 Total:			24.00		410.00
Invoice Sub-total					410.00
Sales Tax					25.37
Amount due this Invoice					\$435.37

All invoices are due upon receipt. A late charge of 1.5% will be added to any unpaid balance after 30 days.

This may not be the final bill - if charges are received after this invoice has been mailed, you will receive a separate invoice for those costs

Envirotech
5796 US Hwy 64
Farmington, NM 87401
Phone: 505-632-0615
Fax: 505-632-1865



To
Dugan Production Corp.
PO Box 420
Farmington, NM 87401

Invoice

Invoice Number 27096
Job 06094-0079
DATE: October 21, 2010

August #1 - Accept exempt contaminated
soil from closing earthen pit

Ordered by Mike Sandoval

Project Manager. April Pohl

<u>Employee</u>	<u>Staff Type</u>	<u>Description</u>	<u>Units</u>	<u>Rate</u>	<u>Total</u>
10/05/2010					
Landfarm					
		BOL# 36711	1.00 EA	10.00	10.00
Paint Filter Test (LF)		BOL# 36711	1.00 EA	15.00	15.00
Chloride (LF)		BOL# 36711	24.00 CY	18.00	432.00
Contaminated Soil Receival		BOL# 36716	1.00 EA	10.00	10.00
Paint Filter Test (LF)		BOL# 36716	1.00 EA	15.00	15.00
Chloride (LF)		BOL# 36716	8.00 CY	18.00	144.00
Contaminated Soil Receival					
Landfarm Total:			36.00		626.00
10/05/2010 Total:			36.00		626.00


Invoice Sub-total 626.00
Sales Tax 39.52

Amount due this Invoice \$665.52

All invoices are due upon receipt. A late charge of 1.5% will be added to any unpaid balance after 30 days.
This may not be the final bill - if charges are received after this invoice has been mailed, you will receive a separate invoice for those costs.

Dugan Prodction
August #1
Seperator Pit

N



From Reference Point Go S 60 Degrees SE. For
a Distance of 72' to Center of Pit.

Permanent pit: August #1 (Separator)
API number: 30-045-26520

Results of sample analysis on the five-point composite sample collected on the subject permanent pit exceeded limits permissible under the "pit rule" (19.15.17.13.C) (see attached C-141 with analytic results).

The Environmental Bureau of the Oil Conservation Division (OCD) in Santa Fe is hereby provided a C-144 (closure report) and an "initial" C-141 (release notification) with analytic results of soil testing. The closure date on the C-144 (box 21) shows the date that the soil analysis did not meet pit rule standards. Also, this letter hereby provides notice that the subject permanent pit will be closed according to the requirements of the "spill rule" (19.15.30).

The OCD district office in Aztec is hereby provided a copy of the "initial report" C-141 (release notification) with analytic results of soil testing and also notice that the subject permanent pit will be closed according to the requirements of the "spill rule" (19.15.30). Assessment, clean-up and remediation of the reported spill will be done in accordance with the spill rule under the authority of the Aztec District office of the OCD. The "final report" C-141 with photo documentation of site reclamation will be sent to the Aztec District office of the OCD.

Following clean-up of the reported release and determination that the release is not a threat to groundwater contamination, the permanent pit will be closed in accordance with the approved C-144 (closure plan) and will include the following:

1. Stockpiled sub-surface soil will be used to backfill pit and re-contour (to a final or intermediate cover that blends with the surrounding topography). A minimum of four-feet of compacted, non-waste containing, earthen material will be used as backfill.
2. Stockpiled surface soil will be used as a cover over the backfilled pit and disturbed area no longer needed for production operations. The soil cover will include either the background thickness of top soil or one-foot of suitable material to establish vegetation at the site whichever is greater. The soil cover will be constructed to the sites existing grade and prevent water collection or ponding and erosion of the cover material.
3. Disturbed areas will be seeded the first growing season after the pit is closed. Seeding will be accomplished by drilling on contour whenever possible or by other division approved methods. BLM stipulated seed mixes will be used on all Federal lands and OCD approved seed mixes (administratively approved if required) will be used on all State or private lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two consecutive growing seasons. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. Seeding or planting will be continued until successful vegetative growth occurs.
4. The Aztec District office of the OCD will be notified after each re-seeding operation and after successful re-vegetation has been achieved.

Kurt Fagrelus
VP – Exploration, Dugan Production Corp.
Farmington, New Mexico 87401
505-325-1821 (O), 505-320-8248 (C)
kfagrelus@duganproduction.com

Lease Name: August #1						
API No.: 30-045-26520						
Site Specific Information						
Depth to	225-ft	Distance to Surface	1050-ft	Wellhead Protection Area	> 1000-ft	
Groundwater		Water Body		Distance from Water Source		
Total Ranking Score						
Depth to	Ranking	Distance to Surface	Ranking	Wellhead Protection Area	Ranking Score	Total Ranking
Groundwater	Score	Water Body	Score	Distance from Water Source	Yes =20, No=0	Score
<50-feet	20	<200-feet	20	<1000-feet from water source	0	
50 - 99	10	200 - 1000	10	<200-feet domestic water	0	
>100-feet	0	>1000-feet	0			0
Total Ranking Score					Sample	
		>19	10 - 19	0 - 9	Analysis	
Benzene (mg/kg)		10	10	10	<0.100	
BTEX (mg/kg)		50	50	50	<0.300	
TPH (mg/kg)		100	1000	5000	250	
Chlorides (mg/kg)		N.A.	N.A.	N.A.	256	
Note: Analytical methods used for Benzene SW-846, BTEX SW-846, TPH 418.1 and Chlorides 4500-C1-B.						
C-144 ranking = 0. Chloride and TPH releases do not pose a threat to groundwater contamination.						

August #1 Hydrogeologic Report

The August #1 is located on Federal land on the Chaco Slope area of the San Juan Basin, in San Juan County, New Mexico. The area is characterized by an arid, westward sloping, gentle hilly terrain covered with sage, grass and isolated stands of pinon and juniper. It is well drained by numerous arroyos that carry water during seasonal periods (rainstorms and snowmelt) to the west.

A records search of the NM Office of the State Engineer –iWATERS database was conducted on a three square mile area centered on the August #1 location (Exhibit 2). One water well is located 8,250 feet east of the below grade tank. This well was drilled to a total depth of 442 feet and the depth to water was reported at 284 feet. The results of the search are shown on Exhibit 1.

The main source of stock water in the region is encountered in valley-fill deposits in existing arroyos at shallow depths of approximately 15 – 50 feet below the surface and stock tanks constructed on surface shale in the upper reaches and confluences of arroyos. The below grade tank is not located in an arroyo. The closest arroyo is 1,050 feet north of the below grade tank (Exhibit 2).

The Nacimiento Formation extends from the surface down to approximately 423 feet. From surface down to 225 feet, the interval consists primarily of mudstone / shale with a trace of siltstone. The interval from 225-247 has siltstone with fair reservoir qualities and could contain marginal amounts of poor quality ground water. From 247-423 the section is all mudstone / shale.

The Nacimiento is a source of ground water for livestock purposes and more rarely domestic use in some areas near the outcrop. With depth and distance from the outcrop, water quality decreases quickly and may be useful for livestock only. Due to the high silt content in the sands, poor reservoir quality and unpredictable nature of sand occurrence, the Nacimiento is not expected to contain significant quantities of ground water in the area of the below grade tank (Stone, 1983).

The underlying Ojo Alamo Sandstone ranges from 423 feet down to a depth of 514 feet and is comprised of a coarse grained alluvial sandstone inter-bedded with lenses of mudstone and occasional conglomeratic sandstone. The Ojo could provide a greater volume of poor quality groundwater.

Based on electric open hole logs, the iWATERS database, literature reviewed, poor quality groundwater might be found at a depth 225-247 feet from a thin, discontinuous, siltstone layer in the Nacimiento Formation. However, the underlying Ojo Alamo Sandstone (423-514) is capable of producing a larger volume of better quality groundwater.

The excessive drilling depth to reservoirs with unpredictable variations in reservoir quality and water quality has discouraged the drilling of water wells in the area.

This Hydrogeologic Report was prepared by Mr. Kurt Fagrelus, Geologist for Dugan Production. Mr. Fagrelus has been employed as a geologist for Dugan for the past 31-years, received a MS in Geology from NMIMT in Socorro, NM and a BS in Geology from FLC in Durango, CO.

Stone, W.J., Lyford, F.P., Frenzel, P.F., Mizell, N.H., and Padgett, E.T., 1983, Hydrogeology and water resources of San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources Hydrologic Report 6, 70 p.

Brown, D.R., and Stone, W.J., 1979, Hydrogeology of Aztec quadrangle, San Juan County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Hydrogeologic Sheet 1.

Levings, G.W., Craig, S.D., Dam, W.L., Kernodle, J.M., and Thorn, C.R., 1990, Hydrogeology of the San Jose, Nacimiento, and Animas Formations in the San Juan Structural Basin, New Mexico, Colorado, Arizona and Utah: U.S. Geological Survey, Atlas HA-720-A, Sheet 1 and 2.

Thorn, C.R., Levings, G.W., Craig, S.D., Dam, W.L., and Kernodle, J.M., 1990, Hydrogeology of the Ojo Alamo Sandstone in the San Juan Structural Basin, New Mexico, Colorado, Arizona and Utah: U.S.G.S, Atlas HA-720-B, Sheet 1 and 2.

PRODUCTION CORP

AUGUST #1

FED. LSE. # NM 43443


660' FSL 660' FWL

SEC. 35 T24N R10W NM

SAN JUAN CO NM

For Emergency Call (505) 325-1823

August #1
Seperator Pit
Close 11-8-10



Kurt Fagrelius

From: Kurt Fagrelius
Sent: Wednesday, November 03, 2010 10:43 AM
To: 'Powell, Brandon, EMNRD'; 'dave_mankiewicz@nm.blm.gov'; 'Mark_Kelly@nm.blm.gov'
Cc: Johnny Lane
Subject: 72-Hour Notice to Close Permanent Pits
Attachments: 72-Hour Notice to Close 11-8-2010.xls

Mr. Brandon Powell, Mr. Dave Mankiewicz and Mr. Mark Kelly

Dugan Production Corp. is hereby giving notice that Dugan will be closing the permanent pits on the following well pads:

- 1) April Surprise #5 & 6 Tank Battery
- 2) August #1
- 3) Champ #1 Production Tank
- 4) Champ #1 Separator
- 5) July Jubilee #3
- 6) Par #1

Site specific and soil analysis information for each permanent pit is included in the enclosed attachment.

All are located on Federal Surface, and the

Permanent pits will be closed starting Monday November 8, 2010 thru Wednesday November 10, 2010.

If you have any questions or require additional information, please contact me.

Sincerely,

Kurt Fagrelius
Dugan Production Corp.
709 East Murray Drive
Farmington, New Mexico 87401
505-325-1821 (O), 505-320-8248 (C)
kfagrelius@duganproduction.com

11/30/2010

Dugan Production Corp. Permanent Pits to be Closed on November 8, 2010

Lease Name	April Surprise #5 & 6 TB	August #1	Champ #1 Prod	Champ #1 Sep	July Jubilee #3	Par #1
API Number	30-045-25947	30-045-26520	30-045-26981	30-045-26981	30-045-25904	30-045-28968
Surface Owner - Notice Sent	Federal	Federal	Federal	Federal	Federal	Federal
Location - UL, Sec., Twp, Rge	B-7-23N-9W	M-35-24N-10W	C-5-23N-9W	C-5-23N-9W	I-29-24N-9W	A-11-23N-10W
Latitude	36.24701 N	36.26505 N	36.26105 N	36.26105 N	36.28293 N	36.24661 N
Longitude	107.82675 W	107.87149 W	107.92069 W	107.92069 W	107.81756 W	107.85806 W
C-144 Ranking Score	10	0	0	0	10	10
Benzene (mg/kg)	<0.100	<0.100	<0.100	<0.025	<0.050	<0.050
Betex (mg/kg)	<0.300	<0.300	<0.300	<0.075	<0.300	<0.150
TPH (mg/kg) - Analy Mthd	422 - 8015	250 - 418.1	650 - 418.1	<10 - 8015	<31.8 - 8015	<10 - 8015
Chlorides (mg/kg)	96	256	32	480	240	64
Total Yards Contaminated	72-yds	32-yds	60-yds	60-yds	36-yds	12-yds
Soil Hauled to Landfarm						

Kurt Fagrelius

From: postmaster@duganproduction.com
Sent: Wednesday, November 03, 2010 10:44 AM
To: Kurt Fagrelius
Subject: Delivery Status Notification (Relay)

Attachments: ATT06139.txt; 72-Hour Notice to Close Permanent Pits



ATT06139.txt (407 B) 72-Hour Notice to
Close Perman...

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

Brandon.Powell@state.nm.us

Kurt Fagrelius

From: Powell, Brandon, EMNRD [Brandon.Powell@state.nm.us]
Sent: Wednesday, November 03, 2010 2:06 PM
Subject: Read: 72-Hour Notice to Close Permanent Pits

Your message

To: Brandon.Powell@state.nm.us
Subject:

was read on 11/3/2010 2:06 PM.

Kurt Fagrelius

From: Mark_Kelly@blm.gov
Sent: Wednesday, November 03, 2010 1:11 PM
To: Kurt Fagrelius
Subject: 72-Hour Notice to Close Permanent Pits

Return Receipt

Your 72-Hour Notice to Close Permanent Pits
document:

was Mark Kelly/FFO/NM/BLM/DOI
received
by:

at: 11/03/2010 01:10:49 PM

Kurt Fagrelius

From: System Administrator
To: Johnny Lane
Sent: Wednesday, November 03, 2010 10:43 AM
Subject: Delivered: 72-Hour Notice to Close Permanent Pits

Your message

To: Powell, Brandon, EMNRD; dave_mankiewicz@nm.blm.gov; Mark_Kelly@nm.blm.gov
Cc: Johnny Lane
Subject: 72-Hour Notice to Close Permanent Pits
Sent: 11/3/2010 10:43 AM

was delivered to the following recipient(s):

Johnny Lane on 11/3/2010 10:43 AM

Kurt Fagrelus

From: Johnny Lane
Sent: Wednesday, November 03, 2010 11:00 AM
To: Kurt Fagrelus
Subject: Read: 72-Hour Notice to Close Permanent Pits
Attachments: ATT06169.txt

Your message

To: Powell, Brandon, EMNRD; dave_mankiewicz@nm.blm.gov; Mark_Kelly@nm.blm.gov
Cc: Johnny Lane
Subject: 72-Hour Notice to Close Permanent Pits
Sent: 11/3/2010 10:43 AM

was read on 11/3/2010 10:59 AM.

11/30/2010