### District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III 1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

### Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action.	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

#### Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address P.O. Box 4289, Farmington, NM 87499
Facility or well name: ALLISON UNIT 6N
API Number: 30-045-34776 OCD Permit Number
U/L or Qtr/Qtr N(SE/SW) Section. 16 Township: 32N Range. 6W County Rio Arriba
Center of Proposed Design Latitude: 36.9758 °N Longitude: 107.4667 °W NAD: 1927 X 1983
Surface Owner: Federal X State Trivate Tribal Trust or Indian Allotment
X   Pit: Subsection F or G of 19 15 17 11 NMAC   RCVD DEC 13 '11
Closed-loop System: Subsection H of 19 15 17 11 NMAC   Type of Operation
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
Form C-144 Oil Conservation Division Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
8  Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19 15.3 103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	leration of appi	roval		
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐Yes ☐NA	No		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐Yes ☐NA	∐No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No		
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9  NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15 17 11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15 17 13 NMAC
14 P 10.15.17.13.19.14.0
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.  Protocole and Proceedings, based when the appropriate requirements of 10.15.17.13 NMAC.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
] ] ]

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions Please identify the facility or facilities for the disposal of liquids, drill	Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)					
facilities are required	ing funds and arm cuttings. Ose attachment if more than two					
Disposal Facility Name	Disposal Facility Permit #-					
Disposal Facility Name						
Will any of the proposed closed-loop system operations and associated act  Yes (If yes, please provide the information No	tivities occur on or in areas that will nbe used for future	service and				
Required for impacted areas which will not be used for future service and operatio  Soil Backfill and Cover Design Specification - based upon the appr  Re-vegetation Plan - based upon the appropriate requirements of Sub  Site Reclamation Plan - based upon the appropriate requirements of Sub	ropriate requirements of Subsection H of 19 15 17 13 N section I of 19 15 17 13 NMAC	MAC				
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NM Instructions Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval Justifications and/or demonstrations of equivalency are	Recommendations of acceptable source material are provided below or may be considered an exception which must be submitted to the Si					
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - IWATERS database search, USGS Data	obtained from nearby wells	Yes No				
Ground water is between 50 and 100 feet below the bottom of the buried v	waste	☐ ☐Yes ☐No				
- NM Office of the State Engineer - IWATERS database search, USGS, Data of		N/A				
Ground water is more than 100 feet below the bottom of the buried waste		☐ ☐Yes ☐No				
- NM Office of the State Engineer - IWATERS database search, USGS, Data of the State Engineer - IWATERS database search - IWAT	obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig (measured from the ordinary high-water mark)	nıficant watercourse or lakebed, sınkhole, or playa lake	Yes No				
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site, Aerial photo, satellite in		YesNo				
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in e	Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted					
pursuant to NMSA 1978, Section 3-27-3, as amended	alternation of the state of the					
Written confirmation or verification from the municipality, Written approval Within 500 feet of a wetland     US Fish and Wildlife Wetland Identification map, Topographic map, Visual		Yes No				
Within the area overlying a subsurface mine	inspection (certification) of the proposed site	Yes No				
- Written confirantion or verification or map from the NM EMNRD-Mining at	nd Mineral Division					
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology &	k Mineral Resources, USGS, NM Geological Society,	Yes No				
Topographic map Within a 100-year floodplain FEMA map		Yes No				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Ends of the documents are attached.	ach of the following items must bee attached to the clo	sure plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appro	priate requirements of 19 15 17 10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of	1 11 1	s of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requiremen						
	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Contification
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 12/19/201  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.    X   Closure Completion Date:   November 20, 2009
22 Closure Method: Waste Excavation and Removal If different from approved plan, please explain  Waste Excavation approved plan, please explain
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name  Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location Latitude 36.97588 °N Longitude 107.46638 °W NAD 1927 X 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Jamie Goodwin Title Regulatory Tech
Signature Jamu G00 NW Date 12 8 11
e-mail address () jamie I goodwin@conocophillips.com Telephone 505-326-9784

# Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: ALLISON UNIT 6N

API No.: 30-045-34776

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

#### **General Plan:**

 All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via permit submittal. (See Attached)(Well located on State Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

 Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

The closure plan requirements were met due to rig move off date as noted on C-105.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	23.2 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	2710 ug/kG
TPH	EPA SW-846 418.1	2500	2270mg/kg
GRO/DRO	EPA SW-846 8015M	500	93.8 mg/Kg
Chlorides	EPA 300.1	1000/500	45 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, State, ALLISON UNIT 6N, UL-N, Sec. 16, T 32N, R 6W, API # 30-045-34776

DISTRICT I .1825 N. French Dr., Hobbs; N.M. 88240

DISTRICT II 1301 W. Grand Ave. Artesia, N.M. 88210

DISTRICT III-1000 Rio Brazos Rd., Aztec, N.M. 87410

TAPL Number

12 Dedicated Acres

320

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease, - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

DISTRICT IV 1220 South St Francis Dr., Santa Fe, NM 87505

### WELL LOCATION AND ACREAGE DEDICATION PLAT

AFI	Number			Pool Code		BASIN	DAKOTA/BLAN	: CO. MESAVERDÉ	
Property C	ode	<del></del>	<del></del>	<del></del>	<sup>6</sup> Property 1	Varne (		* Wel	l Number
	1				ALLISON	UNÍT		:	6N
OGRID No	<u></u>		·	<del></del>	*Operator )	Name		° E	Elevation
			BUŖ	LINGTON, F	resources <u>o</u> il	L & GAŞ COMPA	ŇÀ TЪ	i i	6115
					10 Surface	Location			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	16	32-N	6-Ŵ		995	SOUTH	1765	WEST	SAN JUÁN
			11 Bott	om Hôle	Location I	Different Fro	m Surface		, ,
UL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
М	16.	32-N	6-W	}	710	SOŬTH'	550 <sup>,</sup>	WESŢ	SAN JUAN

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED

15 Order No.

14 Consolidation Code

is joint or infill

OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION OPERATOR CERTIFICATION I hereby certify that the information contained herein is true, and complete to the best of my knowledge and belief, and that this organization either owns a working unterest or unleased mineral unterest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a STATE OF NM. E-504-16 contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the WITNESS CORNER FD 3 1/4" BC. 1961 B.L M S 0-06-30 W 71.94" Signature Date. Printed Name 16 CALC'D. CORNER SURVEYOR CERTIFICATION -45 (M) SURFACE LOCATION Thereby certify that the well location shown on this plat was platted from field notes of actual surveys made by me LAT: 36.97580° N. (NAD 83) LONG: 107.46670° W. (NAD 83) or under my supervision, and that the same is true and correct to the best of my belief LAT: 36'58.5476' N. (NAD 27) LONG: 107'27.9656' W. (NAD 27) 9 NOVEMBER Date of Su -1765 BHL LOCATION LAT: 36.97499" N. (NAD 83) LONG: 107.47085" W. (NAD 83) LAT: 36'58.4991" N. (NAD 27) LONG: 107.28,2148" W. (NAD 27) 550 B H.L. 710, \$ 89-33-19 W 2677.35' (M) FD. 3 1/4 BC. 1961 B.L.M. FD 3 1/4" BC. 1961 B L.M.

## **BURLINGTON RESOURCES OIL & GAS COMPANY LP**

ALLISON UNIT No. 6N, 995 FSL 1765 FWL

SECTION 16, T-32-N, R-6-W, N.M.P.M., SAN JUAN COUNTY, NEW MEXICO

**GROUND ELEVATION: 6115, DATE: NOVEMBER 13, 2007** 

WELL FLAG

NAD 83


LAT. = 36.97580° N.

LONG = 107.46670° W.

NAD 27

LAT. = 36°58.5476' N.

LONG. = 107°27.9656' W.



NOTE:


DAGGETT ENTERPRISES, INC IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. NEW MEXICO ONE CALL TO BE NOTIFIED 48 HOURS PRIOR TO EXCAVATION OR CONSTRUCTION.

#### NOTE:

ESTIMATED VOLUMES CALCULATED BY AVERAGE END AREA AT CROSS-SECTION SHOWN

### NOTE:

CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.





Daggett Enterprises, Inc.
Surveying and Oil Field Services
PO Box 510 Famington, NM 87499
Phone (505) 326-1772 Fax (505) 326-6019
NEW MEXICO L S. 8894

DRAWN BY G.V. CADFILE BR669\_PL8



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Proiect #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	11-05-09
Laboratory Number:	52324	Date Sampled:	11-02-09
Chain of Custody No:	8186	Date Received:	11-03-09
Sample Matrix:	Soil	Date Extracted:	11-03-09
Preservative:	Cool	Date Analyzed:	11-04-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	17.7	0.2
Diesel Range (C10 - C28)	76.1	0.1
Total Petroleum Hydrocarbons	93.8	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

Approved C-144 onsite burial

SW-846, USEPA, December 1996.

Comments:

Allison #6N

Analyst

Review



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	11-05-09
Laboratory Number:	52325	Date Sampled:	11-02-09
Chain of Custody No:	8186	Date Received:	11-03-09
Sample Matrix:	Soil	Date Extracted:	11-03-09
Preservative:	Cool	Date Analyzed:	11-04-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Allison #6N

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



# EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

### **Quality Assurance Report**

Client:	QA/QC		Project #:		N/A
Sample ID:	11-04-09 QA/0	QC .	Date Reported:		11-05-09
Laboratory Number:	52315		Date Sampled:		N/A
Sample Matrix:	Methylene Chlor	ride	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		11-04-09
Condition:	N/A		Analysis Reques	ted:	TPH
	STATE OF THE STATE		and the same and the same and the same	1988 II - 1988 A	
					Chromosophic Company of the Company
Gasoline Range C5 - C10	05-07-07	9.2325E+002		0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	8.9104E+002	8.9140E+002	0.04%	0 - 15%
				\$ 16 CO 16 C	
Gasoline Range C5 - C10		ND		0.2	manua .
Diesel Range C10 - C28		ND		0.1	
Total Petroleum Hydrocarbons		ND		0.2	
			eres and and analysis with	en en angelog en en en	
Gasoline Range C5 - C10	14.9	14.5	2.7%	0 - 30%	
Diesel Range C10 - C28	314	307	2.2%	0 - 30%	
					Towns Class Civil (Artista)
		necellare caree.			
Gasoline Range C5 - C10	14.9	250	257	97.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 52315, 52317 - 52319, 52321, 52322, 52324, 52325, 52330, and 52331.

Analyst

Mother Waller



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	11-05-09
Laboratory Number:	52324	Date Sampled:	11-02-09
Chain of Custody:	8186	Date Received:	11-03-09
Sample Matrix:	Soil	Date Analyzed:	11-04-09
Preservative:	Cool	Date Extracted:	11-03-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Pannana	22.2	0.0
Benzene Toluene	23.2 223	0.9 1.0
Ethylbenzene	66.3	1.0
p,m-Xylene	1,840	1.2
o-Xylene	562	0.9
Total BTEX	2,710	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

**Comments:** 

Allison #6N

Analyst

Review



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	11-05-09
Laboratory Number:	52325	Date Sampled:	11-02-09
Chain of Custody:	8186	Date Received:	11-03-09
Sample Matrix:	Soil	Date Analyzed:	11-04-09
Preservative:	Cool	Date Extracted:	11-03-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	<b>1.2</b> -
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

**Comments:** 

Allison #6N

Analyst

Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #.	N/A
Sample ID:	11-04-BT QA/QC	Date Reported:	11-05-09
Laboratory Number.	52317	Date Sampled:	N/A
Sample Matrix.	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	11-04-09
Condition.	N/A	Analysis:	BTEX

Colorador como: Defectivo l'inficialidad		CALANTEN		Pappers	Na CDelect
Benzene	7.4676E+005	7 4825E+005	0.2%	ND	0.1
Toluene	6.9967E+005	7.0107E+005	0.2%	ND	0.1
Ethylbenzene	6.3838E+005	6.3966E+005	0.2%	ND	0.1
p,m-Xylene	1 5533E+006	1.5564E+006	0.2%	ND	0.1
o-Xylene	5 9890E+005	6 0010E+005	0.2%	ND	0.1

				SAMONE CONTRACTO	Zaledy limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Same Consultation and the		unt Solkovi Sol	er englig	Parker ou in	Assept Range :
Benzene	ND	50.0	48.9	97.8%	39 - 150
Toluene	ND	50.0	49.6	99.2%	46 - 148
Ethylbenzene	ND	50.0	49.8	99.6%	32 - 160
p,m-Xylene	ND	100	99.9	99.9%	46 - 148
o-Xylene	ND	50.0	47.7	95.4%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenaled Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

**Comments:** 

QA/QC for Samples 52317 - 52319, 52321, 52322, 52324, 52325, 52330, and 52331.

Analyst

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

### EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client <sup>.</sup>	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	11-05-09
Laboratory Number	52324	Date Sampled:	11-02-09
Chain of Custody No:	8186	Date Received <sup>.</sup>	11-03-09
Sample Matrix:	Soil	Date Extracted:	11-04-09
Preservative:	Cool	Date Analyzed:	11-04-09
Condition:	Intact	Analysis Needed:	TPH-418.1

i			Det.
i		Concentration	Limit
Par	ameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

2,270

7.0

ND = Parameter not detected at the stated detection limit

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Allison #6N.

Analyst

Mestre mulaters

Client:	ConocoPhillips	. Project #:	96052-0026
Sample ID:	Background	Date Reported <sup>.</sup>	11-05-09
Laboratory Number.	52325	Date Sampled:	11-02-09
Chain of Custody No:	8186	Date Received:	11-03-09
Sample Matrix	Soil	Date Extracted:	11-04-09
Preservative:	Cool	Date Analyzed:	11-04-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

16.8

7.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Allison #6N.



Review Weller



### **EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS** QUALITY ASSURANCE REPORT

Client<sup>1</sup>

QA/QC

Project #:

N/A

Sample ID:

1

1

QA/QC

Date Reported:

11-04-09

Laboratory Number:

11-04-TPH.QA/QC 52307

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

11-04-09

Preservative:

N/A

Date Extracted:

11-04-09

Condition:

N/A

Analysis Needed:

**TPH** 

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF:

% Difference

Accept. Range

11-02-09

11-04-09

1,750

1,920

9.7%

+/- 10%

Blank Conc. (mg/Kg)

**TPH** 

Concentration ND

**Detection Limit** 7.0

% Difference

Accept. Range

**TPH** 

Sample 30.7

**Duplicate** 27.9

9.1%

+/- 30%

Spike Conc. (mg/Kg)

Duplicate Conc. (mg/Kg)

Sample

Spike Added Spike Result % Recovery Accept Range

**TPH** 

30.7

2,000

1,710

84.2%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 52307, 52321 and 52324 - 52331.

Mustbe of Welles
Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



### Chloride

Client:	ConocoPhillips	Project #:	96052-0026
Şample ID	Reserve Pit	Date Reported:	11-05-09
Lab ID#	52324	Date Sampled:	11-02-09
Sample Matrix:	Soil	Date Received:	11-03-09
Preservative:	Cool	Date Analyzed:	11-05-09
Condition:	Intact	Chain of Custody:	8186

			-
P	arameter	Concentration (mg/Kg)	

**Total Chloride** 

45

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Allison #6N.

Muthum Waters
Review



### Chloride

¢lient:	ConocoPhillips	Project #.	96052-0026
Sample ID:	Background	Date Reported:	11-05-09
Lab ID#.	52325	Date Sampled:	11-02-09
Sample Matrix:	Soil	Date Received:	11-03-09
Preservative:	Cool	Date Analyzed <sup>.</sup>	11-05-09
Condition:	Intact	Chain of Custody:	8186

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

15

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Allison #6N.

Two Copies	iate District (	Office		State of New Mexico					Form C-105							
District I 1625 N French Dr,	Hobbs, NM	88240		Energy, Minerals and Natural Resources					July 17, 2008  1. WELL API NO.							
District II 1301 W Grand Ave	nue, Artesia,	NM 8821	0	Oil Conservation Division						30-045-34776						
District III 1000 Rio Brazos Ro	I. Aztec, NM	1 87410									2 Type of Lease  ☐ STATE ☐ FEE ☐ FED/INDIAN					
District IV 1220 S St Francis								3 State Oil		Lease		☐ FED/IND	PIAN			
								E-504-16								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG 4 Reason for filing							5 1 31									
COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)						5 Lease Nan ALLISON 6 Well Num	UN		reem	nent Name						
C-144 CLOS #33; attach this ar	URE ATT.	АСНМЕ	NT (Fil	ll in boxe	es#Ithi	rough #9, #15 I	Date Rig	Released	and #32 an C)	d/or	6N	ber				
7 Type of Comp NEW V	VELL 🔲	WORKO	VER [	] DEEPI	ENING	□PLUGBAC	ск 🗆	DIFFERE	NT RESER	VOII						
8 Name of Opera Burlington R		Oil G	as Com	ınanv	LP						9 OGRID 14538					
10. Address of Op	erator			<u>ipuny,</u>							11 Pool name	or W	/ıldcat			
PO Box 4298, Fai	mington, N	IM 87499	)													
12.Location	Unit Ltr	Section	n	Towns	hıp	Range	Lot		Feet from	the	N/S Line	Fee	t from t	he	E/W Line	County
Surface:				ļ												
BH:	14 54	TDD	- 1 - 1	115 7				1.2				<u> </u>		لِـــا		
13 Date Spudded	14 Date	eTD Re	acnea		Jate Rig / <b>2009</b>	g Released		16	Date Com	pletec	d (Ready to Pro	duce)			Elevations (Di , GR, etc )	F and RKB,
18 Total Measure	ed Depth of	Well		19 P	Plug Ba	ck Measured D	epth	20	Was Direc	ction	al Survey Made	?	21	Гуре	Electric and O	ther Logs Run
22 Producing Inte	erval(s), of	this comp	oletion -	Top, Bot	tom, N	ame		<b>!</b>					.4			
23.					CAS	ING REC	COR	D (Rep	ort all s	trin	gs set in w	ell)				
CASING SIZ	ZE	WEIG	HT LB /			DEPTH SET			LE SIZE		CEMENTIN		CORD	T	AMOUNT	PULLED
										<del></del>				+		
														+		
24					LIN	ER RECORD				Lac		PLIDI	NG DI		NDD.	
SIZE	TOP	······································	ВО	ТТОМ	LIN	SACKS CEN		SCREE	1	25 SI	TUBING RECORD  DEPTH SET PACKE				ER SET	
26 Parforation	manand (into							27. 40	ID GHOT		ACTURE OF		TOTAL CLASS	N IF	TAR PAG	······································
26 Perforation	record (inte	rvai, size	, and nui	inder)					ID, SHOT INTERVA		ACTURE, CI				EZE, ETC. ERIAL USED	
[								·*								
							DDA	DDUC'	TION		<u> </u>		<del>.</del>			
Date First Product	tion		Product	ion Metl	hod (Fle	owing, gas lift,				p)	Well Statu	s (Pro	d or Si	nut-n	n)	
Date of Test	Hours T	ested	Cho	oke Size		Prod'n For Test Period		Oıl - Bb		Ga	s - MCF	W	ater - E	Bbl	Gas - 0	Oil Ratio
Flow Tubing Press	Casing I	Pressure		lculated 2 ur Rate	24-	Oıl - Bbl		Gas	- MCF	<u> </u>	Water - Bbl		Oil	Grav	rity - API - (Co	r)
29 Disposition of	Gas (Sold,	used for	fuel, ven	ted, etc)	1	L			<del> </del>		·	30	Test W	itnes	sed By	
31 List Attachme	nts											<u> </u>				
32 If a temporary	pit was use	ed at the v	vell, atta	ch a plat	with th	e location of th	e tempo	orary pit								
33 If an on-site b	urial was us		_						027 1710							···
I hereby certif	y that the	Latitu	de 36.9° ation s	<u>hown c</u>	on boti		is forn	nad []] 1 is true	and comp	olete	to the best o	of my	know	ledį	ge and belie	f
Signature	mi	6G	ood	سار	Nar	nted ne Jamie G	oodw	in Titl	e: Regu	lato	ry Tech.	Date	e: 12/8	3/20	)11	
E-mail Addres	E-mail Address jamie.l.goodwin@conocophillips.com															

# ConocoPhilips O

Pit Closure Form:	
Date: 11/20/2009	
Well Name: Allison GN	
Footages:	Unit Letter:
Section:, TN, RW, County: _	53 State: NM
Contractor Closing Pit: Ace	
. / ~	
Construction Inspector: N Fqver	Date: 11/20/2009
Inspector Signature:	

### Goodwin, Jamie L

From:

Bonilla, Amanda

Sent:

Friday, November 13, 2009 9 55 AM

To:

Brandon Powell@state nm.us; Mark Kelly; Robert Switzer; Sherrie Landon

Cc:

'bko@digii.net'; 'acedragline@yahoo.com'; Elmer Perry, Faver Norman

(faverconsulting@yahoo.com); Jared Chavez; Bassing, Kendal R.; Scott Smith; Silverman,

Jason M; Smith Eric (sconsulting.eric@gmail.com); 'Steve McGlasson'; Terry Lowe

Subject:

Reclamation Notice - Allison Unit 6N

Attachments:

Allison unit 6N.pdf; Picture (Metafile)

ACE Services will move a tractor to the Allison Unit 6N on Tuesday Nov. 17th to start reclamation work.

Please contact Norm Faver (320.0670) if you have any questions or need further assistance.



Allison unit 6N.pdf

**Burlington Resources Well- Network #: 10228992** 

San Juan County, NM

### ALLISON UNIT 6N-BOR surface / STATE minerals

Twin: Allison Unit 6R

995' FSL, 1765' FWL

SEC. 16, T32N, R06W

Unit Letter 'N'

BH: SW1/4SW1/4 SEC. 16, T32N, R06W

Lease #: E-504-16

Latitude: 36° 58 min 32.88000 sec N (NAD 83)

Longitude: 107° 28 min 00.12000 sec W (NAD83)

Elevation: 6115'

API#: 30-045-34776



Amanda L. Bonilla

**ConocoPhillips** 

Construction Technician San Juan Basin Unit **Project Development** 

Ph: 505.326.9765


Fax: 505.324.4062


# Not all those who wander are lost

--JRR Tolkien

# ConocoPhillips

Reclamation Form:	
Date: 9/2/10	
Well Name: Alliso	n unit 6N
Footages: 995 FSL	1765 FWL Unit Letter: N
Section: 16, T-32-	N, R- <u>る</u> -W, County: <u>SJ</u> State: <u>ルM</u>
Reclamation Contractor:	Ace
Reclamation Date:	Fall 09
Road Completion Date:	Fall og
Seeding Date:	Fall 09
**PIT MARKER STATUS (\)	When Required): Picture of Marker set needed
MARKER PLACED :	(DATE) Necel Mar
LATATUDE:	
LONGITUDE:	
	(DATE)
	Norman Faver Date: 9/2/10
Inspector Signature: _	Nomen Fra









### WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: ALLISON UNIT 6N

API#: 30-045-34776

DATE	INSPECTOR	LOCATION	ENVIROMENTAL	PICTURES	COMMENTS
		CHECK	COMPLIANCE	TAKEN	
7/20/2009	JARED	X	X		FENCE NEEDS TIGHTENED
	CHAVEZ				
7/27/2009	JARED	X	X		PIT & LOCATION IN GOOD CONDITION
	CHAVEZ				
8/18/2009	JARED				AWS #730 IS ON LOCATION
	CHAVEZ				
8/24/2009	JARED				AWS #730 IS ON LOCATION
	CHAVEZ				
9/21/2009	JARED	X	X		HOLE IN THE LINER - WATER IS
	CHAVEZ				UNDER THE LINER - CONTACTED
					BRANDON WITH OCD, DAWN
					TRUCKING TO PULL WATER, AND
					CROSSFIRE FOR REPAIR
9/28/2009	JARED	X	X		PIT & LOCATION IN GOOD CONDITION
	CHAVEZ				- CROSSFIRE AND DAWN CREW ON
					LOCAITON SUCKING WATER FROM
					UNDER PIT LINER
10/05/2009	JARED				FRAC CREW IS ON LOCATION
	CHAVEZ				
10/12/2009	JARED				AWS #448 IS ON LOCATION
	CHAVEZ				
10/19/2009	JARED				AWS #448 IS ON LOCAITON
	CHAVEZ				
10/26/2009	JARED	X	X		FLUID NEEDS SUCKED FROM

	CHAVEZ			UNDERNEATH THE PIT LINER. FLOWBACK TANK WAS EMPTIED INTO PIT AND LEAKED ALL OVER THE ACCESS RD
11/02/2009	JARED CHAVEZ	X	Х	PIT & LOCATION IN GOOD CONDITION
11/10/2009	JARED CHAVEZ	Х	X	PIT & LOCATION IN GOOD CONDITION
11/16/2009	JARED CHAVEZ			COULD NOT ACCESS LOCATION DUE TO A STEEP AND MUDDY HILL ON ACCESS ROAD. WILL RETURN NEXT WEEK FOR INSPECTION
11/23/2009	JARED CHAVEZ			LOCATION HAS BEEN RECLAIMED

.

1