

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
July 21, 2008

**For temporary pits, closed-loop systems, and below-grade tanks,** submit to the appropriate NMOCD District Office.  
**For permanent pits and exceptions** submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

4230

**Pit, Closed-Loop System, Below-Grade Tank, or  
Proposed Alternative Method Permit or Closure Plan Application**

- Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  
☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  
☐ Modification to an existing permit  
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

*Instructions. Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request*

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.


1  
Operator: Energen Resources Corporation OGRID #: 162928  
Address: 2010 Afton Pl. Farmington, New Mexico 87401  
Facility or well name: Navajo 1 #1M  
API Number: 30-045-34919 OCD Permit Number: \_\_\_\_\_  
U/L or Qtr/Qtr I Section 25 Township 27N Range 09W County: San Juan  
Center of Proposed Design: Latitude 36.54378 Longitude 107.73473 NAD: ☐ 1927 ☒ 1983  
Surface Owner: ☐ Federal ☐ State ☐ Private ☒ Tribal Trust or Indian Allotment

2  
☒ **Pit** Subsection F or G of 19.15.17.11 NMAC  
Temporary: ☒ Drilling ☐ Workover  
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A  
☒ Lined ☐ Unlined Liner type: Thickness \_\_\_\_\_ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_  
☐ String-Reinforced  
Liner Seams: ☐ Welded ☐ Factory ☐ Other \_\_\_\_\_ Volume: \_\_\_\_\_ bbl Dimensions: L \_\_\_\_\_ x W \_\_\_\_\_ x D \_\_\_\_\_

3  
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC  
Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other \_\_\_\_\_  
☐ Lined ☐ Unlined Liner type: Thickness \_\_\_\_\_ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_  
Liner Seams: ☐ Welded ☐ Factory ☐ Other \_\_\_\_\_

4  
☐ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC  
Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_  
Tank Construction material: \_\_\_\_\_  
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other \_\_\_\_\_  
Liner type: Thickness \_\_\_\_\_ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other \_\_\_\_\_

5  
☐ **Alternative Method:**  
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.



6.  
**Fencing:** Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

- ☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☐ Alternate. Please specify \_\_\_\_\_

7  
**Netting:** Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

- ☐ Screen ☐ Netting ☐ Other
- ☐ Monthly inspections (If netting or screening is not physically feasible)

8  
**Signs:** Subsection C of 19.15.17.11 NMAC

- ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.3.103 NMAC

9  
**Administrative Approvals and Exceptions:**  
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

- ☐ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.
- ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10  
**Siting Criteria (regarding permitting):** 19.15.17.10 NMAC  
**Instructions:** *The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.*

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

11

**Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC  
**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  
☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_ or Permit Number: \_\_\_\_\_

12

**Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC

**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  
☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_

☐ Previously Approved Operating and Maintenance Plan API Number: \_\_\_\_\_ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13

**Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC

**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  
☐ Climatological Factors Assessment  
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Liner Specifications and Compatibility Assessment - based upon  
☐ Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19.15.17.11 NMAC  
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Nuisance or Hazardous Odors, including H<sub>2</sub>S, Prevention Plan  
☐ Emergency Response Plan  
☐ Oil Field Waste Stream Characterization  
☐ Monitoring and Inspection Plan  
☐ Erosion Control Plan  
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14

**Proposed Closure:** 19.15.17.13 NMAC

**Instructions:** Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Closed-loop System Alternative

Proposed Closure Method: ☐ Waste Excavation and Removal  
☐ Waste Removal (Closed-loop systems only)  
☐ On-site Closure Method (Only for temporary pits and closed-loop systems)  
☐ In-place Burial ☐ On-site Trench Burial  
☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15

**Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

**Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19.15.17.13.D NMAC)

*Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.*

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?

☐ Yes (If yes, please provide the information below) ☐ No

*Required for impacted areas which will not be used for future service and operations:*

- ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

**Siting Criteria (regarding on-site closure methods only:** 19.15.17.10 NMAC

*Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.*

- |   |   |
|---|---|
| Ground water is less than 50 feet below the bottom of the buried waste<br>- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  | <input type="checkbox"/> Yes <input type="checkbox"/> No<br><input type="checkbox"/> NA |
| Ground water is between 50 and 100 feet below the bottom of the buried waste<br>- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  | <input type="checkbox"/> Yes <input type="checkbox"/> No<br><input type="checkbox"/> NA |
| Ground water is more than 100 feet below the bottom of the buried waste.<br>- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  | <input type="checkbox"/> Yes <input type="checkbox"/> No<br><input type="checkbox"/> NA |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).<br>- Topographic map; Visual inspection (certification) of the proposed site  | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.<br>- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.<br>- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.<br>- Written confirmation or verification from the municipality; Written approval obtained from the municipality   | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within 500 feet of a wetland.<br>- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site   | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within the area overlying a subsurface mine.<br>- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division   | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within an unstable area.<br>- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map   | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within a 100-year floodplain.<br>- FEMA map   | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |

**On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  
☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  
☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  
☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  
☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  
☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19

**Operator Application Certification:**

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): \_\_\_\_\_ Title: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

e-mail address: \_\_\_\_\_ Telephone: \_\_\_\_\_

20

**OCD Approval:** ☐ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature: Jonathan D. Kelly Approval Date: 1/12/2012

Title: Compliance Officer OCD Permit Number: \_\_\_\_\_

21

**Closure Report (required within 60 days of closure completion):** Subsection K of 19.15.17.13 NMAC

*Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.*

☒ Closure Completion Date: 08/25/09

22

**Closure Method:**

☐ Waste Excavation and Removal ☒ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)  
☐ If different from approved plan, please explain.

23

**Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:**

*Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.*

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

*Required for impacted areas which will not be used for future service and operations.*

☐ Site Reclamation (Photo Documentation)  
☐ Soil Backfilling and Cover Installation  
☐ Re-vegetation Application Rates and Seeding Technique

24

**Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

☒ Proof of Closure Notice (surface owner and division)  
☐ Proof of Deed Notice (required for on-site closure)  
☒ Plot Plan (for on-site closures and temporary pits)  
☒ Confirmation Sampling Analytical Results (if applicable)  
☒ Waste Material Sampling Analytical Results (required for on-site closure)  
☐ Disposal Facility Name and Permit Number  
☒ Soil Backfilling and Cover Installation  
☐ Re-vegetation Application Rates and Seeding Technique  
☐ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude 36.54378 Longitude 107.73473 NAD: ☐ 1927 ☒ 1983

25

**Operator Closure Certification:**

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Vicki Donaghey Title: Regulatory Analyst

Signature: Vicki Donaghey Date: 09/16/09

e-mail address: vdonaghe@energine.com Telephone: 505.324.4136

Submit to Appropriate District Office Five Copies District I 1625 N French Dr, Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505		<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>OIL CONSERVATION DIVISION</b> 1220 South St. Francis Dr. Santa Fe, NM 87505			<b>Form C-105</b> July 17, 2008	
		1. WELL API NO.		30-045-34919		
		2. Type Of Lease		<input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN		
		3. State Oil & Gas Lease No.				
<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>						
4 Reason for filing: <input type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only) <input checked="" type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19 15.17 13 K NMAC)				5 Lease Name or Unit Agreement Name <b>Navajo 1</b>  6 Well Number <b># 1M</b>		
9 Type of Completion <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER <b>pit closure</b>						
8 Name of Operator <b>Energen Resources Corporation</b>				9. OGRID Number <b>162928</b>		
10. Address of Operator <b>2010 Afton Place, Farmington, NM 87401</b>				11 Pool name or Wildcat <b>Dakota/Mesaverde</b>		
12 Location	Unit Letter	Section	Township	Range	Lot	
Surface.						
BH						
13 Date Spudded	14 Date T D. Reached	15 Date Rig Released <b>05/26/09</b>		16 Date Completed (Ready to Produce)		
17 Elevations (DF & RKB, RT, GR, etc.)						
18 Total Measured Depth of Well		19 Plug Back Measured Depth		20 Was Directional Survey Made		
				21 Type Electric and Other Logs Run		
22. Producing Interval(s), of this completion - Top, Bottom, Name						
<b>23. CASING RECORD (Report all strings set in well)</b>						
CASING SIZE	WEIGHT LB /FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED	
<b>24. LINER RECORD</b>			<b>25. TUBING RECORD</b>			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	
26. Perforation record (interval, size, and number)			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC			
			DEPTH INTERVAL      AMOUNT AND KIND MATERIAL USED   			
<b>28. PRODUCTION</b>						
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)			Well Status (Prod or Shut-in)	
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl.	Gas - MCF	
Flow Tubing Press	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	
29 Disposition of Gas (Sold, used for fuel, vented, etc )					30 Test Witnessed By	
31. List Attachments						
32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit						
33 If an on-site burial was used at the well, report the exact location of the on-site burial:						
		Latitude <b>36.54378</b>		Longitude <b>107.73473</b> NAD: 1927 X 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief						
Signature <b>Vicki Donaghey</b>		Printed Name <b>Vicki Donaghey</b>		Title <b>Regulatory Analyst</b> Date <b>09/16/09</b>		
E-mail address <b>vdonaghe@energen.com</b>						



**EPA METHOD 8015 Modified  
Nonhalogenated Volatile Organics  
Total Petroleum Hydrocarbons**


Client:	Energen	Project #:	03022-0001
Sample ID:	Reserve Pit	Date Reported:	07-06-09
Laboratory Number:	50744	Date Sampled:	06-30-09
Chain of Custody No:	7379	Date Received:	06-30-09
Sample Matrix:	Sludge	Date Extracted:	07-01-09
Preservative:	Cool	Date Analyzed:	07-02-09
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	3.9	0.2
Diesel Range (C10 - C28)	2.3	0.1
Total Petroleum Hydrocarbons	6.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Navajo 1 #1M.**

  
Analyst

  
Review



EPA METHOD 8021  
AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #:	03022-0001
Sample ID:	Reserve Pit	Date Reported:	07-06-09
Laboratory Number:	50744	Date Sampled:	06-30-09
Chain of Custody:	7379	Date Received:	06-30-09
Sample Matrix:	Sludge	Date Analyzed:	07-02-09
Preservative:	Cool	Date Extracted:	07-01-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	47.9	0.9
Toluene	163	1.0
Ethylbenzene	7.7	1.0
p,m-Xylene	207	1.2
o-Xylene	97.0	0.9
Total BTEX	523	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96.0 %
	1,4-difluorobenzene	96.0 %
	Bromochlorobenzene	96.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Navajo 1 #1M.

Analyst 

Review 





EPA METHOD 418.1  
TOTAL PETROLEUM  
HYDROCARBONS


Client:	Energen	Project #:	03022-0001
Sample ID:	Reserve Pit	Date Reported:	07-01-09
Laboratory Number:	50744	Date Sampled:	06-30-09
Chain of Custody No:	7379	Date Received:	06-30-09
Sample Matrix:	Sludge	Date Extracted:	07-01-09
Preservative:	Cool	Date Analyzed:	07-01-09
Condition:	Intact	Analysis Needed:	TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	125	19.0

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Navajo 1 #1M.

Analyst 

Review 



## Chloride

Client:	Energen	Project #:	03022-0001
Sample ID:	Reserve Pit	Date Reported:	07-06-09
Lab ID#:	50744	Date Sampled:	06-30-09
Sample Matrix:	Sludge	Date Received:	06-30-09
Preservative:	Cool	Date Analyzed:	07-02-09
Condition:	Intact	Chain of Custody:	7379

Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride

185

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.  
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Navajo 1 #1M

Analyst

Review

**Vicki Donaghey**

---

**From:** Stan Kozimor [Stank@consolidatedconst.com]  
**Sent:** Tuesday, August 18, 2009 9:21 AM  
**To:** Mark\_Kelly@nm.blm.gov; brandon.powell@state.nm.us; Vicki Donaghey; Doug Thomas; Ed Hasely  
**Subject:** RE: Energen Navajo 1 #1M

Dear Sirs,

We plan to start cleaning up the Energen Navajo 1 #1M on the August 20<sup>th</sup> or 24<sup>th</sup>.

If you have any questions please contact me at 505-320-0049 at you your convenience.

Thank you,  
James Hellekson  
Consolidated Constructors, Inc.  
(505) 320-0049

8/18/2009

Well Name: Varajo 1 #1M

**Reserve Pit - Final Closure Report:**

The pit was closed with in-place burial. The surface owner was notified by certified mail. The OCD was notified at least 72 hours and not more than one week prior to the pit closing. The following process was used to close the pit:

- 1) All free standing fluids were removed and the liner was cut off at the mudline.
- 2) The contents were solidified to a bearing capacity sufficient to support the final cover. This was accomplished by mixing the contents with soil at a mixing ratio no greater than 3:1 soil to contents.
- 3) Sampling was done by collecting a five-point composite sample of the contents after stabilization. The sample was analyzed for the following components;

Components	Tests Method	Limit (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	2500
GRO/DRO	EPA SW-846 8015M	500
Chlorides	EPA 300.1	1000

- 4) The analyses demonstrated that the stabilized contents were under the limits listed above. The contents were covered with compacted non-waste containing earthen material to three feet.
- 5) After the stabilized contents were covered, the stockpiled topsoil was replaced to a depth of one foot. Topsoil cover was graded to prevent ponding of water and erosion of the cover material. This was accomplished within six months of rig release.
- 6) The disturbed area not needed for operations was seeded or planted the first growing season after closing the pit. Seed was drilled on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass but not including noxious weeds. Cover will be maintained through two successive growing seasons. During the two growing seasons that prove viability there shall be no artificial irrigation of the vegetation. Seeding or planting will continue until the required cover is reached. If conditions are not favorable to establishment of vegetation due to periods of drought or similar problems then the Aztec office of the OCD will be notified. The Aztec office of the OCD will also be notified when the disturbed ground successfully achieves re-vegetation.
- 7) A steel marker no less than four inches in diameter was cemented in a hole three feet deep in the center of the onsite burial. The top of this marker was flush with the ground with a threaded collar for future abandonment use to allow access of the pad and for safety concerns. On top of this marker, a steel

12 inch square plate indicating onsite burial was intermittent welded to the top of the collar to allow easy removal at time of the well being abandoned. Once all wells on the pad are abandoned a four foot tall riser will be threaded into the top of the marker and circumferential welded around the base with; operator name, lease name, well name and number, unit number, section, township and range, and a designation that it is an onsite burial location.



# ENERGEN RESOURCES CORPORATION

NAVAJO 1 #1M

1870' FSL & 903' FEL

LOCATED IN THE NE/4 SE/4 OF SECTION 25, T27N, R9W, N.M.P.M.,  
SAN JUAN COUNTY, NEW MEXICO

LATITUDE: 36.54396 N  
LONGITUDE: 107.73425 W  
DATUM: NAD 83



**Red Skies Surveying & Mapping, Inc.**  
A Native American Owned Company  
101 Fauver Lane, Bloomfield, New Mexico 87413  
Phone/Fax: (505) 632-8906 Cell No: (505) 793-5325

# ENERGEN RESOURCES CORPORATION

NAVAJO 1 #1M


1870' FSL & 903' FEL

LOCATED IN THE NE/4 SE/4 OF SECTION 25,

T27N, R9W, N.M.P.M.,

SAN JUAN COUNTY, NEW MEXICO

ELEVATION: 6137', NAVD 88




Scale: 1"=100'

LATITUDE: 36.54396 N

LONGITUDE: 107.73425 W


DATUM: NAD 83



A


E

A'




B

B'



C

C'



150 100 50 0 50 100 150

HORIZ. SCALE: 1"=50'  
VERT. SCALE: 1"=30'

**Red Skies Surveying & Mapping, Inc.**

A Native American Owned Company

101 Fauver Lane, Bloomfield, New Mexico 87413

Phone/Fax: (505) 632-8906 Cell No: (505) 793-5325



## Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit) Drilling

Well Name:	API:
<u>NAVAJO 1 #1 M</u>	<u>30-045-34919</u>
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-7-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-8-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-9-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-10-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-11-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-12-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-13-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-14-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-15-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-16-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-17-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-18-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-19-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>D. Blance</u> Date: <u>4-20-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>Dewayne Blance</u> Date: <u>4-21-09</u>
Note Any Deficiencies: <u>None</u>	
Name (Print): <u>Dewayne Blance</u>	Signature: <u>Dewayne Blance</u> Date: <u>4-22-09</u>
Note Any Deficiencies: <u>None</u>	



## Completion

**Energen Resources Corporation**

API #: 3004534919

[illegible]



## Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit)

Well Name: Navajo 1 #1 m

API: 30-045-34919

Name (Print): Perry Kirk

Signature: Perry Kirk

Date: 6-5-09

Note Any Deficiencies: None

Name (Print): Perry Kirk

Signature: Perry Kirk

Date: 6-12-09

Note Any Deficiencies: None

Name (Print): Perry Kirk

Signature: Perry Kirk

Date: 6-18-09

Note Any Deficiencies: None

Name (Print): Perry Kirk

Signature: Perry Kirk

Date: 6-26-09

Note Any Deficiencies: None

Name (Print): Bob Schmidt

Signature: Bob Schmidt

Date: 7-7-09

Note Any Deficiencies: None

Name (Print): Bob Schmidt

Signature: Bob Schmidt

Date: 7-17-09

Note Any Deficiencies: None

Name (Print): Bob Schmidt

Signature: Bob Schmidt

Date: 7-23-09

Note Any Deficiencies: None

Name (Print): Bob Schmidt

Signature: Bob Schmidt

Date: 8-3-09

Note Any Deficiencies: Every thing looks Good

Name (Print): Bob Schmidt

Signature: Bob Schmidt

Date: 8-20-09

Note Any Deficiencies: None

Name (Print): Bob Schmidt

Signature: Bob Schmidt

Date: 8-28-09

Note Any Deficiencies: None

Name (Print):

Signature:

Date:

Note Any Deficiencies:

Name (Print):

Signature:

Date:

Note Any Deficiencies:

Name (Print):

Signature:

Date:

Note Any Deficiencies:

Name (Print):

Signature:

Date:

Note Any Deficiencies:

Name (Print):

Signature:

Date:

Note Any Deficiencies:

Name (Print):

Signature:

Date:

Note Any Deficiencies:

RCVD JAN 12 '12

OIL CONS. DIV.

DIST. 3

# COVER PAGE

ENERGEN RESOURCES  
2010 AFTON PLACE  
FARMINGTON NM 87401

OGRID # 162928

WELL NAME Nawajo 1 #1M

API 30-045-34919

PERMIT 4230

MISSING C102 /PHOTO'S

\_\_\_\_\_  
\_\_\_\_\_

DISTRICT II  
100 W. Grand Avenue, Artesia, NM 88210

**OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe. NM 87505

Submit to Appropriate District Office  
State Lease - 4 Copies  
Fee Lease - 3 Copies

DISTRICT III  
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV  
1220 S. St. Francis Dr., Santa Fe, NM 87606

☐ AMENDED REPORT

# WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30-045-34919	*Pool Code 72319/71599	*Pool Name MV/DK
*Property Code 21984	*Property Name NAVAJO 1	*Well Number #1M
*OGRID No. 162928	*Operator Name ENERGEN RESOURCES	*Elevation 6137

## <sup>10</sup> Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	25	27-N	9-W		1870'	SOUTH	903'	EAST	SAN JUAN

<sup>11</sup> Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
<sup>12</sup> Dedicated Acres	<sup>13</sup> Joint or Infill	<sup>14</sup> Consolidation Code		<sup>16</sup> Order No.					

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

18

FD 2 1/2  
BRASS CAP  
GLO 1947

NO°03'E 40.00 Chains (R)  
NO°03'02"E 2642.29'(M)

25

ENERGEN RESOURCES  
NAVAJO 1 #1M  
LAT. 36.54396 N  
LONG. 108.73425 W

903'

FD 2 1/2  
BRASS CAP  
GLO 1947

NO°01'E 40.05 Chains (R)  
NO°01'46"E 2644.02'(M)

1870'

FD 2 1/2  
BRASS CAP  
GLO 1947

S89°57'39"W 2831.36'(M)

S89°57'W 79.70 Chains (R)  
S89°59'01"W 2641.22'(M)

FD 2 1/2  
BRASS CAP  
GLO 1947

17

### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.


*D.R.* 2/16/08  
Signature Date  
*Dennis Miller*  
Printed Name

### 18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

12/09/08  
Date of Survey  
Signature and Seal of Professional Surveyor:  
*[Signature]*  
8466  
Certificate Number

Not  
Twinned  
Just Nexto



**ENERGEN**

R E S O U R C E S  
C O R P O R A T I O N

NAVAJO 1 #1M

1870' FSL 903' FEL

UNIT 1 SEC 25 T27N R09W

LATITUDE 36.54396°

LONGITUDE -107.73425°

API # 30-045-34919 ELEV. 6137'

NAVAJO ALLOTTEE

SAN JUAN COUNTY, NEW MEXICO

BLANCO MV/BASIN DK

