Pistrici I.
1625 N French Dr, Hobbs, NM 88240
District II.
1301 W Grand Avenue, Artesia, NM 88210
District III.
1000 Rio Brazos Road, Aztec, NM 87410
District IV.
1220 S St. Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-G	rade Tank, or
Proposed Alternative Method Permit or Clo	sure Plan Application
Type of action Permit of a pit, closed-loop system, below-grad Closure of a pit, closed-loop system, below-grad Modification to an existing permit Closure plan only submitted for an existing per below-grade tank, or proposed alternative meth Instructions Please submit one application (Form C-144) per individual pit, closed Please be advised that approval of this request does not relieve the operator of liability should operation environment. Nor does approval relieve the operator of its responsibility to comply with any other application.	rmitted or non-permitted pit, closed-loop system, and deloop system, below-grade tank or alternative request as result in pollution of surface water, ground water or the
1	readic governmental authority's rules, regulations of ordinances
•	OGRID#· 162928
Address 2010 Afton Pl. Farmington, New Mexico 87401	
Facility or well name: Carson #302	
	umber
U/L or Qtr/Qtr B Section 31 Township 30N Range	
Center of Proposed Design. Latitude 36.77444 Longitude	107.29222 NAD □1927 🗓 1983
Surface Owner 🗷 Federal 🗌 State 🔲 Private 🔲 Tribal Trust or Indian Allotment	
□ Permanent □ Emergency □ Cavitation □ P&A □ Lined □ Unlined Liner type Thickness mil □ LLDPE □ HDPE □ String-Reinforced Liner Seams □ Welded □ Factory □ Other	
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDP Liner Seams Welded Factory Other	2160 TOO TOO TOO
Below-grade tank Subsection I of 19.15.17.11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and Visible sidewalls and liner Visible sidewalls only Other Liner type Thickness mil LLDPE HDPE PVC C	automatic overflow shut-off
5 Alternative Method:	

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fenting: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, scho institution or church)	ol, hospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
7 Netting Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
8	
Signs: Subsection C of 19 15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19 15 3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance.	
Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bui consideration of approval	reau office for
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting). 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accumaterial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the application of accumance of the secondary of the	propriate district of approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes ☐No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	☐ Yes ☐No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No

Tentiflorary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Number or Permit Number.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15 17 13 NMAC
Previously Approved Design (attach copy of design) API Number.
Previously Approved Operating and Maintenance Plan API Number. (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17 11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type \[\infty \] Drilling \[\] Workover \[\] Emergency \[\] Cavitation \[\] P&A \[\] Permanent Pit \[\] Below-grade Tank \[\] Closed-loop System Alternative Proposed Closure Method \[\] Waste Excavation and Removal \[\] Waste Removal (Closed-loop systems only) \[\infty \] On-site Closure Method (Only for temporary pits and closed-loop systems) \[\] \[\infty \] In-place Burial \[\] On-site Trench Burial \[\] Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Grou- Instructions 'Please indentify the facility or facilities for the disposal of liquids,	nd Steel Tanks or Haul-off Bins Only (19 15 17 13 I drilling fluids and drill cuttings Use attachment if mor	O NMAC) re than two				
facilities are required Disposal Facility Name	Disposal Facility Permit Number	·				
bisposal Facility Name Disposal Facility Permit Number						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below)						
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsections.	priate requirements of Subsection H of 19 15 17 13 NM/ etion I of 19 15.17.13 NMAC	AC				
Siting Criteria (regarding on-site closure methods only: 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in a provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental of demonstrations of equivalency are required. Please refer to 19.15.17.1	the closure plan. Recommendations of acceptable sout wire administrative approval from the appropriate dist mental Bureau office for consideration of approval. Ju	rict office or may				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS;	Data obtained from nearby wells	Yes No				
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS;	Data obtained from nearby wells	☐ Yes-🗶 No ☐ NA				
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS,	Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site.	•	☐ Yes 👿 No				
Within 300 feet from a permanent residence, school, hospital, institution, or chu - Visual inspection (certification) of the proposed site, Aerial photo, Sat		☐ Yes 🗷 No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that watering purposes, or within 1000 horizontal feet of any other fresh water well of NM Office of the State Engineer - iWATERS database, Visual inspect	or spring, in existence at the time of initial application	☐ Yes 👿 No				
Within incorporated municipal boundaries or within a defined municipal fresh vadopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written app		Yes 🗷 No				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, V	sual inspection (certification) of the proposed site	Yes 🔀 No				
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mi	ning and Mineral Division	☐ Yes 🗷 No				
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geo- Society, Topographic map	ology & Mineral Resources, USGS, NM Geological	Yes X No				
Within a 100-year floodplain - FEMA map		Yes X No				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions. Each of by a check mark in the box, that the documents are attached	f the following items must be attached to the closure pla	n Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Proof of Surface Owner Notice - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the a Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection	f Subsection F of 19 15 17 13 NMAC ppropriate requirements of 19 15 17 11 NMAC pad) - based upon the appropriate requirements of 19.15 5 17.13 NMAC quirements of Subsection F of 19 15 17 13 NMAC f Subsection F of 19 15 17 13 NMAC drill cuttings or in case on-site closure standards cannot H of 19.15.17.13 NMAC it of 19 15 17.13 NMAC					

Operator Application Certification I hereby certify that the information submitted with this application is true, accurate an	nd complete to the best of my knowledge and belief
Name (Print)	Title
Signature	Date:
e-mail address.	Telephone.
OCD Representative Signature:	e Plan (only) OCD Conditions (see attachment) Approval Date: ///2012 Permit Number:
Closure Report (required within 60 days of closure completion) Subsection K of Instructions: Operators are required to obtain an approved closure plan prior to impreport. The closure report is required to be submitted to the division within 60 days complete this section of the form until an approved closure plan has been obtained a	plementing any closure activities and submitting the closure of the completion of the closure activities. Please do not and the closure activities have been completed.
	Closure Completion Date: 5/7/10
Closure Method. Waste Excavation and Removal On-Site Closure Method Alternative Clo	sure Method
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Tha Instructions: Please indentify the facility or facilities for where the liquids, drilling y than two facilities were utilized. Disposal Facility Name	fluids and drill cuttings were disposed. Use attachment if more
Disposal Facility Name Dispos	al Facility Permit Number.
Were the closed-loop system operations and associated activities performed on or in ar Yes (If yes, please demonstrate compliance to the items below) No	eas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Boil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	
24	
Closure Report Attachment Checklist Instructions Each of the following items mark in the box, that the documents are attached Proof of Closure Notice (surface owner and division)	
25	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements	
Name (Print): Anna Stotts	Title Regulatory Analyst
Signature. Ama Stoth	Date:
c-mail address: _astotts@energen.com	Telephone505-324-4154

Submit to Appropriate District Office Form C-105 State of New Mexico Five Cópies Energy, Minerals and Natural Resources July 17, 2008 District I 1625 N French Dr , Hobbs, NM 88240 1. WELL API NO. District II 1301 W Grand Avenue, Artesia, NM 88210 30-039-27816 OIL CONSERVATION DIVISION District III 2. Type Of Lease 1000 Rio Brazos Rd, Aztec, NM 87410 1220 South St. Francis Dr. 🗌 STATE 🔲 FEE 🗷 FED/INDIAN Santa Fe, NM 87505 1220 S St Francis Dr , Santa Fe, NM 87505 3. State Oil & Gas Lease No. 7.00 (C. 10.00) WELL COMPLETION OR RECOMPLETION REPORT AND LOG 4 Reason for filing 5 Lease Name or Unit Agreement Name COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) 6 Well Number C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19 15 17 13 K NMAC) #302 Type of Completion \square NEW WELL \square WORKOVER \square DEEPENING \square PLUGBACK \square DIFFERENT RESERVOIR X OTHER pit closure 8 Name of Operator 9 OGRID Number 162928 Energen Resources Corporation 10 Address of Operator 11 Pool name or Wildcat NM 87401 2010 Afton Place, Basin Fruitland Coal Famungton, N/S Line | Feet from the | E/W Line County 12 Location Unit Letter Township Section Range Lot Feet from the Surface ВН 14 Date T D Reached 15 Date Rig Released 17 Elevations (DF & RKB, 13 Date Spudded 16 Date Completed (Ready to Produce) RT, GR, etc) 9/12/08 Type Electric and Other Logs Run 18 Total Measured Depth of Well Plug Back Measured Depth 20 Was Directional Survey Made 22 Producing Interval(s), of this completion - Top, Bottom, Name CASING RECORD (Report all strings set in well) HOLE SIZE CEMENTING RECORD AMOUNT PULLED **CASING SIZE** WEIGHT LB /FT DEPTH SET 25. 24. LINER RECORD TUBING RECORD SACKS CEMENT SIZE DEPTH SET PACKER SET TOP **BOTTOM SCREEN** SIZE 27 ACID, SHOT, FRACTURE, CEMENT, SQEEZE, ETC 26. Perforation record (interval, size, and number) AMOUNT AND KIND MATERIAL USED **DEPTH INTERVAL** PRODUCTION Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod or Shut-in) Date First Production Oil - Bhl Gas - MCF Water - Bbl Gas - Oil Ratio Date of Test Hours Tested Choke Size Prod'n For Test Period Oil Gravity - API -(Corr) Flow Tubing Casing Pressure Calculated 24-Oil - Bbl Gas - MCF Water - Bbl Press 30 Test Witnessed By 29 Disposition of Gas (Sold, used for fuel, vented, etc.) 31 List Attachments 32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit 33 If an on-site burial was used at the well, report the exact location of the on-site burial 36.46474 NAD 1927 × 1983 Latitude Longitude -107.17573 I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Signature Anna Stotts Title Regulatory Analyst Date 2/28/11

E-mail address

astotts@energen.com

Well Name: Carson #302

Reserve Pit - Final Closure Report

The pit will be closed with in place burial. If the pit is located on private surface, the surface owner will be notified prior to closure by certified mail and the return receipt will be included in the closure packet. The OCD will be verbally or by other means notified at least 72 hours and not more then one week prior to the pit closing. The following process will be used to close the pit:

Notification to the OCD is included in this closure report package. Surface owner notification not required.

 At time of closure, all free standing fluids will be removed and reused or disposed with Agua Moss LLC in the Pretty Lady #1 (Disposal API Number # 30-048-30922) or an Energen operated permitted disposal well. The contents will be solidified to a bearing capacity sufficient to support the final cover. This will be accomplished by mixing the contents with soil at a mixing ratio no greater then 3:1 soil to contents.

Fluids were removed and properly disposed in the Aqua Miss Pretty Lady #1. The pit contents were solidified by mixing the contents with soil at a mixing ratio of approximately 3:1.

2) The liner will be cut off at the mud line of the stabilized contents.

The liner was cut off at the mud line of the stabilized contents.

3) Sampling will be done by collecting a minimum of a five-point composite sample of the contents after stabilization. The sample will be analyzed for the following components (if the groundwater is less than 100 feet below the pit but greater than 50 feet, testing for chlorides will be done to the lower limit):

Components	Tests Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	ND
BTEX	EPA SW-846 8021B or 8260B	50	ND
TPH	EPA SW-846 418.1	2500	16
GRO/DRO	EPA SW-846 8015M	500	ND
Chlorides	EPA 300.1	500 /1000	30

Sampling results are listed in the above table.

4) After demonstrating that the stabilized contents are under the limits listed above, the contents will be covered with compacted non-waste containing earthen material to a minimum of three feet. If stabilized contents exceed a volume that can be covered with three feet of earth and a foot of topsoil the excess contents will be removed and sent to Envirotech (Permit NM-01-0011) or IEI Landfarm (Permit NM-01-0010B). If the stabilized contents do no meet the above stated limits the stabilized contents will all be hauled to Envirotech pursuant to excavation and removal guidelines (19.15.17.13 B1).

The contents were covered with three feet of compacted non-waste containing material.

5) After the stabilized contents have been covered, the stockpiled topsoil will be replaced to a minimum depth of one foot. Topsoil cover will be graded to prevent ponding of water and erosion of the cover material. This will be accomplished within six months of rig release.

The stockpiled topsoil was replaced to a depth of one foot and graded to prevent ponding and erosion.

6) The exact location of the on-site burial will be reported to the Aztec field office on the C-105 form. A deed notice identifying the exact location of the on-site burial will be filed with the county clerk if the pit is on private surface.

The C-105 form is attached. This pit is located on public surface. Proof of Deed notice not required unless pit is located on private surface (per NMOCD FAQ dated 10/30/09).

7) The final closure report (C-144) will be filed within 60 days of closure completion and include sampling results, plot plan, details on backfilling, covering and inspections during the life of the pit.

This closure report includes sampling results, plot plan, closure details, inspections, and photos.

8) If the pit is located on federal or tribal surface, seeding will be deferred to BLM requirements per the BLM / OCD MOU. Otherwise, the disturbed area will be seeded or planted the first growing season after closing the pit. Seed will be drilled on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species,

including at least one grass but not including noxious weeds. Cover will be maintained through two successive growing seasons. During the two growing seasons that prove viability there shall be no artificial irrigation of the vegetation. Seeding or planting will continue until the required cover is reached. If conditions are not favorable to establishment of vegetation due to periods of drought or similar problems then the Aztec office of the OCD will be notified. The Aztec office of the OCD will also be notified when the disturbed ground successfully achieves re-vegetation.

The pit is located on Federal or Tribal surface, seeding is deferred to BLM requirements per the BLM / OCD MOU.

9) Until the abandonment of the wells on the pad where the pit is located, a steel marker no less then four inches in diameter will be cemented in a hole three feet deep in the center of the onsite burial. The top of this marker will be flush with the ground. Once all wells on the pad are abandoned, a four foot tall riser will be welded on top of the marker with; operator name, lease number, well name and number, unit number, section, township and range, and a designation that it is an onsite burial location.

The marker was installed in the center of the closed pit. The marker is set flush to the ground until final abandonment. At the time of abandonment, a four foot riser will be installed and marked as follows: Energen Resources – Lease # NMSF079488 – Carson #302 – Unit B – Sec.31,T30N,R04W – Pit Burial Site.

District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

District IV

State of New Mexico Energy, Minerals & Natural Resources

Form C-102 Revised October 12, 2005

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505


Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED DEDORT

1220 S St Francis Dr	r, Santa	Fe, NM 875	05								AIVII	ENDED REPORT
		WE	ELL LOC	CATION	I Al	ND AC	CREA	GE DEDICA	ATION PLA	T		
¹ AF	I Numb			² Pool					³ Pool Na			
30-03	39-278	316		71	629	,]]		Basın Fruitl	land Coa	ıl	
⁴ Property Co	de					⁵ Pro	perty Na	me				⁶ Well Number
21185						(Carson	L				# 302
OGRID No)					8 Ope	erator Na	me				⁹ Elevation
162928				E	nerg	en Resc	ources	Corporation	_			7548 '
					10	Surface	e Locat	tion				
UL or lot no	Section	Township	Rang	e Lot	Idn	Feet fi	rom the	North/South line	Feet from the	East/Wes	st line	County
В	31	301/1	04W			320)	North	1615	Eas	t	Rio Arriba
	11 Bottom Hole Location If Different From Surface											
UL or lot no S	ection	Township	Rang	e Lot	Idn	Feet f	from the	North/South line	Feet from the	East/We	st line	County
A	32	3017	04W			124	6	North	1879	Wes	t	Rio Arriba
12 Dedicated Acres	13 Jour	it or Infill	14 Consolidat	ion Code	15 Or	der No						
320 N/2	<u> </u>				<u> </u>							

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 ¹⁷OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division 11/11/08 Date Vicki Donaghey Printed Name Regulatory Analyst 211 33D SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was platted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief 11/06/2003 Date of Survey Signature and Seal of Professional Surveyer estaged ph. 2020 v c. somanes Certificate Number

ENERGEN RESCURCES CORPORATION SAN JU ^ N 30-4 UNIT #28C 320' FNL 4 1615' FEL, SECTION 31, T30N, 4W, NMPM RIO ARRIBA COUNTY, NEW MEXICO GROUND ELEVATION: 7548'



Vicki Donaghey

From:

Sent:

To:

frank florez [frankf52@yahoo com] Monday, May 03, 2010 9.27 AM Michael Dean, Robert Schmidt; Vicki Donaghey, Ed Hasely; Doug Thomas, Brandon Deans, Bit on Corson 202

Subject:

Covering Reserve Pit on Carson 302

Good Morning,

This is notification that we will begin to cover the reserve pit on the Carson # 302 on 5/4/10 if possible.

Deidra Florez Triple F Construction & Field Service, LLC PO Box 3 Bloomfield, NM 87413 (505) 632-9011 Office (505) 632-6953 Fax



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Energen	Project #:	03022-0001
Sample ID:	04081001	Date Reported:	04-14-10
Laboratory Number:	53652	Date Sampled:	04-08-10
Chain of Custody No:	9039	Date Received:	04-12-10
Sample Matrix:	Sludge	Date Extracted:	04-12-10
Preservative:		Date Analyzed:	04-13-10
Condition:	Plastic Bag	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Carson 302

5796 US Highway 64, Farmington, NM 87401 Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Energen	Project #.	03022-0001
Sample ID:	04081002	Date Reported:	04-13-10
Laboratory Number.	53653	Date Sampled:	04-08-10
Chain of Custody No.	9039	Date Received:	04-12-10
Sample Matrix:	Aqueous	Date Extracted:	04-12-10
Preservative:		Date Analyzed.	04-12-10
Condition:	4oz Jar	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/L)	Det. Limit (mg/L)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Carson 302

Analyst

5796 US Highway 64, Farmington, NM 87401 Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client [.]	Energen	Project #:	03022-0001
Sample ID:	04081001	Date Reported:	04-14-10
Laboratory Number	53652	Date Sampled:	04-08-10
Chain of Custody:	9039	Date Received ⁻	04-12-10
Sample Matrix:	Sludge	Date Analyzed:	04-13-10
Preservative:	t	Date Extracted:	04-12-10
Condition [,]	Plastic Bag	Analysis Requested [.]	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	110 %
	1,4-difluorobenzene	108 %
	Bromochlorobenzene	96.7 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Carson 302

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #:	03022-0001
Sample ID:	04081002	Date Reported:	04-13-10
Chain of Custody:	9039	Date Sampled:	04-08-10
Laboratory Number	53653	Date Received:	04-12-10
Sample Matrix:	Aqueous	Date Analyzed:	04-12-10
Preservative		Analysis Requested:	BTEX
Condition	Apr los	•	

Condition: 4oz Jar

Parameter	Concentration (ug/L)	Dilution Factor	Det. Limit (ug/L)
Benzene	ND	1	0.2
Toluene	ND	1	0.2
Ethylbenzene	ND	1	0.2
p,m-Xylene	ND	1	0.2
o-Xylene	ND	1	0.1

Total BTEX ND

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries.	Parameter	Percent Recovery
	fluorobenzene	105 %
	1,4-difluorobenzene	105 %
	4-bromochlorobenzene	108 %

References.

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

Carson 302

Analyst

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen	Project #:	03022-0001
Sample ID [,]	04081001	Date Reported:	04-13-10
Laboratory Number:	53652	Date Sampled:	04-08-10
Chain of Custody No:	9039	Date Received:	04-12-10
Sample Matrix	Sludge	Date Extracted:	04-12-10
Preservative:		Date Analyzed:	04-12-10
Condition:	Plastic Bag	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

16.0

11.1

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Carson 302

Analyst



Chloride

Project #: 03022-0001 Client. Energen 04081001 04-13-10 Sample ID: Date Reported: Lab ID#: 53652 Date Sampled: 04-08-10 Date Received: 04-12-10 Sample Matrix Sludge Preservative: Date Analyzed: 04-12-10 Condition: Intact Chain of Custody: 9039

Parameter

Concentration (mg/Kg)

Total Chloride

30

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Carson 302

Analyst



Chloride

Client: Energen Project #: 03022-0001 Sample ID: 04081002 Date Reported. 04-13-10 Lab ID#: 53653 Date Sampled: 04-08-10 Sample Matrix: Aqueous Date Received: 04-12-10 Preservative: Date Analyzed 04-12-10 Condition. Intact Chain of Custody: 9039

Parameter Concentration (mg/L)

Total Chloride

105

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Carson 302

Analyst

Mustine of Wellan Review

Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit)

Well Name: (ARSON 性302		API: 30 (039-27616
Name (Print): DREW BATES	Signature:	CH-	Date: 3-31-2011
Note Any Deficiencies: Pursua Carp	W. 3-RIVELS-TAK		DISPOSAL
Name (Print): SAUL JACOBO	Signature:		Date. 4/01/(1)
Note Any Deficiencies:			
Name (Print): Sau , AGB	Signature:		Date. 4/03/01
Note Any Deficiencies:			
Name (Print): .) AUL JOE;	Signature:	36-	- Date: <u>4/03/01</u> /
Note Any Deficiencies:		<u>(1) 1 </u>	
Name (Print): SAUZ JA 202	🤈 > Signature. 🦠	24/	Date: 4/04/e
Note Any Deficiencies		111	
Name (Print): AUL 1/12	> >> Signature	-11/1	Date 4/06/204
Note Any Deficiencies. אונבואל שא	T/PIT T/ AGU	a moss Dispa	-17 Fran 3977
Name (Print):	Signature	*	Date
Note Any Deficiencies			
Name (Print)	Signature		Date
Note Any Deficiencies:			
Name (Print):	Signature:		Date [.]
Note Any Deficiencies:			
Name (Print):	Signature [.]		Date
Note Any Deficiencies			
Name (Print)	Signature [.]		Date
Note Any Deficiencies.			
Name (Print):	Signature [.]		Date [.]
Note Any Deficiencies:			
Name (Print):	Signature		Date [.]
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:	***************************************	Date [.]
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			





Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit)

Well Name: CARSON 302		API: 30-03	9-27816
Name (Print): RTuy	Signature	BR. Sug	Date 8/28/9
Note Any Deficiencies			
Name (Print)· BICY	Signature	BROW	Date 7/9/9
Note Any Deficiencies			
Name (Print) ZFUY	Signature [.]	R.D. Jui	Date 9/10/9
Note Any Deficiencies.		V	
Name (Print) BIV	Signature	3 R. Jung	Date: 9/// 9
Note Any Deficiencies		V	
Name (Print) B I U Y	Signature	BR. DUP	Date. 9/12/9
Note Any Deficiencies			
Name (Print) 3 Try	Signature	Bklug	Date. 911319
Note Any Deficiencies		V	
Name (Print) BIG	Signature:	- JB-Koluy	Date 7/14/9
Note Any Deficiencies	·	U	
Name (Print) B I Jy	Signature	B. L. Dung	Date 91/5/9
Note Any Deficiencies		V	
Name (Print) とナンイ	Signature.	43. Robert	Date 9//6/9
Note Any Deficiencies.			
Name (Print). B. L. wy	Signature	Blow	Date: 9//7/ 9
Note Any Deficiencies		7	
Name (Print) B Tsy	Signature [.]	B.R. Juy	Date: 9// 8/51
Note Any Deficiencies			
Name (Print) BIV	Signature.	13 de Aug	Date 9/21/9
Note Any Deficiencies			
Name (Print) B. T. U. Y	Signature [.]	13 today	Date. 9/3719
Note Any Deficiencies			
Name (Print) Z TJY	Signature	John Lug	Date 9/23/ 9
Note Any Deficiencies			
Name (Print) B I J J	Signature	B. K. duy	Date 9/24/9
Note Any Deficiencies /		7	
Name (Print): BZJy	Śignature	Pk. Lug	Date 9/25/9
Note Any Deficiencies		V	
	•		









Anna Stotts

From: Sent:

Miller, Jon [jjmiller@fs fed.us]

Saturday, October 15, 2011 6 34 AM

To: Subject: Kellie Campbell RE: Carson 302 RCVD JAN 17'12

OIL CONS. DIV.

DIST. 3

Kellie,

Per our well records the Forest Service met on the Carson #302 with Energen Resources in April, 2010. The meeting addressed the Carson #302 pit closure and reclamation. The pit was eventually closed in May, 2010. Thank you JJ

From: Kellie Campbell [mailto:Kellie.Campbell@energen.com]

Sent: Friday, October 14, 2011 1:05 PM

To: Miller, Jon Subject: Carson 302

IJ,

Per our conversation, this is just a written verification that the Forest Service, surface owner of the Carson 302, was notified prior to closure of the pit on this well. Thank you for responding in confirmation that you were notified. Thank you KC

Thank you,

Kellie J. Campbell

Kellie J. Campbell

Environmental/Safety Coordinator
Energen Resources

Direct 505-324-4152
Fax. 505-324-4177
Cell. 505-793-7611
Main. 505-325-6800
email: kcampbel@energen.com

ENERGEN STATEMENT OF PRINCIPLES

We will conduct our business and earn a profit based on ethical standards and values which recognize:

The dignity and worth of all individuals; Commitment to excellence in performance; Personal and business integrity; and, Courage of convictions and action.

This email, including any attached files, may contain confidential and privileged information for the sole use of the intended recipient(s). Any review, use, distribution or disclosure by others is strictly prohibited. If you are not the intended recipient (or authorized to receive information for the recipient), please contact the sender by reply email and delete all copies of this message.