UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

JUN **0** I 2010

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Bureau of Land Management Type of Work 5. Lease Number 1a. DRILL SF-078840 Unit Reporting Number 1b. Type of Weil 6. If Indian, All. or Tribe GAS 2. Operator 7. Unit Agreement Name ConocoPhillips San Juan 28-7 Unit Company 3. Address & Phone No. of Operator 8. Farm or Lease Name PO Box 4289, Farmington, NM 87499 9. Well Number (505) 326-9700 110P 4. Location of Well 10. Field, Pool, Wildcat Surf:Unit N(SESW), 1242' FSL & 2416' FWL Basin Dakota Blanco Mesaverde 11. Sec., Twn, Rge, Mer. (NMPM) Surf: Latitude: 36.554668° N (NAD83) Sec. 19, T27N, R7W Longitude: 107.617272° W API# 30-039-30972 14. Distance in Miles from Nearest Town 12. County 13. State 24.3 from Bloomfield NM Rio Arriba 15. Distance from Proposed Location to Nearest Property or Lease Line 1242' Acres in Lease 16. 17. Acres Assigned to Well Directional Survey 1281.51 321.15 (W2) Hold C102 18. Distance from Proposed Location to Nearest Well, Drlg, Compl, or Applied for on this Lease 820.3' from SJ 28-7 Unit 268 (Otero Chacra) Proposed DepthThis action is subject to technical and 19. 20. Rotary or Cable Tools ō procedural review pursuant to 43 CFR 3165.3 Rotary and appeal pursuant to 43 CFR 3185 21. Elevations (DF, FT, GR, Etc.) 22. Approx. Date Work will Start 6619' GL DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO COMPLIANCE WITH ATTACHED 23. **Proposed Casing and Cementing Program** "GENERAL REQUIREMENTS". See Operations-Plan attached 24. Authorized by: Bùsse (Staff Regulatory Tech) Date, PERMIT NO. APPROVAL DATE APPROVED BY

Archaeological Report attached

A gas recovery unit may or may not be used on this location.

Threatened and Endangered Species Report attached

NOTE: This format is issued in lieu of U.S. BLM Form 3160-3 BLM'S APPROVAL OR ACCEPTANCE OF THIS Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the UESSEE AND States any false, fictitious or fraudulent statements or presentations as to any matter within its jurisdiction.

RS. Bond Numbers ES-0048 and ES-0085 ROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS ON FEDERAL AND INDIAN LANDS PRIOR TO CASING & CEMENT

JAN 27 2012 Ca

and "As Drilled" plat

District [1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department Lipevised October 12, 2005 OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

JUN 0 1 2010

Submit to Appropriate District Office State Lease - 7 Copies Fee Lease - 3 Copies

Form C-102

AMENDED REPORT

Bureau of Land Management Farmingion Field Office

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number			² Pool Code			³ Pool Name				
30-039-	2	7159	99/723	BLANCO MESAVI	ERDE					
⁴ Property Code					5 Property		⁶ Well Number			
31739						110P				
7 OGRID N				8 Operator		9 Elevation				
217817		CONOCOPHILLIPS COMPANY								
10 SURFACE LOCATION										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
N	19	27-N	7-W		1242	SOUTH	2416	WEST	RIO ARRIBA	
11 Bottom Hole Location If Different From Surface										
UL or lot no.	UL or lot no. Section Township		Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
N			}							
Dedicated Acres 13 Joint or Infill 14 Consolidation Code 321.15 (W/2) 15 Order No.										

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16	USA SI SECT	FED ACREAGE = 078840 FION 19 , R-7-W	,		17 OPERATOR CERTIFICATION 1 hereby certify that the information contained herein is true and complete to the best of my knowledge and bellef, and that this organization either owns a working interest or indeased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
	LOT 2				Signature Crystal Tafoya Printed Name Regulatory Technician Title and E-mail Address
BLM 1955	20, 2				March 26th, 2009 Dote 18 SURVEYOR CERTIFICATION Thereby certify that the well location shown on this plat
2625.4' (M) 2636.0' (R)	LOT 3		WELL FLAG NAD 83 LAT: 36.55 LONG: 107 NAD 27 LAT: 36°33 LONG: 107	4668° N .617272° W	was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: 2/27/09 Signature and Seal of Professional Surveyor:
		2416'			133
0 0 1,46" W	LOT 4 N 89°14' W N 89°22'53" W	2655.8' (R) 2657.3' (M)	S 89'14' E S 89'18'32" E W.C. BLM 1955	66.0' (R) 66.0' (M)	Certificate Number: NM 11393



PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

SAN JUAN 28-7 UNIT 110P

DEVELOPMENT

Lease:				AFE_#; WAN.CDR.8464			8464		AFE \$: 1,316,732.29
				XX 2011 Holding Rig #1			State: NM County: SAN JUAN		API #:
Geologist: Phone									hone:
Geoscientist: Phone:						Prod.	hone:		
Res. Engineer: Phone:							ield Lead:	p	hone:
Primary Objecti	ve (Zone	es): : : : : : : : : : : : : : : : : : :					ICIG ECUG:		
Zone	Zone Na	me]				
FRR BASIN DAKOTA (PRORATED GAS)				1					
RON	BLANCO	MESAVERDE (PR	ORATE	D GAS)]				
Location: Surfac	e e	Datum Coo	le: NA	D-27					Straight Hole : ***
Latitude: 36.5546	30 48 4 1 3 4 1 3 4 1 3	ngitude: -107.61	- 10 P	X:		Y:		Section: 19	Range: 007W
Footage X: 2416		otage Y: 1242 FS		Elevation: 66	19		Township: 027	L	Range. 007W
Tolerance:		ouge 1. 12 12 13		Licration, co		(, ,)	Township: 0271		
Location Type: Re	stricted		Start D	Pate (Est.): 1/1	1/2011	Con	npletion Date:	Date In C	peration:
Formation Data:			Jnits =		,				F 0. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Formation Call & Casing Points		Depth (TVD in Ft)	SS (Ft)	Depletion (Yes/No)	BHP (PSIG)	внт		Remarks	
Surface Casing		200	6431		(1010)	J		00' 9 5/8" 32.3 ppf, H-4	
NACIMIENTO		563	6068				with 121 cuft.	Circulate cement to surfa	ce.
OJO ALAMO		2088	4543	7					
KIRTLAND		2223	4408	7					
FRUITLAND		2476	4155	H			Possible Gas		
PICTURED CLIFFS		2926	3705	H			rossible das		
LEWIS		3051	3580	H					
Intermediate Casin	n		3480	H			8 3/4" Hole 7	", 20 ppf, J-55, STC Casii	ng Cement with 754
Intermediate Casing 3151		2121	3400	U			cuft. Circulate	cement to surface.	ig. Cement with 754
HUERFANITO BENT	ONITE	3321	3310						
CHACRA		3838	2793						
MASSIVE CLIFF HO	USE	4581	2 050		228		Gas		
MENEFEE		4611	2020						
POINT LOOKOUT		5233	1398						
MANCOS		5536	1095						
UPPER GALLUP		6373	258						
GREENHORN		7162	-531						
GRANEROS		7222	-591						
TWO WELLS		7279	-648	ā	2990	•	Gas		
UPPER CUBERO		73 7 8	-747						
LOWER CUBERO		7399	-768						
Total Depth		7475	-844				Cement w/ 633	-1/2" 10.5/11.6 ppf, J-55 cuft. Circulate cement a	
ENCINAL		7475	-844	П			the previous ca	ising string.	!
Réference Wells	THE THE	Entrace Charles	學建筑		AND THE	(1) P. F. (2)		Many on the Table	
12 0 27 11 40 37 12 - 12 20 22 2	Well Nan	ne	F Um 44	Comments	* .v. Les 100,43,13	- is 1.5 - 1.60\$25.7	man and approximately and the second second	near to the most time to the time of time of the time of time of the time of t	- 200 - 200

Printed on: 5/27/2010 7:48:51 AM



PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

SAN JUAN 28-7	'UNIT 110P					
Logging Progra	m:		Wasan tab	(4)(注意注意大家作品的基础		
Intermediate Logs	Log only	if show GR/ILD	☐ Triple Com	bo		
TD Logs:	☐ Triple Co	mbo 🗌 Dipmeter	RFT Sc	onic 🗌 VSP 📗 TDT 🗷 Othe	er	
	Est bottom p	perf ~20' above the e	st TD.			
Additional Informa	ation:					
						as c
Log Type	Stage	From (Ft)	To (Ft)	Tool Type/Name	Remarks	

CONOCOPHILLIPS COMPANY

SAN JUAN 28-7 UNIT #110P 1242' FSL, 2416' FWL SECTION 19, T-27-N, R-7-W, N.M.P.M. RIO ARRIBA COUNTY, NEW MEXICO NAD 83 LAT.: 36.554668'N LONG.: 107.617272'W ELEV.: 6619 NAVD88 NEW ACCESS 248.1'

FROM BLANCO, N.M. POST OFFICE:

- GO EAST ON HWY. 64 1.3 MI. TO MILE POST 75.
- TURN RIGHT ON C.R. 4450 (LARGO CANYON) & CONTINUE 8.6 MI. TO "10 MILE BRIDGE". TURN RIGHT TO CROSS CARRIZO WASH.
- TURN LEFT AFTER CROSSING WASH & CONTINUE SOUTHEAST ON MAIN ROAD.
- GO 4.0 MI. FROM "10 MILE BRIDGE" & FOLLOW MAIN ROAD TO THE RIGHT INTO "STOVE CANYON & GOULD PASS". CONTINUE UP GOULD PASS AT 7.8 MI. FROM BRIDGE, ON TOP OF PASS.
- TURN RIGHT, CROSSING CATTLE GUARD & TRAVEL SOUTHERLY DOWN "NAKED LADY HILL".
- GO 1.4 MI. TO "Y" IN ROAD, TURN RIGHT, TRAVELING WEST ON C.R. 500.
- GO EAST 0.6 MI, AND TURN LEFT.
- GO 0.6 MI. SOUTHEAST TO NEW 248.1FT. ROAD ACCESS ON RIGHT (SOUTH) SIDE OF ROAD TO WELL LOCATION.