1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

1220 S St Francis Dr , Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or

Propos	sed Alternative Method	Permit or Closure	Plan Applicat	ion
Type of action:	X Permit of a pit, closed-loop sys	-	-	
[Modification to an existing pe			
L	Closure plan only submitted for below-grade tank, or proposed		non-permitted pit,	closed-loop system,
Instructions: Please submit one app	lication (Form C-144) per indiv	idual pit, closed-loop syst	em, below-grade ta	ınk or alternative request
	ns request does not relieve the operator of liest the operator of its responsibility to comply	•	•	· -
1 Operator: <u>ConocoPhillips Company</u>		OGF	RID#: 217817	
Address: PO Box 4289, Farmington,	NM 87499		· · · · · · · · · · · · · · · · · · ·	
Facility or well name: Lindrith B Uni	t 9			_
API Number: 30-0	039-22423	OCD Permit Number		
U/L or Qtr/Qtr: O(SW/SE) Section: Center of Proposed Design: Latitude: Surface Owner: X Federal	36.276901 °N	Range: 3W Longitude: 107 Cribal Trust or Indian Allo		Arriba NAD: X 1927 1983
	vitation P&A or type Thickness mil	LLDPE HDPE Volume bbl	E PVC Other	RCVD JAN 27'12 OIL CONS. DIV. DIST. 3 xwxd
	notice of in Steel Tanks Haul-off Bins ype Thicknessmil	or Drilling (Applies to activit itent) Other LLDPE HDPE	ies which require prio	
Below-grade tank: Subsection I of Volume bbl Tank Construction material Secondary containment with leak detection Visible sidewalls and liner Liner Type Thickness	Type of fluid tion Visible sidewalls, In	er, 6-inch lift and automatic of ther	overflow shut-off	
5 Alternative Method: Submittal of an exception request is require	red Exceptions must be submitted to	the Santa Fe Environmental	Bureau office for con	isideration of approval.



Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instance of barbed wire evenly spaced between one and four feet Alternate Please specify	stitution or chu	ırch)
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15 17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	sideration of ap	oproval
Siting Criteria (regarding permitting) 19.15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS, NM Geological	Yes	No
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogologic Penort (Pelow good Tanks) hosed upon the requirements of Percesson (A) of Subsection P. of 10.15.17.0 NIMAC.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15,17.9 NMAC and 19.15,17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15 17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan Change Plan has diverse the appropriate acquirements of Subsection C of 10 15 17 0 NIMAC and 10 15 17 13 NIMAC				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15 17.13 NMAC				
Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative				
Proposed Closure Method Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC				
Disposal Facility Name and Permit Number (for Iiquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15 17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Remoyal Closure For Closed-loop Systems That Utilize Above Ground S					
Instructions Please identify the facility or facilities for the disposal of liquids, drilli- facilities are required	ng fluids and drill cuttings Use	attachment if more than two			
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00	010B		
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #	NM-01-005			
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	ties occur on or in areas that v	vill not be used for future	service and		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
17		·			
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NM. Instructions Each siting criteria requires a demonstration of compliance in the closure pla certain siting criteria may require administrative approval from the appropriate district off office for consideration of approval Justifications and/or demonstrations of equivalency a	n Recommendations of acceptable fice or may be considered an except	tion which must be submitted to			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data of	otained from nearby wells		Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried was	te		— □Yes □No		
- NM Office of the State Engineer - (WATERS database search, USGS, Data ob			□N/A		
Ground water is more than 100 feet below the bottom of the buried waste			Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data ob	tained from nearby wells		∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)			Yes No		
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	•	pplication	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less t		· 1	YesNo		
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exi- NM Office of the State Engineer - iWATERS database, Visual inspection (certi-	•	plication.			
Within incorporated municipal boundaries or within a defined municipal fresh water v pursuant to NMSA 1978, Section 3-27-3, as amended	vell field covered under a munici	pal ordinance adopted	Yes No		
Written confirmation or verification from the municipality, Written approval ob Within 500 feet of a workerd.	tained from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site			Yes No		
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division			Yes No		
Within an unstable area	Willietat Division		Yes No		
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society; Topographic map					
Within a 100-year floodplain - FEMA map			Yes No		
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items mus	t bee attached to the closu	ure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropris	ate requirements of 19 15.17.1	10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan , based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC					

Form C-144 Oil Conservation Division

Page 4 of 5

19 Operator Application Certification	on:				
I hereby certify that the information su	bmitted with this application is true, accura	te and complete to t	he best of my knowle	dge and belief	
Name (Print)	CRYSTAL TAFOYA	Title.	STAFF REGULA	TORY TECHNICIAN	_
Signature	ystal Tapaya	Date		(2)	_
e-mail address <u>crysta</u>	x/.tafoya@conocophillips/com/	Telephone	(505) 326-9837	
OCD Approval: Permit Appl OCD Representative Signature: Title:	ication (including closure plan)	Closure Plan (on	·· 🗀	ditions (see attachment)	Y2012
Instructions Operators are required to report is required to be submitted to the	60 days of closure completion): Subsect of obtain an approved closure plan prior to be division within 60 days of the completion and the closure activities have been con	implementing any o of the closure activ npleted	losure activities and s	omplete this section of the fo	
22 Closure Method: Waste Excavation and Remova If different from approved plan		Alternative Clos	ure Method W	/aste Removal (Closed-loop	systems only)
Instructions: Please identify the facility were utilized. Disposal Facility Name: Disposal Facility Name: Were the closed-loop system operat Yes (If yes, please demonstrate Required for impacted areas which Site Reclamation (Photo Docur Soil Backfilling and Cover Inst	will not be used for future service and openentation) allation is and Seeding Technique	Disposal Fact Disposal Fact Disposal Fact or in areas that will No rations	uttings were disposed. Ity Permit Number lity Permit Number not be used for futur	e service and opeartions?	
the box, that the documents are attained. Proof of Closure Notice (sure Proof of Deed Notice (required). Plot Plan (for on-site closure). Confirmation Sampling And Waste Material Sampling Aid Disposal Facility Name and Soil Backfilling and Cover I	face owner and division) red for on-site closure) rs and temporary pits) lytical Results (if applicable) nalytical Results (if applicable) Permit Number installation ates and Seeding Technique	wing items must be	attached to the closus	re report. Please indicate, b	y a check mark in
25	·		 _		
Operator Closure Certification: I hereby certify that the information an	d attachments submitted with this closure r e closure requirements and conditions spec			ne best of my knowledge and	belief I also certify that
	coosire requirements una continuons spec	Title	а стоше рин.		
Name (Print)		 -			
Signature.		Date. Telephone			

Form C-144 Oil Conservation Division

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.