District I 1625 N French Dt , Hobbs, NM 88240 District II 1301 W Grand Ave, Artesia, NM 88210 District_III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

			_		
	1	3	0		
_		つ	•		

API Number:

Temporary

Lined

Permanent

String-Reinforced

Emergency Cavitation

Liner type.

P&A

Thickness

District IV

1220 S St Francis Dr., Santa Fe, NM 87505 Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances Operator: ConocoPhillips Company OGRID#: 217817 Address: PO Box 4289, Farmington, NM 87499 Facility or well name: San Juan 28-7 Unit 253M OCD Permit Number 30-039-26794 U/L or Qtr/Qtr: P(SE/SE) Section: Township: 27N Range: County: Rio Arriba 36.583831 Center of Proposed Design: Latitude: ٥N 107.610625 **°W** NAD: **X** 1927 1983 Longitude: Surface Owner: Private Tribal Trust or Indian Allotment X Federal State Pit: Subsection F or G of 19.15.17.11 NMAC RCVD JAN 30 '12 Drilling Workover OIL CONS. DIV.

LLDPE HDPE PVC Other

Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D					
Subsection H of 19 15 17.11 NMAC					
Below-grade tank: Subsection I of 19 15 17 11 NMAC					
Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other					

mıl

Page 1 of 5

DIST. 3

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19.15 17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC		· · · · · · · · · · · · · · · · · · ·		
9 Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)				
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting): 19.15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		_		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	∐No		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
- NM Office of the State Engineer - IWATERS database search, Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
 Within an unstable area. Engineering measures incorporated into the design; NM Burcau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map 	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Lach of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC				
N Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC				
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Olf Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15 17.13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two					
facilities are required	ning funds and arm cumings Osc	timenment y more man two	•		
Disposal Facility Name Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #.	NM-01-0011 / NM-01-0	010B		
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #	NM-01-005			
Will any of the proposed closed-loop system operations and associated act Yes (If yes, please provide the information No	ivities occur on or in areas that i	vill not be used for future	service and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 N Instructions Each sting criteria requires a demonstration of compliance in the closure certain sting criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalence.	plan Recommendations of acceptable office or may be considered an excep	tion which must be submitted to			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data	a obtained from nearby wells		Yes No		
,	•				
Ground water is between 50 and 100 feet below the bottom of the buried v - NM Office of the State Engineer - iWATERS database search, USGS, Data			Yes No		
	obtained from fically wells				
Ground water is more than 100 feet below the bottom of the buried waste	-transferment		Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data	obtained from nearby wells		∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark)	gnificant watercourse or lakebed, si	nkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or churcl - Visual inspection (certification) of the proposed site; Aerial photo; satellite in	· ·	pplication	∐Yes ∐No		
Within 500 horizontal feet of a private, domestic fiesh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978, Section 3-27-3, as amended		pal ordinance adopted	Yes No		
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland			Yes No		
 US Fish and Wildlife Wetland Identification map, Topographic map, Visual Within the area overlying a subsurface mine 	inspection (certification) of the proj	posed site	Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining a	nd Mineral Division				
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,			Yes No		
Topographic map Within a 100-year floodplain - FEMA map			Yes No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Dungstel Faculty Name and Parmyt Number (for legand, drilling fluids and drill outtines or in cooper project closure standards connect be achieved)					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19		
Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate	e and complete to the b	est of my knowledge and belief
Name (Print) Dolhe, L. Busse	Tıtle	Staff Regulatory Technician
Signature Signature Busie	Date	1-27-12
c-mail address. dollie I busse@conocophillips com	Telephone:	505-324-6104
20	CI DI (1)	Посред на селото
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)
OCD Representative Signature:	1 A /	Approval Date: 1/30/2012
Diva v. pea	~ }	Approvar bate. 17 00 (XXX)
Title: (Empliance VO+Tice)	OCD Pern	nit Number:
21		
Closure Report (required within 60 days of closure completion): Subsect	tion K of 19 15 17 13 NMA	2
Instructions. Operators are required to obtain an approved closure plan prior to i.	mplementing any closi	ure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of		s. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been com	pleted	
	Closure	e Completion Date:
22		
Closure Method:		
Waste Excavation and Removal On-site Closure Method	Alternative Closure	Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain		
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems T	Chat Litiliza Abaua Ca	sound Steel Tonle on Houl off Bins Only
Instructions: Please identify the facility or facilities for where the liquids, drilling		
were utilized.	, jiii as ana ann cinn	ago nere aloposca. Ose anatemient y more anatemos yacames
Disposal Facility Name	Disposal Facility	Permit Number.
Disposal Facility Name	Disposal Facility	
Were the closed-loop system operations and associated activities performed on o		
Yes (If yes, please demonstrate compliane to the items below)		of about 100 small but the and open mone
Required for impacted areas which will not be used for future service and open	rations	
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
24		
Closure Report Attachment Checklist: Instructions: Each of the follow	ring items must be atta	sched to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.		
Proof of Closure Notice (surface owner and division)		
Proof of Deed Notice (required for on-site closure)		
Plot Plan (for on-site closures and temporary pits)		
Confirmation Sampling Analytical Results (if applicable)		
Waste Material Sampling Analytical Results (if applicable)		
Disposal Facility Name and Permit Number		
1		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		
On-site Closure Location. Latitude	Longitude	NAD
25		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure re	eport is ture, accurate	and complete to the best of my knowledge and belief I also certify that
the closure complies with all applicable closure requirements and conditions speci	•	
, (p. 0)	m .1	
Name (Print)	Title	
Signature	Date	
Digitature		<u></u>
l , , , ,	Talauhaus	

Form C-144

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.