<u>District I</u> 1625 N French Dr , Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210 District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

<u>District IV</u>	Dr, Santa Fe, NM 87505		Santa Fe, NM	8/505		s and exceptions submit to the Santa Fe and office and provide a copy to the District Office
1220 O St Hanels	51, Santa 10, 1111 07505	Pit, Closed-L	oop System.	Below-Gra	ade Tank, or	
10	Prop				osure Plan Apr	olication-
.U58	•					
1.1.	Type of action:		_	_	e tank, or proposed al	
		=	- ·	_	de tank, or proposed	alternative method
		=	an existing perm		• •	
			ny submitted for nk, or proposed a		-	ed pit, closed-loop system,
Instructions	: Please submit one a	-				rade tank or alternative request
						ace water, ground water or the
enviroi	nment Nor does approval rela	eve the operator of its resp	onsibility to comply w	other applica	ible governmental authority'	's rules, regulations or ordinances
l Operator: Rur	lington Resources Oi	1 & Cas Company	1 D		OGRID#: 145 .	20
	Box 4289, Farmingto		<u> </u>	·	OORID#. <u>143.</u>	50
i ——	name: San Juan 29					
API Number:	-	0-039-25574		OCD Permit Nun	mhar	
U/L or Otr/Otr:				_		Dio A suibo
` ` `	osed Design: Latitude			Range: _ Longitude:	7W County: 107.56468	Rio Arriba °W NAD: X 1927 1983
Surface Owner		State X		ibal Trust or Inc		W NAD. [A] 1927 1965
Garrace Garrier	- I recetar		111vate [_]11	Total Trast of file		
2 Ditt. Subs	section F or G of 19 15 17	7 11 NIMAC				main takenasis
l — —						RCVD JAN 23'12
Temporary	Drilling Wor					771 CONS. DIV.
Permanent Lined		Cavitation P&A Iner type Thicknes	s mil	LLDPE	HDPE PVC	7 Other DIST. 3
String-Rein	L	mer type Timexnes				Other services
Liner Seams		actory Other		W-1	hhl Dimongion	a L W D
Linei Seams		actory Other _		Volume ⁻	bbl Dimension	s Lx Wx D
3						
, — ——		ion H of 19 15 17 11 N Drilling a new well	_	Drilling (Amulia	to optivition which roa	uire prior approval of a permit or
Type of Opera	III LI A		notice of inte		to activities which requ	ane prior approvar or a permit of
Drying F	Pad X Above Grou	nd Steel Tanks	Haul-off Bins	Other		
Lined	Unlined Line	r type Thickness	mıl	LLDPE	HDPE PVD	Other
Liner Seams	Welded F	actory Other _				
4						
_	rade tank: Subsection	l of 19 15 17 11 NMA				
Volume	b	bl Type of fluid				
Tank Construc	ction material					
Secondary	containment with leak de	tection Visi	ble sidewalls, line	r, 6-ınch lıft and a	utomatic overflow shut	-off
Visible s	idewalls and liner	Visible sidewal	· —	her		
Liner Type	Thickness	mil	PE PVC	Other		
5						
Alternat	tive Method:					
Submittal of ar	n exception request is req	uired. Exceptions mus	t be submitted to t	he Santa Fe Envir	ronmental Bureau office	e for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify					
7 Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
Siting Criteria (regarding permitting) 19.15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA				
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	∐ ^{NA}				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society: Topographic map	Yes	No			
Society; Topographic map Within a 100-year floodplain - FEMA map	Yes	No			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC						
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC						
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15 17.13 NMAC						
Previously Approved Design (attach copy of design) API or Permit						
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC						
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9						
NMAC and 19.15 17.13 NMAC						
Previously Approved Design (attach copy of design) API						
Previously Approved Operating and Maintenance Plan API						
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC						
Climatological Factors Assessment						
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC						
Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19 15 17.11 NMAC						
Leak Detection Design - based upon the appropriate requirements of 19 15.17.11 NMAC						
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17 11 NMAC						
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17 11 NMAC						
Nuisance or Hazardous Odors, including H2S, Prevention Plan						
Emergency Response Plan						
Oil Field Waste Stream Characterization						
Monitoring and Inspection Plan						
Erosion Control Plan						
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC						
14						
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.						
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System						
Alternative						
Proposed Closure Method Waste Excavation and Removal						
Waste Removal (Closed-loop systems only)						
On-site Closure Method (only for temporary pits and closed-loop systems)						
In-place Burial On-site Trench						
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)						
15						
Waste Excavation and Removal Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.						
Please indicate, by a check mark in the box, that the documents are attached.						
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)						
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste	eel Tanks or Haul-off Bins Only: (19 15 17.13 D NMAC)					
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling facilities are required						
Disposal Facility Name	Disposal Facility Permit #					
Disposal Facility Name	Disposal Facility Permit #					
	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and					
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC						
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMA		•				
Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 10 NMAC for guidance						
Ground water is less than 50 feet below the bottom of the buried waste		Yes No				
- NM Office of the State Engineer - (WATERS database search, USGS) Data obt	tained from nearby wells	∐N/A — —				
Ground water is between 50 and 100 feet below the bottom of the buried waster	e	Yes No				
- NM Office of the State Engineer - (WATERS database search, USGS, Data obtained)	ained from nearby wells	N/A				
Ground water is more than 100 feet below the bottom of the buried waste		Yes No				
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obta	ained from nearby wells	□N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	Yes No					
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in e-Visual inspection (certification) of the proposed site, Aerial photo, satellite image	!	∐Yes ∐No				
Yes No						
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended						
 Written confirmation or verification from the municipality, Written approval obta Within 500 feet of a wetland 	anied from the intine-pairty	Yes No				
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual insp	pection (certification) of the proposed site					
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and N	Mineral Division	∐Yes ∐No				
Within an unstable area		Yes No				
 Engineering measures incorporated into the design, NM Bureau of Geology & M Topographic map 	Inneral Resources, USGS, NM Geological Society,					
Within a 100-year floodplain - FEMA map		Yes No				
18						
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items must bee attached to the closu	re plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC						
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

19						
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate at	ad complete to the best of my knowledge and belief					
Name (Print)	Title					
Signature	Date					
e-mail address	Telephone					
	•					
20 OCD Approval: Permit Application (including closure plan) OCD Representative Signature:	osure Plan (only) OCD Conditions (see attachment)					
OCD Representative Signature:	Approval Date: 123/20/2					
Title: Compliance Office	OCD Permit Number:					
21						
Closure Report (required within 60 days of closure completion): Subsection Instructions Operators are required to obtain an approved closure plan prior to impreport is required to be submitted to the division within 60 days of the completion of tapproved closure plan has been obtained and the closure activities have been completed.	lementing any closure activities and submitting the closure report. The closure he closure activities. Please do not complete this section of the form until an					
22	······································					
Closure Method: Waste Excavation and Removal If different from approved plan, please explain	Alternative Closure Method X Waste Removal (Closed-loop systems only)					
23						
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Instructions: Please identify the facility or facilities for where the liquids, drilling fluwere utilized.						
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit Number NM-01-0011 / NM-01-0010B					
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit Number NM-01-005					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?						
Yes (If yes, please demonstrate complilane to the items below)						
Required for impacted areas which will not be used for future service and operation	ons					
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
24						
Closure Report Attachment Checklist: Instructions: Each of the following	items must be attached to the closure report. Please indicate, by a check mark in					
the box, that the documents are attached.						
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)						
Plot Plan (for on-site closures and temporary pits)						
Confirmation Sampling Analytical Results (if applicable)						
Waste Material Sampling Analytical Results (if applicable)						
Disposal Facility Name and Permit Number						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
Site Reclamation (Photo Documentation) On-site Closure Location Latitude	Longitude NAD 1927 1983					
On-site Closure Location Latitude	Longitude NAD 1927 1963					
25						
Operator Closure Certification:	rt is ture, accurate and complete to the best of my knowledge and belief I also certify that I in the approved closure plan					
Name (Print) CRYSTAL TAFOYA	Title STAFF REGULATORY TECHNICIAN					
Signature Satal Tajoya	Date 1/20/2012					
e-mail address <u>crystal tafoya@conocopHillips com</u>	Telephone (505) 326-9837					