

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

9555
**Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application**

- Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank, or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations, or ordinances.

Operator: XTO Energy, Inc. OGRID #: 5380
Address: 382 Road 3100, Aztec, New Mexico 87410
Facility or well name: Fullerton Federal 27-1[#]14
API Number: 30-045-30825 OCD Permit Number: _____
U/L or Qtr/Qtr M Section 14 Township 27N Range 11W County: San Juan
Center of Proposed Design: Latitude 36.5708333 Longitude -107.98 NAD: ☐ 1927 ☒ 1983
Surface Owner: ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.
☐ **Pit:** Subsection F or G of 19.15.17.11 NMAC
Temporary: ☐ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
☐ String-Reinforced
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

RCVD FEB 6 '12
OIL CONS. DIV.
DIST. 3

3.
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC
Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other _____
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____

4.
☒ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC
Volume: 80 bbl Type of fluid: Produced Water
Tank Construction material: Fiberglass
☐ Secondary containment with leak detection ☒ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Not labeled
Liner type: Thickness _____ mil ☐ HDPE ☐ PVC ☐ Other _____

5.
☐ **Alternative Method:**
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6.

Fencing: Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)

- ☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☐ Alternate. Please specify _____

7.

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- ☐ Screen ☒ Netting ☐ Other _____
- ☐ Monthly inspections (If netting or screening is not physically feasible)

8.

Signs: Subsection C of 19.15.17.11 NMAC

- ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.3.103 NMAC

9.

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- ☐ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.
- ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland.	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

11.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☒ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12.

Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____

☐ Previously Approved Operating and Maintenance Plan API Number: _____ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Climatological Factors Assessment
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Quality Control/Quality Assurance Construction and Installation Plan
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
☐ Emergency Response Plan
☐ Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan
☐ Erosion Control Plan
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14.

Proposed Closure: 19.15.17.13 NMAC**Instructions:** Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☒ Below-grade Tank ☐ Closed-loop System
☐ Alternative

Proposed Closure Method: ☒ Waste Excavation and Removal
☐ Waste Removal (Closed-loop systems only)
☐ On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial
☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☒ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
☒ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
☒ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
☒ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☒ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☒ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)

Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please provide the information below) ☐ No

Required for impacted areas which will not be used for future service and operations:

☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No
☐ NA

Ground water is between 50 and 100 feet below the bottom of the buried waste

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No
☐ NA

Ground water is more than 100 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No
☐ NA

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☐ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☐ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☐ No

Within a 100-year floodplain.

- FEMA map

☐ Yes ☐ No

18.

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC

☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC

☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19.

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): Logan HixonTitle: Environmental TechnicianSignature: Logan HixonDate: 2-1-2012E-mail address: Logan.Hixon@xtoenergy.comTelephone: (505) 333-3683

20.

OCD Approval: ☐ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature: Jonathan D. KellyApproval Date: 2/6/2012Title: Compliance Officer

OCD Permit Number: _____

21.

Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☒ Closure Completion Date: 10/17/2011

22.

Closure Method:

☒ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain.

23.

Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:

Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:

- ☐ Site Reclamation (Photo Documentation)
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique

24.

Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.

- ☒ Proof of Closure Notice (surface owner and division)
☐ Proof of Deed Notice (required for on-site closure)
☐ Plot Plan (for on-site closures and temporary pits)
☒ Confirmation Sampling Analytical Results (if applicable)
☐ Waste Material Sampling Analytical Results (required for on-site closure)
☒ Disposal Facility Name and Permit Number
☒ Soil Backfilling and Cover Installation
☒ Re-vegetation Application Rates and Seeding Technique
☒ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude _____ Longitude _____ NAD: ☐ 1927 ☐ 1983

25.

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Logan HixonTitle: Environmental TechnicianSignature: Logan HixonDate: 2-2-2012E-mail address Logan.Hixon@xtoenergy.comTelephone: (505) 333-3683

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company: XTO Energy, Inc.	Contact: Logan Hixon
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3683
Facility Name: Fullerton Federal 27-11-014	Facility Type: Gas Well (Pictured Cliffs)

Surface Owner: Federal	Mineral Owner:	Lease No.: NMSF078094
------------------------	----------------	-----------------------

LOCATION OF RELEASE

Unit Letter M	Section 14	Township 27 N	Range 11 W	Feet from the 1025	North/South Line FSL	Feet from the 685	East/West Line FWL	County San Juan County
------------------	---------------	------------------	---------------	-----------------------	-------------------------	----------------------	-----------------------	---------------------------

Latitude: N36.5708333 Longitude: W-107.9800000

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: Unknown	Volume Recovered: None
Source of Release: BGT	Date and Hour of Occurrence: Historical	Date and Hour of Discovery: June 2, 2011
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour:	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*


Describe Cause of Problem and Remedial Action Taken.*

The below grade tank was taken out of service at the Fullerton Federal 27-11-14 well site due to the plugging and abandoning of this well site. A composite sample was collected beneath the location of the on-site BGT, and submitted for laboratory analysis for TPH via USEPA Method 418.1 and 8015, Benzene and BTEX via USEPA Method 8021, and for total chlorides. The sample returned results below the 'Pit Rule' spill confirmation standards for TPH, Benzene and Total BTEX, but above the 'pit rule' standards for Chlorides, confirming that a release had occurred at this location.

Describe Area Affected and Cleanup Action Taken.*

Based on chloride results of 430 PPM, it has been confirmed that a release had occurred at this location.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		OIL CONSERVATION DIVISION	
Printed Name: Logan Hixon		Approved by District Supervisor:	
Title: Environmental Technician	Approval Date:	Expiration Date:	
E-mail Address: Logan_Hixon@xtoenergy.com	Conditions of Approval:		Attached <input type="checkbox"/>
Date: 2/2/2012	Phone: 505-333-3683		

XTO Energy Inc. San Juan Basin Below Grade Tank Closure Report

Lease Name: Fullerton Federal 27-11-14

API No.: 30-045-30825

Description: Unit M, Section 14, Township 27N, Range 11W, San Juan County

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure requirements of below-grade tanks on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all below-grade tanks. A separate plan will be submitted for any below-grade tank which does not conform to this plan.

General Plan

1. XTO will close below-grade tanks within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment.

Closure Date is October 17, 2011

2. XTO will close a below-grade tank that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.

Closure Date is October 17, 2011

3. XTO will close a permitted below-grade tank within 60 days of cessation of the below-grade tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on form C-144.

Required C-144 Form is attached to this document.

4. XTO will remove liquids and sludge from below-grade tanks prior to implementing a closure method and will dispose of the liquids and sludge in a division-approved facility. Approved facilities and waste streams include:

Envirotech Permit No. NM01-0011 and IEI Permit No. NM 01-0010B

Soil contaminated by exempt petroleum hydrocarbons

Produced sand, pit sludge and contaminated bottoms from storage of exempt wastes

Basin Disposal Permit No. NM01-005

Produced water

All liquids and sludge were removed from the tank prior to closure activities.

5. XTO will remove the below-grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves. **XTO has removed the below grade tank, and will dispose of it at a division approved facility, or recycle, reclaim or reuse it in a manner that is approved by the division.**

6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.

All equipment has been removed due to the plugging and abandoning of the Fullerton Federal 27-11-14 well site.

7. XTO will test the soils beneath the below-grade tank to determine whether a release has occurred. At a minimum 5 point composite sample will be collected along with individual grab samples ~~from any area that is wet, discolored or showing other evidence of a release. Samples will be~~ analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	< 0. 0027mg/kg
BTEX	EPA SW-846 8021B or 8260B	50	< 0. 0406mg/kg
TPH	EPA SW-846 418.1	100	< 20 mg/kg
Chlorides	EPA 300.1	250 or background	430 mg/kg

8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116 NMAC and 19.15.1.19NMAC as appropriate.

Due to Chloride results of 430 PPM, a release has been confirmed for this location. A C-141 Release Notification form will be sent outlining any remediation activities taken regarding this release.

9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site.

The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.

10. Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally. The notification will include the following:

- i. Operator's name
- ii. Well Name and API Number
- iii. Location by Unit Letter, Section, Township, and Range

Notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on October 10, 2011; see attached email printout.

The surface owner shall be notified of XTO's proposal to close the BGT as per the approved closure plan using certified mail, return receipt requested.

The surface owner was notified on October 10, 2011 via email. Email has been approved as a means of surface owner notification to the BLM by Brandon Powell, NMOCD Aztec Office.

11. Re-contouring of location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.
The location has been recontoured to match the above specifications.
12. A minimum of 4 feet of cover shall be achieved and the cover shall include 1 foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.
The site has been backfilled to match these specifications.
13. XTO will seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.
Site has been reclaimed pursuant to the BLM MOU.
14. All closure activities will include proper documentation and be available for review upon request and will be submitted in closure report form to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on form C-144 and incorporate the following:
 - i. Proof of closure notice to division and surface owner; **attached**
 - ii. Details on capping and covering, where applicable; **per OCD Specifications**
 - iii. Inspection reports; **attached**
 - iv. Confirmation sampling analytical results; **attached**
 - v. Disposal facility name(s) and permit number(s); **see above**
 - vi. Soil backfilling and cover installation; **per OCD Specifications**
 - vii. Re-vegetation application rates and seeding techniques, (or approved alternative to re-vegetation requirements if applicable); **Per BLM MOU.**
 - viii. Photo documentation of the site reclamation. **attached**
15. This closure report is being submitted after the 60 day deadline required by the 'Pit Rule' due to a unforeseen delay on final reclamation of this well site. This delay was due to the gathering company not removing their equipment in a timely fashion.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

James McDaniel
XTO Energy - San Juan Division
382_Road_3100
Aztec, NM 87410

Report Summary

Thursday June 02, 2011

Report Number: L517635

Samples Received: 05/25/11

Client Project:

Description: Fullerton Federal 27-11 #14

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 02, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM-87410

Date Received : May 25, 2011
Description : Fullerton Federal 27-11 #14
Sample ID : BGT CLOSURE
Collected By : Brad Griffith
Collection Date : 05/24/11 14:36

ESC Sample # : L517635-01

Site ID :

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	430	11.	mg/kg	9056	05/27/11	1
Total Solids	92.		%	2540G	06/02/11	1
Benzene	BDL	0.0027	mg/kg	8021/8015	05/26/11	5
Toluene	BDL	0.027	mg/kg	8021/8015	05/26/11	5
Ethylbenzene	BDL	0.0027	mg/kg	8021/8015	05/26/11	5
Total Xylene	BDL	0.0082	mg/kg	8021/8015	05/26/11	5
TPH (GC/FID) Low Fraction	BDL	0.54	mg/kg	GRO	05/26/11	5
Surrogate Recovery-%						
a,a,a-Trifluorotoluene(FID)	99.4		% Rec.	8021/8015	05/26/11	5
a,a,a-Trifluorotoluene(PID)	103.		% Rec.	8021/8015	05/26/11	5
TPH (GC/FID) High Fraction	BDL	4.4	mg/kg	3546/DRO	05/27/11	1
Surrogate recovery(%)						
o-Terphenyl	65.9		% Rec.	3546/DRO	05/27/11	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 06/02/11 13:04 Printed: 06/02/11 13:52



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L517635

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 02, 2011

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Benzene	< .0005	mg/kg			WG537642	05/26/11 16:30
Ethylbenzene	< .0005	mg/kg			WG537642	05/26/11 16:30
Toluene	< .005	mg/kg			WG537642	05/26/11 16:30
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG537642	05/26/11 16:30
Total Xylene	< .0015	mg/kg			WG537642	05/26/11 16:30
a,a,a-Trifluorotoluene (FID)		% Rec.	99.82	59-128	WG537642	05/26/11 16:30
a,a,a-Trifluorotoluene (PID)		% Rec.	104.6	54-144	WG537642	05/26/11 16:30
TPH (GC/FID) High Fraction	< 4	ppm			WG537670	05/27/11 04:58
o-Terphenyl		% Rec.	69.11	50-150	WG537670	05/27/11 04:58
Chloride	< 10	mg/kg			WG537541	05/27/11 09:21
Total Solids	< .1	%			WG538318	06/02/11 09:39

Analyte	Units	Result	Duplicate	RPD	Limit	Ref Samp	Batch
Chloride	mg/kg	32000	31000	2.55	20	L517560-01	WG537541
Chloride	mg/kg	18000	20000	11.1	20	L517560-02	WG537541
Total Solids	%	86.0	86.7	0.949	5	L517666-01	WG538318

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
Benzene	mg/kg	.05	0.0520	104.	76-113	WG537642
Ethylbenzene	mg/kg	.05	0.0514	103.	78-115	WG537642
Toluene	mg/kg	.05	0.0510	102.	76-114	WG537642
Total Xylene	mg/kg	.15	0.153	102.	81-118	WG537642
a,a,a-Trifluorotoluene (PID)				102.3	54-144	WG537642
TPH (GC/FID) Low Fraction	mg/kg	5.5	5.68	103.	67-135	WG537642
a,a,a-Trifluorotoluene (FID)				106.0	59-128	WG537642
TPH (GC/FID) High Fraction	ppm	60	42.4	70.6	50-150	WG537670
o-Terphenyl				69.63	50-150	WG537670
Chloride	mg/kg	200	204.	102.	85-115	WG537541
Total Solids	%	50	50.0	100.	85-155	WG538318

Analyte	Units	Laboratory Control Result	Ref	Sample Duplicate %Rec	Limit	RPD	Limit	Batch
Benzene	mg/kg	0.0490	0.0520	98.0	76-113	5.89	20	WG537642
Ethylbenzene	mg/kg	0.0544	0.0514	109.	78-115	5.67	20	WG537642
Toluene	mg/kg	0.0512	0.0510	102.	76-114	0.290	20	WG537642
Total Xylene	mg/kg	0.160	0.153	107.	81-118	4.75	20	WG537642
a,a,a-Trifluorotoluene (PID)				105.9	54-144			WG537642
TPH (GC/FID) Low Fraction	mg/kg	5.76	5.68	105.	67-135	1.44	20	WG537642
a,a,a-Trifluorotoluene (FID)				106.2	59-128			WG537642

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 02, 2011

L517635

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	%Rec	%Rec				
TPH (GC/FID) High Fraction o-Terphenyl	ppm	41.8	42.4	70.0 68.24		50-150 50-150	1.48	25	WG537670 WG537670
Chloride	mg/kg	210.	204.	105.		85-115	2.90	20	WG537541

Analyte	Units	MS Res	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
			Ref Res	TV					
Benzene	mg/kg	0.203	0	.05	81.3	32-137	L517635-01		WG537642
Ethylbenzene	mg/kg	0.205	0	.05	81.8	10-150	L517635-01		WG537642
Toluene	mg/kg	0.208	0	.05	83.0	20-142	L517635-01		WG537642
Total Xylene	mg/kg	0.625	0	.15	83.4	16-141	L517635-01		WG537642
a,a,a-Trifluorotoluene(PID)					101.4	54-144			WG537642
TPH (GC/FID) Low Fraction	mg/kg	22.0	0	5.5	79.9	55-109	L517635-01		WG537642
a,a,a-Trifluorotoluene(FID)					102.9	59-128			WG537642
TPH (GC/FID) High Fraction o-Terphenyl	ppm	41.7	0	60	69.6 65.61	50-150 50-150	L517635-01		WG537670 WG537670

Analyte	Units	MSD	Matrix Spike		Duplicate	Limit	RPD	Limit	Ref Samp	Batch
			Ref	%Rec						
Benzene	mg/kg	0.249	0.203	99.5	32-137	20.1	39	L517635-01		WG537642
Ethylbenzene	mg/kg	0.253	0.205	101.	10-150	21.3	44	L517635-01		WG537642
Toluene	mg/kg	0.247	0.208	98.8	20-142	17.4	42	L517635-01		WG537642
Total Xylene	mg/kg	0.773	0.625	103.	16-141	21.1	46	L517635-01		WG537642
a,a,a-Trifluorotoluene(PID)				104.3	54-144					WG537642
TPH (GC/FID) Low Fraction	mg/kg	24.4	22.0	88.7	55-109	10.4	20	L517635-01		WG537642
a,a,a-Trifluorotoluene(FID)				103.8	59-128					WG537642
TPH (GC/FID) High Fraction o-Terphenyl	ppm	43.7	41.7	72.8 68.64	50-150 50-150	4.53	25	L517635-01		WG537670 WG537670

Batch number / Run number / Sample number cross reference

WG537642: R1702410: L517635-01
WG537670: R1702571: L517635-01
WG537541: R1703389: L517635-01
WG538318: R1708050: L517635-01

* * Calculations are performed prior to rounding of reported values.
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L517635

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 02, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.



COVER LETTER

Wednesday, June-01, 2011

James McDaniel
XTO Energy
382 County Road 3100
Aztec, NM 87410

TEL: (505) 787-0519
FAX (505) 333-3280

RE: Fullerton Federal 27-11 #14

Order No.: 1105950


Dear James McDaniel:

Hall Environmental Analysis Laboratory, Inc. received 1 sample(s) on 5/25/2011 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. Below is a list of our accreditations. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag.

Please do not hesitate to contact HEAL for any additional information or clarifications.

Sincerely,



Andy Freeman, Laboratory Manager

NM Lab # NM9425 NM0901
AZ license # AZ0682
ORELAP Lab # NM100001
Texas Lab# T104704424-08-TX



4901 Hawkins NE ■ Suite D ■ Albuquerque, NM 87109
505.345.3975 ■ Fax 505.345.4107
www.hallenvironmental.com

Hall Environmental Analysis Laboratory, Inc.

Date: 01-Jun-11

CLIENT: XTO Energy**Client Sample ID:** BGT Closure Comp**Lab Order:** 1105950**Collection Date:** 5/24/2011 2:36:00 PM**Project:** Fullerton Federal 27-11 #14**Date Received:** 5/25/2011**Lab ID:** 1105950-01**Matrix:** SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 418.1: TPH						Analyst: JB
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	6/1/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: XTO Energy

Project: Fullerton Federal 27-11 #14

Work Order: 1105950

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	--------	---------	------	----------	-----------	------	----------	------

Method: EPA Method 418.1: TPH

Sample ID: MB-27004		MBLK				Batch ID: 27004		Analysis Date: 6/1/2011			
Petroleum Hydrocarbons, TR	ND	mg/Kg	20								
Sample ID: LCS-27004		LCS				Batch ID: 27004		Analysis Date: 6/1/2011			
Petroleum Hydrocarbons, TR	102.0	mg/Kg	20	100	0	102	81.4	118			
Sample ID: LCSD-27004		LCSD				Batch ID: 27004		Analysis Date: 6/1/2011			
Petroleum Hydrocarbons, TR	104.6	mg/Kg	20	100	0	105	81.4	118	2.54	8.58	

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	NC	Non-Chlorinated
ND	Not Detected at the Reporting Limit	R	RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name XTO ENERGY

Date Received:

5/25/2011

Work Order Number 1105950

Received by: LNM

Checklist completed by:

Michelle Oprice 5/25/11
Signature Date

Sample ID labels checked by:

[Signature]
Initials

Matrix:

Carrier name: Greyhound

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☒

Yes ☐

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☐

No ☐

N/A ☒

Water - pH acceptable upon receipt?

Yes ☐

No ☐

N/A ☒

Container/Temp Blank temperature?

2.5°

<6° C Acceptable

If given sufficient time to cool.

Number of preserved
bottles checked for
pH:

<2 >12 unless noted
below.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Corrective Action

<h1>Chain-of-Custody Record</h1>		Turn-Around Time:	
Client: <u>XTO</u>		<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush	
Mailing Address: <u>382 ROAD 3100</u>		Project Name: <u>FULLERTON FEDERAL 27-11 #14</u>	
<u>AZTEC, NM 87410</u>		Project #:	
Phone #: <u>505-787-0519</u>		<u>BST CLOSURE COMPOSITE</u>	
email or Fax#: <u>james.mcdaniel@xtoenergy.com</u>		Project Manager:	
QA/QC Package:		<u>JAMES MCDANIEL</u>	
<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Level 4 (Full Validation)		Sampler: <u>BRAO GRIFFITH</u>	
Accreditation		On Ice: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> NELAP <input type="checkbox"/> Other		Sample Temperature: <u>75</u>	
<input type="checkbox"/> EDD (Type)			

☒ Standard ☐ Rush

FULLERTON FEDERAL 27-11
#14

RGT CLOSURE COMPOSITE

JAMES MCDANIEL

On Ice ☒ Yes ☐ No

Sample Temperature: 7

[illegible]

Date: 5/24	Time: 1610	Relinquished by: BlG/FAK	Received by: Christine Waelen	Date 5/24/11	Time 1610
Date: 5/24/11	Time: 1624	Relinquished by: Christine Waelen	Received by: Theresa [Signature]	Date 5/24/11	Time 1700

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

[illegible]

Remarks:

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



James McDaniel /FAR/CTOC
10/10/2011 12:07 PM

To Mark_Kelly@blm.gov
cc
bcc

Subject Fullerton Federal 27-11 #14 BGT Closure

Mark,

Please accept this email as the required notification for BGT Closure activities at the Fullerton Federal 27-11 #14 well site (api #30-045-30825) located in Unit M, Section 14, Township 27N, Range 11W, San Juan County, New Mexico. This BGT is being closed due to the plugging and abandoning of this well location. Thank you for your time in regards to this matter.



James McDaniel, CHMM #15676

EH&S Supervisor

XTO Energy, Inc.

Office # 505-333-3701

Cell # 505-787-0519

James_Mcdaniel@xtoenergy.com



James McDaniel /FAR/CTOC
10/10/2011 12:06 PM

To brandon.powell@state.nm.us
cc
bcc

Subject Fullerton Federal 27-11 #14 BGT Closure

Brandon,

Please accept this email as the required notification for BGT Closure activities at the Fullerton Federal 27-11 #14 well site (api #30-045-30825) located in Unit M, Section 14, Township 27N, Range 11W, San Juan County, New Mexico. This BGT is being closed due to the plugging and abandoning of this well location. Thank you for your time in regards to this matter.



James McDaniel, CHMM #15676

EH&S Supervisor

XTO Energy, Inc.

Office # 505-333-3701

Cell # 505-787-0519

James.Mcdaniel@xtoenergy.com



"Kelly, Jonathan, EMNRD"
<Jonathan.Kelly@state.nm.us>

02/02/2012 07:05 AM

To "Logan_Hixon@xtoenergy.com"
<Logan_Hixon@xtoenergy.com>

cc

bcc

Subject RE: Fullerton Federal 27-11-14 Closure Plan

History: This message has been replied to.

Logan,

The closure plan appears to be in order and has been approved.

Jonathan D. Kelly
Compliance Officer
Oil Conservation Division
Energy, Minerals, & Natural Resources
1000 Rio Brazos, Aztec, NM 87410
(505) 334-6178 ext 122
jonathan.kelly@state.nm.us

-----Original Message-----

From: Logan_Hixon@xtoenergy.com [mailto:Logan_Hixon@xtoenergy.com]
Sent: Wednesday, February 01, 2012 11:59 AM
To: Kelly, Jonathan, EMNRD
Cc: James McDaniel@xtoenergy.com
Subject: Fullerton Federal 27-11-14 Closure Plan

Hi Jonathan,

We were unable to find an approved closure plan for this site in the Sante Fe office. We would like an approved closure plan for this location only.
Thank you Jonathan!

Thank You,
Logan Hixon
Environmental Technician
XTO Energy Inc, An ExxonMobil Subsidiary Western Division
382 CR 3100
Aztec NM 87410
Office: (505) 333-3100
Cell: (505) 386-8018
Email: Logan_Hixon@xtoenergy.com

(See attached file: Fullerton Federal 27-11-14 closure plan.pdf)

XTO Energy, Inc.
Fullerton Federal 27-11-14
Section 14, Township 27N, Range 11W
Closure Date: 10/17/2011




Photo 1: Fullerton Federal 27-11-14 after Reclamation (View 1)




Photo 2: Fullerton Federal 27-11-14 after Reclamation (View 2)



Well Below Tank Inspection Report

RouteName		StopName		Pumper		Foreman	WellName			APIWellNumber	Section	Range	Township
Below Grade Pit Forms (Temp.)		Fullerton Federal 27-11-		Thompson, Ronnie		Unassigned	FULLERTON FED 027 11 14 (PA3004530825				14	11W	27N
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow		Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation	PitType	Notes	
rex	08/07/2008	1100:00	No	No		No	No	No	2				
REX	09/11/2008	10:45	No	No		Yes	No	No	2				
REX	10/17/2008	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0ft 0in			
REX	11/04/2008	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0			
REX	12/16/2008	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0			
REX	02/23/2009	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0			
REX	03/16/2009	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0			
REX	04/27/2009	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0			
REX	05/25/2009	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0			
REX	06/24/2009	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0			
REX	07/30/2009	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0			
REX	08/20/2009	09:15	No	No		Yes	No	No	3	Well Water Pi Below G 0			
REX	10/30/2009	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
REX	11/27/2009	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	12/29/2009	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	01/28/2010	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	02/24/2010	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	03/26/2010	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	04/29/2010	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	05/29/2010	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	06/26/2010	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	08/26/2010	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	09/30/2010	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	12/24/2010	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	01/22/2011	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	02/25/2011	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rex	03/19/2011	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rm	04/20/2011	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rm	05/12/2011	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rm	06/14/2011	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rm	07/11/2011	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rm	08/08/2011	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rm	09/05/2011	10:25	No	No		No	No	No	3	Well Water Pi Below G 0			
rm	10/05/2011	01:18	No	No		No	No	No	3	Well Water Pi Below G 0			