

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a general plan? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com
Address: 3401 East 30th Street, Farmington, New Mexico, 87402
Facility or well name: Skelly State Com No. 1 API #: 30045064620000 U/L or Otr/Otr P Sec 16 T 27N R 9W
County: San Juan Latitude 36.57202 Longitude -107.7882 NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐

Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: <u>60</u> bbl Type of fluid: <u>Produced Water and Incidental Oil</u> Construction material: <u>Fiberglass</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. <u>No. Tank in place prior to Rule 50.</u>
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points) 20
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 20
Ranking Score (Total Points) 40	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility Envirotech Landfarm 2. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

This is a revised Below Grade Tank Closure Packet, revised to include OVM readings omitted from previous field forms.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 4/12/05

Printed Name/Title Mr. Ed Hasely, Environmental Advisor

Signature Ed Hasely

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title Denny Fent

Signature Denny Fent

DEPUTY OIL & GAS INSPECTOR, DIST. 89

APR 14 2005
Date:

CLIENT Burlington Resources

ENVIROTECH INC.
ENVIRONMENTAL SCIENTISTS & ENGINEERS
 5796 U.S. HIGHWAY 64-3014
 FARMINGTON, NEW MEXICO 87401
 PHONE (505) 632-0615

LOCATION NO.

CEN. NO.

FIELD REPORT: CLOSURE VERIFICATION

PAGE NO. 1 OF 1

LOCATION: NAME Skelly State Com WELL # 1 PIT:
 QUAD/UNIT: P SEC: 16 TWP: 27N RNG: 9W PM: NMAM CNTY: SJ ST: NM
 QTR/FOOTAGE: CONTRACTOR: L&R

DATE STARTED 1/25/05
 DATE FINISHED 1/26/05
 ENVIRONMENTAL SPECIALIST MPM

EXCAVATION APPROX 22 FT. x 22 FT. x 10 FT DEEP CUBIC YARDAGE: 120

DISPOSAL FACILITY: Envirotech LF #2 REMEDIATION METHOD:

LAND USE: LEASE: B 1137023 FORMATION:

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 109 FT. 135° FROM WELLHEAD.

DEPTH TO GROUNDWATER: 20 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 20

NMCD RANKING SCORE: 40 NMCD TPH CLOSURE STD: 100 PPM

SOIL AND EXCAVATION DESCRIPTION:

CHECK ONE:
☐ PIT ABANDONED
☒ STEEL TANK INSTALLED

1/25 Appears to be fine black line about 2' from surface on Southern wall.
 Will finish excavating tomorrow

1/26 On arrival. L&R crew had already excavated on pit area. Gave Adrian instructions to clean up slop in pit. Estimate 70-80 yds contaminated soil

FIELD 418.1 CALCULATIONS

	TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
Δ 1/25	1645	5 Pt Comp (A)	1	5	20	1	0.055	382
□ 1/26	1135	5 Pt Comp (B)	2	5	20	1	0.0251	174
○ 1/26	1225	5 Pt Comp (C)	3	5	20	1	0.0091	63.2

SCALE




0 FT

PIT PERIMETER

OVM RESULTS

PIT PROFILE



TRAVEL NOTES: CALLOUT: ONSITE:

**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**


Client:	Burlington Resources	Project #:	92115-021-019
Sample No.:	1	Date Reported:	2/23/2005
Sample ID:	5 Point Composite @ dimensions 15' x 15' x 10' depth	Date Sampled:	1/25/2005
		Date Analyzed:	1/25/2005
Sample Matrix:	Soil	Analysis Needed:	TPH-418.1
Preservative:	Cool		
Condition:	Cool and Intact		


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	382	5.0

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Skelly State Com 1**


Analyst


Review

**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**


Client:	Burlington Resources	Project #:	92115-021-019
Sample No.:	2	Date Reported:	1/27/2005
Sample ID:	5 Point Composite @ dimensions 19' x 19' x 10' depth	Date Sampled:	1/26/2005
		Date Analyzed:	1/26/2005
Sample Matrix:	Soil	Analysis Needed:	TPH-418.1
Preservative:	Cool		
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	174	5.0


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Skelly State Com 1**



Analyst



Review

**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**

Client:	Burlington Resources	Project #:	92115-021-019
Sample No.:	3	Date Reported:	1/27/2005
Sample ID:	(3rd) 5 Point Composite	Date Sampled:	1/26/2005
Sample Matrix:	Soil	Date Analyzed:	1/26/2005
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	63.1	5.0

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Waste and Waste, USEPA Storet No. 4551, 1978.

Comments: **Skelly State Com 1**

Analyst

Review