State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

District III

Department Oil Conservation Division 1220 South St. Francis Dr.

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

		5
۵	(gU	ر /

1000 Rio Brazos Rd , Aztec, NM 87410 <u>District IV</u> 1220 S St Francis Dr , Santa Fe, NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office		
	losed-Loop System, Below-	Grade Tank or		
Proposed A	lternative Method Permit or	·		
Proposed A	ternative wethod I emit of	or Closure I lan Application		
Type of action: Perr	nit of a pit, closed-loop system, below-	r-grade tank, or proposed alternative method		
X Clos	sure of a pit, closed-loop system, below	w-grade tank, or proposed alternative method		
Mod	lification to an existing permit			
	sure plan only submitted for an existing w-grade tank, or proposed alternative r	ng permitted or non-permitted pit, closed-loop system, method		
Instructions: Please submit one application	n (Form C-144) per individual pit, clo	losed-loop system, below-grade tank or alternative request		
		operations result in pollution of surface water, ground water or the		
environment Nor does approval relieve the oper	ator of its responsibility to comply with any other a	applicable governmental authority's rules, regulations or ordinances		
Operator ConocoPhillips Company		OGRID#: <u>217817</u>		
Address: PO Box 4289, Farmington, NM 8	37499			
Facility or well name: State Com 42				
API Number: 30-045-22	588 OCD Permi	nit Number		
U/L or Qtr/Qtr: G(SW/NE) Section: 3	2 Township: 31N Range	ge: 9W County San Juan		
Center of Proposed Design Latitude:	36.856998 °N Longitud	de. 107.8000. °W NAD X 1927 1983		
Surface Owner.	state Private Tribal Trust of	or Indian Allotment		
Pit: Subsection F or G of 19 15 17 11 NMA Temporary Drilling Workover Permanent Emergency Cavitation Lined Unlined Liner type String-Reinforced Liner Seams Welded Factory	C P&A Thickness mil LLD Other Volume	RCVD FEE 23 12 OIL CONS. DIV. DIST. 3 DPE HDPE PVC Otherbbl Dimensions L x W x D		
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation X P&A				
Liner Seams Welded Factory 4 Below-grade tank: Subsection I of 19 15	Other			
Volume bbl Type of fluid				
Tank Construction material	75			
Secondary containment with leak detection	Visible sidewalls, liner, 6-inch lift	t and automatic overflow shut-off		
	sible sidewalls only Other	t and automatic overnow snar-on		
Liner Type Thickness mil	'	Other		

Alternative Method:

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		•
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	│	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		□Na
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	☐ Yes ☐NA	∐No
 Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	No
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Leach of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9. Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC. Design Plan - based upon the appropriate requirements of 19 15 17 12 NMAC. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9.			
NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC			
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Closure Figure Valsed upon the appropriate requirements of subsection C of 15 15 17 5 14 7 15			
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Buria! On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions. Each of the following items must be attached to the closure plan			
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

16		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two		
facilities are required Disposal Facility Name	Disposal Facility Permit #	
Disposal Facility Name Disposal Facility Name	Disposal Facility Permit #	
Will any of the proposed closed-loop system operations and associated ac		service and
Required for impacted areas which will not be used for future service and opera	tions	
Soil Backfill and Cover Design Specification - based upon the app	propriate requirements of Subsection H of 19 15 17 13 NMA	AC .
Re-vegetation Plan - based upon the appropriate requirements of S Site Reclamation Plan - based upon the appropriate requirements of S		
Site recommend that based upon the appropriate requirements	A Subsection G of 19 13 17 13 HMAC	
17 Situa Critturia (Degardina en cita eleguna methodo entre 10 15 17 10)	NIMA C	
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 1 Instructions Each string criteria requires a demonstration of compliance in the closure		helow Requests regarding changes to
certain siting criteria may require administrative approval from the appropriate district office for consideration of approval—Justifications and/or demonstrations of equivalent	ct office or may be considered an exception which must be submitted to	
Ground water is less than 50 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - (WATERS database search, USGS) Date of the State Engineer - (WATERS database search, USGS) Date of the State Engineer - (WATERS database search, USGS) Date of the State Engineer - (WATERS database search, USGS) Date of the State Engineer - (WATERS database search, USGS) Date of the State Engineer - (WATERS database search, USGS) Date of the State Engineer - (WATERS database search, USGS) Date of the State Engineer - (WATERS database search, USGS) Date of the State Engineer - (WATERS database search, USGS) Date of the State Engineer - (WATERS database search) Date of the State Engineer - (WATERS data	a obtained from nearby wells	N/A
Ground water is between 50 and 100 feet below the bottom of the buried	waste	Yes No
- NM Office of the State Engineer - (WATERS database search, USGS, D	a obtained from nearby wells	□N/A
Ground water is more than 100 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - IWATERS database search, USGS, Dat		□ _{N/A} □
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s	ignificant watercourse or lakebed, sinkhole, or playa lake	☐Yes ☐No
(measured from the ordinary high-water mark)	, , , ,	
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or churc - Visual inspection (certification) of the proposed site, Aerial photo, satellite	• •	∐Yes ∐No
- Visual inspection (certification) of the proposed site, Actual photo, satellite	mage	□Yes □No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering		
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in	**	
 NM Office of the State Engineer - iWATERS database, Visual inspection (in Within incorporated municipal boundaries or within a defined municipal fresh was 		□Yes □No
pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approva	·	
Within 500 feet of a wetland	rotained from the municipality	□Yes □No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visua	I inspection (certification) of the proposed site	
Within the area overlying a subsurface mine		Yes No
- Written confiramtion or verification or map from the NM EMNRD-Mining	and Mineral Division	
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology	& Mineral Resources TISGS NM Geological Society	∐Yes ∐No
Topographic map	a militar resources, escap, run ecological society,	
Within a 100-year floodplain - FEMA map		Yes No
18		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: by a check mark in the box, that the documents are attached.	Each of the following items must bee attached to the closu	re plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appro	opriate requirements of 19 15 17 10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate require	rements of Subsection F of 19 15 17 13 NMAC	
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC		
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC		

19				
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate as	nd complete to the best of my knowledge and belief			
Name (Print)	Title			
Signature	Date			
e-mail address	Telephone			
20				
	osure Plan (only) OCD Conditions (see attachment)			
OCD Representative Signature:				
OCD Representative Signature:	Approval Date: 2/24/2012			
Title: (ompliance Office)	OCD Permit Number:			
	V			
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 1/20/2012				
22 Closure Method: Waste Excavation and Removal On-site Closure Method	Alternative Closure Method X Waste Removal (Closed-loop systems only)			
If different from approved plan, please explain	A made removal (closed toop systems emy)			
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems The	at Utiliza Abaya Cround Stool Tanks or Haul-off Rine Only			
Instructions: Please identify the facility or facilities for where the liquids, drilling fl				
were utilized				
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit Number NM-01-0011 / NM-01-0010B			
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit Number NM-01-005			
Were the closed-loop system operations and associated activities performed on or	in areas that will not be used for future service and opeartions?			
Yes (If yes, please demonstrate complilane to the items below)				
Required for impacted areas which will not be used for future service and operati	ons			
Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
the box, that the documents are attached.	g items must be attached to the closure report Please indicate, by a check mark in			
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)				
·	Longitude NAD 1927 1983			
25				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that				
the closure complies with all applicable closure requirements and conditions specifie	ed in the approved closure plan			
Name (Print) CRYSTAL TAFOYA	Title STAFF REGULATORY TECHNICIAN			
Signature Stal Tajaya	Date 2/22/2012			
e-mail address <u>crystal tafoya@conocophillips com</u>	Telephone (505) 326-9837			