District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	1
- a0	1
980	
•	

Pit, Closed-Loop System,	Below-Grade Tank, or								
Proposed Alternative Method Per	nit or Closure Plan Application								
Z Closure of a pit, closed-loop syste Modification to an existing permi	n existing permitted or non-permitted pit, closed-loop system,								
Instructions: Please submit one application (Form C-144) per indivi	dual pit, closed-loop system, below-grade tank or alternative request								
Please be advised that approval of this request does not relieve the operator of liability environment. Nor does approval relieve the operator of its responsibility to comply with	should operations result in pollution of surface water, ground water or the ith any other applicable governmental authority's rules, regulations or ordinances.								
Operator: Energen Resources Corporation	OGRID #: _ <b>162928</b>								
Address: 2010 Afton Place, Farmington, NM 87401									
Facility or well name: Arboles 20A #10									
API Number: 30-039-30291									
U/L or Qtr/Qtr M Section 21 Township 3.									
Center of Proposed Design: Latitude 36.96769 N									
Surface Owner: X Federal State Private Tribal Trust or Indian A	-								
2									
Pit: Subsection F or G of 19.15.17.11 NMAC	RCVD MAR 20 '12								
Temporary: · ¬Drilling □ Workover	OIL CONS. DIV.								
□ Permanent □ Emergency □ Cavitation □ P&A DIST. 3									
Lined Unlined Liner type: Thicknessmil 🕱 LLDP									
☐ String-Reinforced									
Liner Seams:  Welded  Tactory  Other	Volume: bbl Dimensions: L x Wx D								
2									
Closed-loop System: Subsection H of 19.15.17.11 NMAC									
• •	ng (Applies to activities which require prior approval of a permit or notice of								
☐ Drying Pad ☐ Above Ground Steel Tanks 🗷 Haul-off Bins ☐ Oth	ner								
Lined Unlined Liner type: Thickness mil LL	DPE HDPE PVC Other								
Liner Seams: Welded Factory Other									
4									
Below-grade tank: Subsection I of 19.15.17.11 NMAC									
Volume: bbl Type of fluid:									
Tank Construction material:									
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner,	6-inch lift and automatic overflow shut-off								
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other									
Liner type: Thickness mil \( \subseteq \text{LLDPE} \subseteq \text{HDPE} \subseteq \text{PVC} \subseteq \text{Other}									

Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)							
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, scho institution or church)	ol, hospital,						
Four foot height, four strands of barbed wire evenly spaced between one and four feet							
Alternate. Please specify							
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)							
Screen Netting Other							
Monthly inspections (If netting or screening is not physically feasible)							
Signs: Subsection C of 19.15.17.11 NMAC							
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers							
☐ Signed in compliance with 19.15.3.103 NMAC							
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bur consideration of approval.	eau office for						
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.							
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of ac material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the application of may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drabove-grade tanks associated with a closed-loop system.	propriate district of approval.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐No						
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No						
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No						
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No						
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No						
Within a 100-year floodplain FEMA map	☐ Yes ☐ No						

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon  Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19.15.17.12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal  Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids	and Steel Tanks or Haul-off Bins Only: (19.15.17.13.I s, drilling fluids and drill cuttings. Use attachment if mo	O NMAC) re than two							
facilities are required.  Disposal Facility Name:	_ Disposal Facility Permit Number:								
Disposal Facility Name: Disposal Facility Permit Number:									
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below)									
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC									
Siting Criteria (regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in provided below. Requests regarding changes to certain siting criteria may red be considered an exception which must be submitted to the Santa Fe Environ and/or demonstrations of equivalency are required. Please refer to 19.15.17.	the closure plan. Recommendations of acceptable sou quire administrative approval from the appropriate dist mental Bureau office for consideration of approval. J	trict office or may							
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS;	Data obtained from nearby wells	☐ Yes ☐No ☐ NA							
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells									
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells									
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site									
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image									
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site									
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality									
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site									
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division									
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map									
Within a 100-year floodplain FEMA map		☐ Yes ☐No							
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each o by a check mark in the box, that the documents are attached.	f the following items must be attached to the closure pla	an. Please indicate,							
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of-19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC									

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate ar	nd complete to the best of my knowledge and belief.								
Name (Print):	Title:								
Signature:	Date:								
e-mail address:	Telephone:								
OCD Representative Signature:	e Plan (only) OCD Conditions (see attachment)  Approval Date: 3/20/2012								
Title: Compliance Office OCD	Permit Number:								
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date: 6/12/11									
22	Closure Completion Date: 6/12/11								
Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Clo  If different from approved plan, please explain.	sure Method 🗷 Waste Removal (Closed-loop systems only)								
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name: IEI/JFJ Landfarm Disposal Facility Permit Number: NM-01-0010B									
Disposal Facility Name: Disposal Facility Permit Number:									
Were the closed-loop system operations and associated activities performed on or in are Yes (If yes, please demonstrate compliance to the items below)	eas that will not be used for future service and operations?								
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Boil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique									
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: 1927 1983									
25.									
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.									
Name (Print): Anna Stotts	Title: Regulatory Analyst								
Signature: WASTO	Date: 3/13/12								
e-mail address: astotts@energen.com	Telephone: 505-324-4154								

Submit to Appropri Five Copies District I 1625 N French Dr				Energy, Minerals and Natural Resources								orm C- July 17,								
District II. 1301 W Grand Av District III. 1000 Rio Brazos R District IV.	•	•			OIL CONSERVATION DIVISION 1220 South St. Francis Dr.							1. WELL API NO.     30-039-30291     2. Type Of Lease     ☐ STATE ☐ FEE ☒ FED/INDIAN								
1220 S St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505									3. State Oil & Gas Lease No.											
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																				
4. Reason for fil	ling:										j	5. Lea	se Nai	ne o	r Unit A	green	nent Nar			
COMPLI	ETION RE	EPOF	RT (Fill in bo	oxes #1	through #31 fo	or State and F	ee well	s onl	ly)			Ar	bole	es 2	20A					
C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)  6. Well Number #10																				
9. Type of Com	WELL [	] w	ORKOVER		DEEPENING [	□ PLUGBA	ACK [	D C	IFFERE	ENT F	RESERVO	oir [	TO D	HEF	≀ clos	ed :	loop o	losure		
8. Name of Ope												9. OGRID Number								
Energen F		es C	<u>Orporati</u>	.on									1629 ool na		or Wilde	at				
2010 Aft	•	∍,	Farmingt	on,	NM 87401							11. Pool name or Wildcat  Basin Fruitland Coal								
12. Location	Unit Lette	$\neg \neg$	Section		Township	Range	L	ot		Feet f	from the	N/S Line			from the			County		
Surface <sup>-</sup>	М	ļ	21		32N	04W						<u> </u>				丄		<u> </u>		
BH:	. T.:				1	<u> </u>						<u> </u>				<u></u>				
13. Date Spudde	ed   14.	Date	T.D Reach	ed	15. Date Rig 6/12/2				16. Dat	e Cor	mpleted (I	Ready to	Prod	uce)	17.   RT	Elev , GR	vations (.	DF & RKE	3,	
18. Total Measu	ired Depth	of W	ell		19. Plug Bac	k Measured	Depth		20. Wa	s Dire	ectional S	urvey M	lade	2	l. Type	Elec	tric and	Other Logs	s Run	
22. Producing In	nterval(s), o	of this	s completion	- Top,	Bottom, Name			!												
23.	•				CASING R	ECORD	(Rep	ort a	all stri	ngs	set in v	well)								
CASING S	SIZE	Ŋ	EIGHT LB.	/FT.	FT. DEPTH SET HOL				OLE SIZE (			CEMENTING RECOR			ORD	ORD AMOUNT PULLED			LED	
			_														ļ			
																	<u> </u>			
<del>                                     </del>																				
																	<del> </del>			
24.		l .		LIN	IER RECOR	D	1				25.		TU	BIN	IG RE	COF	RD.			
SIZE	TOI	P			OTTOM SACKS CEMENT				SCREEN SIZI						DEPTH SET			PACKER S	SET	
26. Perforation	record (int	terval	, size, and nu	ımber)							HOT, FR									
								1	<u>DEPTH I</u>	NIE	KVAL	AM	OUN	<u>I Ar</u>	ND KINI	J MA	ATERIA	_ USED		
	<u>-</u>					-		$oldsymbol{\perp}$												
28. Date First Produ	ation		Dec ducti	ion Ma	thod (Flowing		ODUC				n)			$\overline{}$	Wall Ct	otus /	Duad ou	Shut-in)		
Date Flist Floud	Ction		Fioducti	ion ivic	ulou (riowing	, gas tijt, pai	mping - i	312e C	ини туре	pump	u)				wen st	atus (	1 10a. or	Snut-inj		
Date of Test		Hour	s Tested	T	Choke Size	Prod'n Fo Test Perio		Oil -	Oil - Bbl. Gas - M		Gas - M	MCF W		Water - Bbl.		1	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure			Calculated 24- Oil - Bbl Hour Rate			Gas - MCF Wa		ater - Bbl.			Oil Gravity - API -(Corr.,		orr.)						
29. Disposition of Gas (Sold, used for fuel, vented, etc.)						-					30 T	est V	Vitnesse	d By						
31. List Attachments																				
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																				
33. If an on-site	burial was	used	at the well,	report	the exact location	on of the on-			. 96774	1	Long	itude	-10	07.:	26656	N	AD:	1927 <b>X</b> 1	983	
I hereby certify	v		( ' \	wn on	-	-	s true a	nd c	omplete	to th	he best o	f my kn	owle	dge i	and bel	ief				
Signature Anna Stotts  Printed Anna Stotts  Title Regulatory Analyst Date 3/14/12  E-mail address astotts@energen.com																				