District I 1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave, Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410

District IV

State of New Mexico **Energy Minerals and Natural Resources** 

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application  Type of action:	1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
Type of action:		Pit, Closed-Loop System, Below-Grade Tank, or
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method   Modification to an existing permit   Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method   Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request   Please be advosed the appired of this request does not relieve the operator of labelity about dependencement authory's rules, ground water or the construents for does applicable governmental authory's rules, regulations or ordinances	Propo	osed Alternative Method Permit or Closure Plan Application
Modification to an existing permit   Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method    Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or atternative request   Please be advoised that application this request does not relieve the operator of labeling should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its requestability to comply with any other applicable governmental authority rules, regulations or ordinances   Operator: Burtlington Resources Oil & Gas Company, LP	Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure plan only submitted for an existing permitted pit, closed-loop system, below-grade tank, or proposed alternative method  Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request  Please be advosed that approval of this request does not relieve the operator of habity should operations result in pollution of surface water, ground water or the environment. Nor does approval celieve the operator of its responsibility to comply with any other applicable governmental unflority's rolles, regulations or ordinances    Operator: Burlington Resources Oil & Gas Company, LP	•	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Delow-grade tank, or proposed alternative method   Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request		Modification to an existing permit
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request   Please be advised that applicated of this request does not relieve the operator of tabelity should operations scale in pollution of surface water, grained water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances		
Please he advased that approval of this request does not reheve the operator of habiting should operations result in pollution of surface water, ground water or the environment for does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.    Top   Facility or well name:   Cozzens C 1		
Content of Proposed Design: Latitude: 36.71625		
Address: PO Box 4289, Farmington, NM 87499  Facility or well name: Cozzens C 1  API Number: 30-045-08134 OCD Permit Number  U/L or Qtr/Qtr: B(NW/NE) Section: 20 Township: 29N Range: 11W County: San Juan  Center of Proposed Design: Latitude: 36.71625 °N Longitude: 108.01256 °W NAD: \$\tilde{N}\$ 1927 1983  Surface Owner: \$\tilde{N}\$ Federal		
Address: PO Box 4289, Farmington, NM 87499  Facility or well name: Cozzens C 1  API Number: 30-045-08134 OCD Permit Number  U/L or Qtr/Qtr: B(NWNE) Section: 20 Township: 29N Range: 11W County: San Juan  Center of Proposed Design: Latitude: 36.71625 °N Longitude: 108.01256 °W NAD: \$\tilde{X}\$ 1927 1983  Surface Owner: \$\tilde{X}\$ Federal		0.0 C C V.D 0.0
Facility or well name: Cozzens C 1  API Number: 30-045-08134 OCD Permit Number  U/L or Qtr/Qtr: B(NW/NE) Section: 20 Township: 29N Range: 11W County: San Juan  Center of Proposed Design: Latitude: 36.71625		
API Number: 30-045-08134 OCD Permit Number  U/L or Qtr/Qtr: B(NW/NE) Section: 20 Township: 29N Range: 11W County: San Juan  Center of Proposed Design: Latitude: 36.71625 °N Longitude: 108.01256 °W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment     Pit: Subsection F or G of 19 15 17 11 NMAC		
U/L or Qtt/Qtr: B(NW/NE) Section: 20 Township: 29N Range: 11W County: San Juan  Center of Proposed Design: Latitude: 36.71625 °N Longitude: 108.01256 °W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment     Pit: Subsection F or G of 19 15 17 11 NMAC		
Center of Proposed Design: Latitude: 36.71625 °N Longitude: 108.01256 °W NAD: \$\tilde{\text{N}}\$ 1927   1983 Surface Owner: \$\tilde{\text{X}}\$ Federal		
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment    Pit: Subsection F or G of 19 15 17 11 NMAC	, , , , , , , , , , , , , , , , , , ,	
Pit: Subsection F or G of 19 15 17 11 NMAC	I	
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary		
Temporary Drilling Workover    Permanent   Emergency   Cavitation   P&A     Lined   Unlined   Liner type   Thickness   mil   LLDPE   HDPE   PVC   Other   DIST. 3     String-Reinforced     Liner Seams   Welded   Factory   Other   Volume   bbl   Dimensions L   x W   x D     3   X   Closed-loop System: Subsection H of 19 15 17 11 NMAC     Type of Operation   X P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)     Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins   Other     Lined   Unlined   Liner type   Thickness   mil   LLDPE   HDPE   PVD   Other     Liner Seams   Welded   Factory   Other     4   Relow-grade tank: Subsection I of 19.15 17 11 NMAC     Volume   bbl   Type of fluid     Tank Construction material   Secondary containment with leak detection   Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off     Visible sidewalls and liner   Visible sidewalls only   Other	<del> </del>	7 11 NMAC DATE SAME SAME SAME SAME SAME SAME SAME SAM
Permanent   Emergency   Cavitation   P&A   Lined   Unlined   Liner type   Thickness   mil   LLDPE   HDPE   PVC   Other   DIST. 3	<b>-</b>	KCVD ULU THE THE
String-Reinforced  Liner Seams		Cavitation P&A
Liner Seams   Welded   Factory   Other   Volume   bbl   Dimensions L   x W   x D      3   X   Closed-loop System: Subsection H of 19 15 17 11 NMAC   Type of Operation   X   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)    Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins   Other     Lined   Unlined   Liner type   Thickness   mil   LLDPE   HDPE   PVD   Other     Liner Seams   Welded   Factory   Other      4   Below-grade tank: Subsection I of 19.15 17 11 NMAC   Volume   bbl   Type of fluid     Tank Construction material   Secondary containment with leak detection   Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off   Visible sidewalls and liner   Visible sidewalls only   Other	Lined Unlined Li	ner type Thickness mil LLDPE HDPE PVC Other DIST. 3
Subsection H of 19 15 17 11 NMAC   Type of Operation   X P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins   Other   Lined   Unlined   Liner type   Thickness   mil   LLDPE   HDPE   PVD   Other   Liner Seams   Welded   Factory   Other   Other   Tank Construction material   Secondary containment with leak detection   Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off   Visible sidewalls and liner   Visible sidewalls only   Other   Other	String-Reinforced	
X   Closed-loop System: Subsection H of 19 15 17 11 NMAC   Type of Operation   X   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)    Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins   Other	Liner Seams Welded Fa	actory Other Volume. bbl Dimensions L x W x D
X   Closed-loop System: Subsection H of 19 15 17 11 NMAC   Type of Operation   X   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)    Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins   Other	3	
notice of intent)  Drying Pad X Above Ground Steel Tanks		tion H of 19 15 17 11 NMAC
Drying Pad X Above Ground Steel Tanks		
Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other  Liner Seams Welded Factory Other     Below-grade tank: Subsection I of 19.15 17 11 NMAC	1 <u> </u>	·
Liner Seams		
Below-grade tank: Subsection I of 19.15 17 11 NMAC  Volume	Liner Seams Welded Fa	actory Other
Below-grade tank: Subsection I of 19.15 17 11 NMAC  Volume	4	
Tank Construction material  Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner  Visible sidewalls only  Other	'	I of 19.15 17 11 NMAC
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other	Volumeb	bbl Type of fluid
Visible sidewalls and liner Visible sidewalls only Other	— —	
I DIRECTOR THICKNESS THE LABOUR LIPPE LIPPE LIPPE	\ <u></u>	<u> </u>
The type the type the type the type type type type type type type typ	Linei Type Tnickness	milHDPEPVCJOther

**Alternative Method:** 

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	titution or chu	rch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate Please specify		
7	-	
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		<u></u>
Signs: Subsection C of 19 15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of an	proval
(Fencing/BGT Liner)		•
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
10		
Siting Criteria (regarding permitting) 19 15.17 10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	□Yes	$\square_{No}$
(measured from the ordinary high-water mark).		
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)		
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a westland	Yes	□No
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.	Yes	No
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map	_	_
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API  or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15.17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative   Proposed Closure Method   Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions Please identify the facility or facilities for the disposal of liquids, drilling fl.				
facilities are required				
Disposal Facility Name D	isposal Facility Permit #			
	isposal Facility Permit #:			
Will any of the proposed closed-loop system operations and associated activities  Yes (If yes, please provide the information No	occur on or in areas that will not be used for future s	service and		
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
Site Regardation France Season the appropriate requirements of Buose	ation 6 of 15 16 17 15 Tivine			
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - 1WATERS database search, USGS. Data obtain	ed from nearby wells	∐N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained	ed from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried waste		□Yes □No		
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained	ed from nearby wells	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		
•		☐ ☐Yes ☐No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark)	t watercourse or lakeoed, sinkhole, or playa lake	YesNo		
- Topographic map, Visual inspection (certification) of the proposed site		∏Yes ∏No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	stence at the time of initial application	∐Yes ∐No		
- visual hispection (certification) of the proposed site, Acriai photo, satellite image		Пуез Пуо		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existent - NM Office of the State Engineer - iWATERS database, Visual inspection (certificat	ce at the time of the initial application			
Within incorporated municipal boundaries or within a defined municipal fresh water well pursuant to NMSA 1978, Section 3-27-3, as amended	field covered under a municipal ordinance adopted	Yes No		
- Written confirmation or verification from the municipality, Written approval obtained	ed from the municipality			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspect	tion (certification) of the proposed site	YesNo		
Within the area overlying a subsurface mine	ion (commence) or the proposed one	□Yes □No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and Min	eral Division			
Within an unstable area		Yes No		
- Engineering measures incorporated into the design, NM Bureau of Geology & Mine	ral Resources, USGS, NM Geological Society,			
Topographic map				
Within a 100-year floodplain - FEMA map		∐Yes ∐No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,				
by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection				
Stre Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Contifications
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print)  Title
Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan)
OCD Representative Signature: Approval Date: 4/9/2012
Title: Comprance Chec OCD Permit Number:
Thic. 1-0 propries of ACIEC O GENT AMERICAN
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed
X Closure Completion Date: 2/16/2012
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
22
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u>
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number. NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate comphlane to the items below)
Required for impacted areas which will not be used for future service and operations
Ste Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Date 3/14/2012
e-mail addresscrystal tafoya@conocophillips com Telephone(505) 326-9837