1625 N French Dr , Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210 District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

97	4	б
----	---	---

1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD Distri	ct Office
, <u> </u>		n, Below-Grade Tank, or	.•
148 Propo	osed Alternative Method	Permit or Closure Plan Applica	<u>tion</u>
Type of action:	Closure of a pit, closed-loop s  X Modification to an existing pe  Closure plan only submitted for below-grade tank, or proposed	or an existing permitted or non-permitted pit.	closed-loop system,
Please be advised that approval o environment Nor does approval reli	f this request does not relieve the operator of li	hability should operations result in pollution of surface wate	er, ground water or the
Operator: Burlington Resources Oi Address: PO Box 4289, Farmingto	n, NM 87499	OGRID#: <u>14538</u>	
Facility or well name: San Juan 27-		OCD D	
API Number: 30  U/L or Qtr/Qtr: A(NE/NE) Section  Center of Proposed Design: Latitude  Surface Owner: X Federal	: 36.59146 °N	OCD Permit Number.  Range: 4W County: Rio  Longitude: 107.28571 °W  Tribal Trust or Indian Allotment	Arriba NAD: X 1927 1983
Permanent Emergency C Lined Unlined Li String-Reinforced	7.11 NMAC  kover  Cavitation P&A  ner type Thickness mi  actory Other	ILLDPE HDPE PVC Ott	
Type of Operation P&A  Drying Pad X Above Grou  Lined Unlined Line	ion H of 19 15 17.11 NMAC  Drilling a new well X Workover notice of ir nd Steel Tanks Haul-off Bins r type. Thickness mil actory Other	or Drilling (Applies to activities which require printent)  Other  LLDPE HDPE PVD Othe	., .
	- L	ner, 6-inch lift and automatic overflow shut-off Other C Other	
5 Alternative Method: Submittal of an exception request is rea	nured. Exceptions must be submitted to	o the Santa Fe Environmental Bureau office for co	insideration of approval

Chain link, is bette in length, two strains of Purbed wire at the followed with 1600 feet of a permanent residence, school, hospital, materiation or advancely and for height, four strands of burbed wire evently spaced between one and four feet.  Advanced Pices apock?  **Rettlings** Subsection C of 19 15 17 11 NMAC (Applies to permanent pure and permanent open top turbs)  **Steems** Some** Some** Some** Some** Some** Subsection C of 19 15 17 11 NMAC (Applies to permanent pure and permanent open top turbs)  **Steems** Some** Some*	Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
The content of the benefit of four strongs of bashed were evenly spaced between one and four feet	Currence: Guoscotton B 61 17 17 17 17 17 17 17 17 17 17 17 17 17		
Alternate Please specify    Subsection E of 19 15 17 11 NMAC (Applean to parameter pass and permanent pass pass pass pass pass pass pass pas	Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, installation of the control of the con	stitution or chi	rch)
Sting   Subjection It of 19 15 17 II NMAC (Apples to permanent ups and permanent agen top tanks)	Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Server   Nemm   Other   Nemm   Other   Server   Nemm   Nemm   Other   Nemm   Nemm   Other   Nemm	Alternate Please specify		
Screen   Neuma   Other			
Monthly inspections (If naturage or servening is not physically feasible)			
Signes: Subsection C of 19 15 17 11 NMAC    12 * X34*; 22* lettering, providing Operator's name, site location, and emergency telephone numbers   Signed in compliance with 19 15 3 103 NMAC    Administrative Approvals and Exceptions:     Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance   Please checks to sit for me more of the following is requested, if not town blank:     Administrative approvals) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Peneting/BGT Liner)     Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval (Peneting/BGT Liner)     Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval (Peneting/BGT Liner)     Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval (Peneting/BGT Liner)     Exception(s) Requests regarding changes to certain stiling criteria below in the application. Recommendations of acceptable source nativities are provided below. Requests regarding changes to certain stiling criteria may require administrative approval from the application of approval, applicant must attend in submitted to the Santa Fe Environmental Bureau Office for consideration of approval, applicant must attend in submitted to the Santa Fe Environmental Bureau Office for consideration of approval application of the Santa Fe Environmental Bureau Office for consideration of approval application of the Santa Fe Environmental Bureau office of the Santa Fe Environmental Bureau offi			
Signed in compliance with 19 13 70 NMAC    3	Monthly inspections (If neiting or screening is not physically feasible)		
12 * X 24*, 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions:    Nutrifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance   Please check a hax if one or more of the following is requested, if not leave blank:   Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/RGT Liner)   Exception(s)   Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
Administrative Approvals and Exceptions:		<del></del>	
Please check a hox if mu or more of the following is requested, if not leave blank:   Administrative approvals(), Requests must be submitted to the appropriate division of the Santa Fe Environmental Bureau office for consideration of approval (Feacing/BCT Liner)   Exception(s)   Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval (Feacing/BCT Liner)   Exception(s)   Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval			
Geneing/BGT Lines	Please check a box if one or more of the following is requested, if not leave blank:		
Siting Criteria (regarding permitting): 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each sting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain sting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attack justification for request. Please refer to 19.13.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.  Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells  Within 300 feet for a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site within a control from the municipal fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site within incorporated municipal boundaries or within a defined municipal fresh water well or spring, in existence at the time	· · · · · · · · · · · · · · · · · · ·	sideration of ap	proval
Siting Criteria (regarding permitting): 19 15.17.10 NMAC Instructions: The upplicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be consideration acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be consideration of approval. Application must attack justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.  Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - 1WATERS database search; USGS, Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site.  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizonal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site  Within 1000 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map;	Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting): 19 15.17.10 NMAC Instructions: The upplicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain sting criteria may require administrative approval from the appropriate district office or may be consideration experient which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attack justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.  Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa take (measured from the ordinary high-water mark).  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  NM Office of the State Engineer - IWATERS database search, Visual inspection (certification) of the proposed site  Within 1000 horizonal feet of a private, domestic fresh water well or spring, in existence at the time of initial application.  No observated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Within 1000 feet of a wetland.  US Fish	10	T	
source material are provided below. Requests regarding changes to certain sting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Sante F Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-lanks associated with a clossed-loop system.  Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - 1WATERS database search; USGS, Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pus)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizonal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site  Within 500 horizonal feet of any other fresh water well or spring that less than five households use for domestic or stock watering purposes, or within			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.  Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - 1WATERS database search; USGS, Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizonal feet of any other fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizonal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipality  Within 500 feet of a			
Cround water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.   NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells   Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.   Applied to permanent puts    Visual inspection (certification) of the proposed site, Aerial photo; Satellite image   Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.   Applied to permanent puts    Visual inspection (certification) of the proposed site, Aerial photo; Satellite image   Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.   Applied to permanent puts    Visual inspection (certification) of the proposed site, Aerial photo; Satellite image   Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.   NA		,	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa take (measured from the ordinary high-water mark).  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  No  No  (Applied to permanent pits)  No  No  (Applied to permanent pits)  No  No  Mortice of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Within 600 feet of a wettand.  US Fish and Wildlife Welland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within an unstable area.  Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain	consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NMO office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Within 500 feet of a wetland.  US Fish and Wildlife Welland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within 400 feet of a wetland.  US Fish and wildlife Welland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within an unstable area.  Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain	does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
(measured from the ordinary high-water mark).  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  Visual inspection (certification) of the proposed site, Aerial photo; Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  Visual inspection (certification) of the proposed site; Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Within 500 feet of a wetland.  Within 500 feet of a wetland.  Within 600 feet of a wetland.  Within an unstable area.  Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain		Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality. Written approval obtained from the municipality  Within 500 feet of a wetland.  - Written confirmation or verification or map; Topographic map; Visual inspection (certification) of the proposed site  Within an unstable area.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet for a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within an unstable area.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain			
application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain	- Topographic map, Visual inspection (certification) of the proposed site		
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map  Within a 100-year floodplain		Yes	∐No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  Visual inspection (certification) of the proposed site; Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Wittins 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  Within an unstable area.  Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
NA   Visual inspection (certification) of the proposed site; Aerial photo, Satellite image   NA   Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site   Yes   No adopted pursuant to NMSA 1978, Section 3-27-3, as amended   Written confirmation or verification from the municipality, Written approval obtained from the municipality   Yes   No   Within 500 feet of a wetland.   US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site   Yes   No   Within an unstable area.   Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map   Yes   No   Yes   No   No   Yes   No   No   Yes   No   No   Yes   No   No   No   Yes   No   No   Yes   No   No   Yes   No   No   No   Yes   No   No   No   Yes   No   No   No   Yes   No   No   No   Yes   No   No   No   No   No   No   No   N	- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain    Yes	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Within 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  Within an unstable area.  Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain	• •	∐NA	
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain	- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain		Yes	∐No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain  Yes No	- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain	adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain		Yes	No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain  Yes No			$\square_{N_0}$
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain  Yes No			
Society; Topographic map  Within a 100-year floodplain  Yes No		Yes	∐No
Within a 100-year floodplain			
	Within a 100-year floodplain	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  [Instructions: Each of the following items must be attached to the application.]  [Instructions: Each of the following items must be attached to the application.]  [Instructions: Each of the following items must be attached to the application.]  [Instructions: Each of the following items must be attached to the application.]  [Instructions: Each of the following items must be attached to the application.]  [Instructions: Each of the following items must be attached to the application.]  [Instructions: Each of the following items must be attached to the application.]
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15 17 9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17.10 NMAC
1 吕 · · · · · · · · · · · · ·
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9  NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15 17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15 17.13 NMAC
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Worte Everystian and Personal Closure Plan Checklists (10.15.17.12.NMAC) Instructions Fact of the following issue would be started at a decrease law.
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste	el Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)		
Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	gliuds and drill cultings Use attachment if more than two		
	Disposal Facility Permit #		
Disposal Facility Name	Disposal Facility Permit #		
Will any of the proposed closed-loop system operations and associated activities  Yes (If yes, please provide the information No	es occur on or in areas that will not be used for future	service and	
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			
17			
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMA) Instructions Lach siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district offic office for consideration of approval Justifications and/or demonstrations of equivalency are	Recommendations of acceptable source material are provided we or may be considered an exception which must be submitted to		
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obt.	ained from nearby wells	Yes No	
Ground water is between 50 and 100 feet below the bottom of the buried waste	3	Yes No	
- NM Office of the State Engineer - IWATERS database search, USGS, Data obta		N/A	
Ground water is more than 100 feet below the bottom of the buried waste		☐Yes ☐No	
- NM Office of the State Engineer - tWATERS database search, USGS, Data obta	uned from nearby wells	□ I'es □ I'eo □ □	
	·		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed site	ant watercourse or takebed, sinkhole, or playa take	YesNo	
Within 300 feet from a permanent residence, school, hospital, institution, or church in e	aviotance at the time of initial application	∏Yes ∏No	
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image	• •		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	ence at the time of the initial application		
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obta		Yes No	
Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	,	Yes No	
Within the area overlying a subsurface mine	(comment) of the proposed six	∏Yes ∏No	
- Written configuration or verification or map from the NM EMNRD-Mining and N	lineral Division		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mi	nneral Resources, USGS, NM Geological Society,	Yes No	
Topographic map			
Within a 100-year floodplain - FEMA map		Yes No	
18 On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,			
by a check mark in the box, that the documents are attached.			
Siting Criteria Compliance Demonstrations - based upon the appropriat	-		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)		annot be achieved)	
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection			
Site Reclamation Plan - based upon the appropriate requirements of Sub	osection G of 19 15 17 13 NMAC		

Page 4 of 5

Form C-144 Oil Conservation Division

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print) Crystal Tafoya / Title Staff Regulatory Technician
Signature Lal Takeya Date 3/7/2017
e-mail address crystal tafoya@conocophillips com Telephone 505-326-9837
C-man address systematic page to the second
OCD Approval: Permit Application (including closure plan) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: OCD Permit Number:
V
Closure Report (required within 60 days of closure completion):  Subsection K of 1915 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  Closure Completion Date:
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Factorial (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude  Longitude  NAD 1927 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title
Signature: Date:
e-mail address Phone

Form C-144 Oil Conservation Division

Burlington Resources requests to cancel the permit # approved 7/18/2008 for the application subject well due to it never being used.