<u>District I</u>

State of New Mexico Energy Minerals and Natural Resources

Form C-144
July 21, 2008
For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

1625 N French Dr , Hobbs, NM 88240

District 11
1301 W Grand Ave , Artesia, NM 88210

District 111
1000 Rio Biazos Rd , Aztec, NM 87410

District 1V

1220 S St Francis Dr , Santa Fe, NM 87505

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or	
Proposed Alternative Method Permit or Closure Plan Application	į

Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method				
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
Modification to an existing permit				
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the				
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances				
Operator: Burlington Resources Oil & Gas Company, LP OGRID#. 14538				
Address PO Box 4289, Farmington, NM 87499				
Facility or well name: San Juan 32-9 Unit 221				
API Number. 30-045-28850 OCD Permit Number				
U/L or Qtr/Qtr. M(SW/SW) Section 11 Township 31N Range 10W County San Juan				
Center of Proposed Design Latitude: 36.90779 °N Longitude. 107.85626 °W NAD X 1927 1983				
Surface Owner X Federal State Private Tribal Trust or Indian Allotment				
2 PCUD MAR 13 '12				
Pit: Subsection F or G of 19 15 17 11 NMAC OIL CONS. DIV.				
Temporary Drilling Workover DIST. 3				
Permanent Emergency Cavitation P&A				
Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other				
String-Reinforced				
Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D				
X Closed-loop System: Subsection H of 19 15 17 11 NMAC				
Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or				
notice of intent)				
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other				
Lined Unlined Liner type Thicknessmil LLDPE HDPE PVD Other				
Liner Seams Welded Factory Other				
4				
Below-grade tank: Subsection Lof 19 15 17 11 NMAC				
Volumebbl Type of fluid				
Tank Construction material				
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off				
Visible sidewalls and liner Visible sidewalls only Other				
Liner Type Thicknessmil HDPE PVC Other				
5				
Alternative Method:				
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				

Sures: Soloccione for 19 15 17 11 NMAC (Applies to permanent upon not points)	Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify				
Signed to compliance with 19 15 3 103 NMAC 32 **X24***, 2" lettering, pronding Operator's name, site location, and emergency telephone numbers 35 signed to compliance with 19 15 3 103 NMAC 36	Screen Netting Other				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested. If not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division distinct of the Santa Fe Environmental Bureau office for consideration of approval (Peneng/BGT Laner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval 100 Siting Criteria (recearding permitting) 110 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each stung criteria helow in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain string criteria may require administrative approval from the appropriate distinct office or may be considered an exception which mass be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. String criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells Within 300 feet form a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
Siting Criteria (regarding permittup) 19.15.17 lo NMAC Instructions: The application must demonstrate compliance for each stang criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain uting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Sauta Fe Environmental Bureau Office for consideration of approval. Application must attend pustification for request Flease refer to 19.15.17.10 NMAC for guidance. String criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to tempor ary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 1000 horizonal feet of a private, domestic fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field co	Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)				
NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to tempor ary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each stung criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	 NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake 	☐ Yes	□ No		
NA NA NA NA NA NA NA	 Topographic map, Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial 	Yes	No		
NA - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image No	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	(Applied to permanent pits)		No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological		Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	∏No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site				
	 Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. 				
Within a 100-year floodplain - FEMA map	Society, Topographic map Within a 100-year floodplain	Yes	□No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9				
NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Seel Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Dayagotation Plan - based upon the appropriate requirements of Subsection Lof 10.15.17.12 NIMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two					
facilities are required	ariang julas ana arii culings - Ose	anachment ij more than two	,		
Disposal Facility Name Envirotech / JF1 Landfarm / IEI	Disposal Facility Permit #		010B		
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated a Yes (If yes, please provide the information No		vill not be used for future	service and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19 15 17 10 NMAC Instructions Each sting criteria requires a demonstration of compliance in the closure plan-Recommendations of acceptable source material are provided below. Requests regarding changes to certain string criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval-Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste			Yes No		
- NM Office of the State Engineer - (WATERS database search, USGS D	ata obtained from nearby wells				
Ground water is between 50 and 100 feet below the bottom of the buried			Yes No		
- NM Office of the State Engineer - (WATERS database search, USGS, Da	ta obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried wast			Yes No		
- NM Office of the State Engineer - 1WA FERS database search, USGS, Da	ta obtained from nearby wells		∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other (measured from the ordinary high-water mark)	significant watercourse or lakebed, sii	nkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site	cal in assistance at the time of initial an		∏Yes ∏No		
Within 300 feet from a permanent residence, school, hospital, institution, or chur Visual inspection (certification) of the proposed site, Aerial photo, satellite	•	орисаноп			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh w pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approv		pal ordinance adopted	Yes No		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Fopographic map, Visu		posed site	Yes No		
Within the area overlying a subsurface mine	, , , , , , , , , , , , , , , , , , , ,		Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining	and Mineral Division				
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geolog	y & Mmeral Resources, USGS, NM (Geological Society,	Yes No		
Lopographic map Within a 100-year floodplain - FEMA map			☐Yes ☐No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: by a check mark in the box, that the documents are attached.	Each of the following items mus	t bee attached to the clos	ure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appr	opriate requirements of 19 15 17	10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based in	upon the appropriate requirements	of 19 15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:				
'I hereby certify that the information submitted with this application is true, accura	te and complete to the best of my knowledge and belief			
Name (Print) Dolliel, Busse	Title Staff Regulatory Technician			
Signature Allia Ausse	Date			
e-mail address dollie I busse conocophillips com	Telephone 505-324-6104			
20 OCD Approval: Permit Application (including closure plan).	Closure Plan (only) OCD Conditions (see attachment)			
OCD Representative Signature:	Approval Date: \$\frac{5\frac{3}{20}}{2}			
Title: Compliance Office	OCD Permit Number:			
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed Closure Completion Date:				
22				
Closure Method: Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain	Alternative Closure Method Waste Removal (Closed-loop systems only)			
23				
	That Utilize Above Ground Steel Tanks or Haul-off Bins Only. g fluids and drill cuttings were disposed—Use attachment if more than two facilities			
were utilized Disposal Facility Name	Disposal Facility Permit Number			
Disposal Facility Name	Disposal Facility Permit Number			
Were the closed-loop system operations and associated activities performed on	-			
Yes (If yes, please demonstrate complilane to the items below)	No			
Required for impacted areas which will not be used for future service and operations				
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24				
Closure Report Attachment Checklist: Instructions: Each of the follow	ving items must be attached to the closure report Please indicate, by a check mark in			
the box, that the documents are attached Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Sceding Technique Site Reclamation (Photo Documentation)				
On-site Closure Location Latitude	Longitude NAD 1927 1983			
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is time, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print)	Title			
Signature	Date			
c-mail address	Геlephone			

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.