District I 1625 N French Dr , Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St Francis Dr , Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
Pit, Closed-Loop System, Bel	ow-Grade Tank, or
Proposed Alternative Method Perm	it or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method	
X Closure of a pit, closed-loop system, b	below-grade tank, or proposed alternative method
Modification to an existing permit	
☐ Closure plan only submitted for an ex below-grade tank, or proposed alterna	isting permitted or non-permitted pit, closed-loop system, tive method
Instructions: Please submit one application (Form C-144) per individual pi	
Please be advised that approval of this request does not relieve the operator of liability she environment. Nor does approval relieve the operator of its responsibility to comply with any	· · · · · · · · · · · · · · · · · · ·
Operator: ConocoPhillips Company	OGRID#: 217817
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: Northeast Haynes 2E	
API Number: 30-039-22321 OCD	Permit Number
U/L or Qtr/Qtr: G(SW/NE) Section: 16 Township: 24N F	Range: 5W County: Rio Arriba
	gitude: 107.214572 °W NAD: 1927 X 1983
Surface Owner: X Federal State Private Tribal T	rust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type. Thickness mil  String-Reinforced  Liner Seams: Welded Factory Other	PCUD MAR 6 12 OIL CONS. DIV.  DIST. 3  LLDPE HDPE PVC Other bbl Dimensions L x w x D
notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Oth	ng (Applies to activities which require prior approval of a permit or ner  LLDPE HDPE PVD Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume bbl Type of fluid  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inc  Visible sidewalls and liner Visible sidewalls only Other  Liner Type. Thickness mil HDPE PVC	h lift and automatic overflow shut-off Other
Submittal of an exception request is required Exceptions must be submitted to the Sant	ta Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify			
7			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)			
8			
Signs: Subsection C of 19 15 17.11 NMAC			
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions:			
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance			
Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval			
(Fencing/BGT Liner)			
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site		No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	_	-	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No	
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image		_	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No	
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>		No	
Within the area overlying a subsurface mine.		No	
<ul> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological</li> </ul>	Yes	No	
Society; Topographic map  Within a 100-year floodplain  - FEMA map	Yes	No	

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC		
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19 15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design)  API		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9		
NMAC and 19 15.17.13 NMAC		
Previously Approved Design (attach copy of design)  API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
☐ Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17 11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19 15 17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan   Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC		
14   Proposed Closure: 19 15 17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative		
Proposed Closure Method: Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15.17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required Disposal Facility Name Disposal Facility Permit # Disposal Facility Permit #: Disposal Facility Name. Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information ∐ No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC Siting Criteria (Regarding on-site closure methods only: 19.15.17 10 NMAC Instructions Each sting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance Ground water is less than 50 feet below the bottom of the buried waste Yes - NM Office of the State Engineer - IWATERS database search, USGS. Data obtained from nearby wells N/A Ground water is between 50 and 100 feet below the bottom of the buried waste Yes - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells N/A Ground water is more than 100 feet below the bottom of the buried waste Yes - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells N/A Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo, satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map Within a 100-year floodplain - FEMA map On-Site Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan, Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15 17 11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief		
Name (Print) Title		
Signature Date.		
e-mail address Telephone		
OCD Approval: Permit Application (including closufe plan) Clasure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 3/08/2012  Title: OCD Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  X Closure Completion Date: 1/27/2011		
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name		
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location  Latitude  Longitude:  NAD  1927  1983		
25  Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN		
Signature Jafal Taleya Date 3/5/2012		
e-mail address. crystal tafoya@conocophillips com Telephone (505) 326-9837		