1625 N French Dr , Hobbs, NM 88240 1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410

# State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

| 9125 |
|------|
|------|

District IV

| 1220 S St. Francis Dr , Santa Fe, NM 87505                      |   | appropr                            | riate NMOCD District Office. | ас и сору то ше   |  |
|---|---|------------------------------------|------------------------------|-------------------|--|
|   | it, Closed-Loop System,   | Below-Grade Tan                    | k, or                        |                   |  |
| <u>Propos</u>   | ed Alternative Method Pe  | ermit or Closure P                 | lan Application              |                   |  |
| Type of action:   | Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method |                                    |                              |                   |  |
| Ī   | Closure of a pit, closed-loop system  |                                    |                              |                   |  |
| Ĩ   | Modification to an existing perm  | it                                 |                              |                   |  |
|   | Closure plan only submitted for a   | n existing permitted or no         | on-permitted pit, closed-l   | oop system,       |  |
|   | below-grade tank, or proposed al  |                                    |                              |                   |  |
| Instructions: Please submit one app                             |   |                                    | _                            | <del>-</del>      |  |
|   | is request does not relieve the operator of liabil<br>the operator of its responsibility to comply with |                                    | ~                            |                   |  |
| 1   |   |                                    |                              |                   |  |
| Operator: Burlington Resources Oil &                            |   | OGRI                               | D#: <u>14538</u>             |                   |  |
| Address: PO Box 4289, Farmington,                               |   |                                    |                              |                   |  |
| Facility or well name: Huerfano Unit                            |   |                                    |                              |                   |  |
|   | · ·····   | OCD Permit Number                  |                              |                   |  |
| U/L or Qtr/Qtr: C(NE/NW) Section:                               | · ———   | Range: 9W                          | County: San Juan             |                   |  |
| Center of Proposed Design: Latitude: Surface Owner: X Federal T | 36.45002 °N   | Longitude: 107.7                   |                              | X 1927 1983       |  |
| Surface Owner: X Federal  | State Private Trib  | oal Trust or Indian Allotm         | lent                         |                   |  |
| Pite Subscation For Cof 10 15 17 1                              | NMAC  |                                    |                              |                   |  |
| Pit: Subsection F or G of 19 15.17.1                            |   |                                    | R                            | CVD MAR 6'12      |  |
| Temporary Drilling Worko  | itation P&A   |                                    |                              | IIL CONS. DIV.    |  |
|   | type Thickness mil  | LLDPE HDPE                         | PVC Other                    | DIST. 3           |  |
| String-Reinforced   |   |                                    |                              | 91011             |  |
| Liner Seams Welded Factor                                       | ory  Other  | Volume bbl                         | Dimensions L x W             | x D               |  |
|   | .,  | voidine                            | X W                          | ^_                |  |
| X Closed-loop System: Subsection                                | H of 19 15.17.11 NMAC   |                                    |                              |                   |  |
| <del></del>   | <del></del>   | Orilling (Applies to activities    | which require prior approve  | al of a permit or |  |
|   | notice of inten   | t)                                 |                              |                   |  |
| Drying Pad X Above Ground                                       | Steel Tanks Haul-off Bins   | Other                              |                              |                   |  |
| Lined Unlined Liner ty  |   | LLDPE HDPE                         | PVD Other                    |                   |  |
| Liner Seams: Welded Facto                                       | ory Other   |                                    |                              |                   |  |
| 4   | 10.15.15.11.11.11.0   |                                    |                              |                   |  |
| Below-grade tank: Subsection I of                               |   |                                    |                              |                   |  |
| Volumebbl Tank Construction material                            | Type of fluid   |                                    | <del></del>                  |                   |  |
| Secondary containment with leak detec                           | tion Visible sidewalls liner  | ——— 6-inch lift and automatic over | erflow shut-off              |                   |  |
| Visible sidewalls and liner                                     | Visible sidewalls only Other  |                                    | anow shat on                 |                   |  |
| Liner Type Thickness  | _mil  | Other                              |                              | _                 |  |
| 5   | <u> </u>  |                                    |                              |                   |  |
| Alternative Method:   |   |                                    |                              |                   |  |

Form C-144

Oil Conservation Division

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

| 6 •• · · · · · · · · · · · · · · · · · ·  |                 |                 |  |  |  |  |
|---|-----------------|-----------------|--|--|--|--|
| Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)   |                 |                 |  |  |  |  |
| Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  |                 |                 |  |  |  |  |
| Four foot height, four strands of barbed wire evenly spaced between one and four feet   |                 |                 |  |  |  |  |
| Alternate Please specify  |                 |                 |  |  |  |  |
| 7   |                 | ļ               |  |  |  |  |
| Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  |                 |                 |  |  |  |  |
| Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)   |                 |                 |  |  |  |  |
|   |                 |                 |  |  |  |  |
| 8 Signs: Subsection C of 19.15.17 11 NMAC   |                 |                 |  |  |  |  |
| 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  |                 |                 |  |  |  |  |
| X Signed in compliance with 19 15 3 103 NMAC  |                 |                 |  |  |  |  |
| 9   |                 |                 |  |  |  |  |
| Administrative Approvals and Exceptions:  |                 |                 |  |  |  |  |
| Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:   |                 |                 |  |  |  |  |
| Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons  | ideration of an | proval          |  |  |  |  |
| (Fencing/BGT Liner)   | т.              | •               |  |  |  |  |
| Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.  |                 |                 |  |  |  |  |
| 10  |                 |                 |  |  |  |  |
| Siting Criteria (regarding permitting): 19.15.17 10 NMAC  | `               |                 |  |  |  |  |
| Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the   |                 |                 |  |  |  |  |
| appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for   |                 |                 |  |  |  |  |
| consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.   |                 |                 |  |  |  |  |
| Constitution of the second of |                 |                 |  |  |  |  |
| Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  | Yes             | ∐ <sub>N0</sub> |  |  |  |  |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake   | Yes             | ⊡No             |  |  |  |  |
| (measured from the ordinary high-water mark).   |                 |                 |  |  |  |  |
| - Topographic map; Visual inspection (certification) of the proposed site   |                 | _               |  |  |  |  |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.   | Yes             | ∐No             |  |  |  |  |
| (Applies to temporary, emergency, or cavitation pits and below-grade tanks)   | □NA             |                 |  |  |  |  |
| - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image   | L L             |                 |  |  |  |  |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  | Yes             | □No             |  |  |  |  |
| (Applied to permanent pits)   |                 |                 |  |  |  |  |
| - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image   |                 |                 |  |  |  |  |
| Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  | Yes             | No              |  |  |  |  |
| - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.  |                 |                 |  |  |  |  |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended   | Yes             | No              |  |  |  |  |
| - Written confirmation or verification from the municipality; Written approval obtained from the municipality   |                 | □N-             |  |  |  |  |
| <ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>   | Yes             | ∐No             |  |  |  |  |
| Within the area overlying a subsurface mine.  | Yes             | No              |  |  |  |  |
| - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division   |                 | $\Box$ .        |  |  |  |  |
| <ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological</li> </ul>  | Yes             | ∐No             |  |  |  |  |
| Society, Topographic map  |                 |                 |  |  |  |  |
| Within a 100-year floodplain  | Yes             | No              |  |  |  |  |

| Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist:  Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API or Permit  |
|---|
| Closed-loop Systems Permit Application Attachment Checklist:  Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API  Previously Approved Operating and Maintenance Plan API  |
| Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC |
| Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)   |
| Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC   |

Form C-144 Oil Conservation Division Page 3 of 5

| 16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15.17.13 D NMAC  | )                           |  |  |  |  |
|--|-----------------------------|--|--|--|--|
| Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required   | vo                          |  |  |  |  |
| Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit # NM-01-0011 / NM-01-  | 0010B                       |  |  |  |  |
| Disposal Facility Name Basin Disposal Facility Disposal Facility Permit # NM-01-005  | <u> </u>                    |  |  |  |  |
| Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information No   |                             |  |  |  |  |
| Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15.17.13 NM  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC  | МАС                         |  |  |  |  |
| 17 Siting Critario (Degarding on cita elegano methodo calcul 10 15 17 10 NMAC)   |                             |  |  |  |  |
| Siting Criteria (Regarding on-site closure methods only: 19 15.17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provide certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted office for consideration of approval. Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance |                             |  |  |  |  |
| Ground water is less than 50 feet below the bottom of the buried waste   | Yes No                      |  |  |  |  |
| - NM Office of the State Engineer - IWATERS database search, USGS Data obtained from nearby wells  | ∐N/A                        |  |  |  |  |
| Ground water is between 50 and 100 feet below the bottom of the buried waste   | Yes No                      |  |  |  |  |
| - NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells   | □N/A                        |  |  |  |  |
| Ground water is more than 100 feet below the bottom of the buried waste  | Yes No                      |  |  |  |  |
| - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells   | □ □ □ □                     |  |  |  |  |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)   | Yes No                      |  |  |  |  |
| - Topographic map, Visual inspection (certification) of the proposed site  |                             |  |  |  |  |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo; satellite image   | Yes No                      |  |  |  |  |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the mitial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site   |                             |  |  |  |  |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality   | Yes No                      |  |  |  |  |
| Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site   | Yes No                      |  |  |  |  |
| Within the area overlying a subsurface mine  | ☐Yes ☐No                    |  |  |  |  |
| - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division  |                             |  |  |  |  |
| Within an unstable area  | Yes No                      |  |  |  |  |
| - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society, Topographic map  |                             |  |  |  |  |
| Within a 100-year floodplain - FEMA map  | Yes No                      |  |  |  |  |
| 18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the cloby a check mark in the box, that the documents are attached.   | sure plan. Please indicate, |  |  |  |  |
| Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  |                             |  |  |  |  |
| Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  |                             |  |  |  |  |
| Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC  |                             |  |  |  |  |
| Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC  |                             |  |  |  |  |
| Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC   |                             |  |  |  |  |
| Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19,15.17 13 NMAC   |                             |  |  |  |  |
| Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC   |                             |  |  |  |  |
| Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)   |                             |  |  |  |  |
| Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  |                             |  |  |  |  |
| Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC  |                             |  |  |  |  |

Form C-144 Oil Conservation Division Page 4 of 5

| 19   |  |  |   |
|--|--|--|---|
| Operator Application Certifica   | tion:<br>submitted with this application is true, accura                                   | te and complete to the best of   | of my knowledge and helief  |
| Name (Print)   | CRYSTAL TAFOYA   |  | F REGULATORY TECHNICIAN   |
| Signature  | = 40 Tala  | Date   | 3/6/2012  |
|  | stal tafoya@conocophillips com   | Telephone  | (505) 326-9837  |
| c-man address <u>ory</u> s   | tan tanoya (a son coop thimps som  | relephone  | (303) 320-7037  |
| OCD Representative Signature   | ophication (including closure plan) :  WALLE COLOR   | Closure Plan (only)  | OCD Conditions (see attachment)  Approval Date: 3/08/2012  Number:  |
| 21   |  |  |   |
| Closure Report (required withi<br>Instructions Operators are required<br>report is required to be submitted to |  | implementing any closure a<br>i of the closure activities Pi<br>impleted | nctivities and submitting the closure report. The closure lease do not complete this section of the form until an ompletion Date: |
| 22   |  |  |   |
| Closure Method:  Waste Excavation and Remo  If different from approved pl                                      | <b></b>  | Alternative Closure Met  | hod Waste Removal (Closed-loop systems only)  |
| 23   |  |  |   |
| 1  | Removal Closure For Closed-loop Systems ility or facilities for where the liquids, drillis |  | d Steel Tanks or Haul-off Bins Only:<br>were disposed. Use attachment if more than two facilities                                 |
| were utilized.   | may or factures for where the aquias, armai  | ig junus unu urm cumngs )  | were disposed. Ose didicament if more than two facilities   |
| Disposal Facility Name   |  | Disposal Facility Peri   | mit Number  |
| Disposal Facility Name   |  | Disposal Facility Peri   |   |
| l <del></del>  | rations and associated activities performed or   | -  | used for future service and opeartions?   |
|  | , , , ,  | No   |   |
| Required for impacted areas white Site Reclamation (Photo Doc  | ch will not be used for future service and ope<br>sumentation)                             | erations   |   |
| Soil Backfilling and Cover In  | <i>'</i>   |  |   |
| Re-vegetation Application R  | ates and Seeding Technique   |  |   |
| 24   |  |  |   |
|  | <del></del>  | wing items must be attache   | d to the closure report. Please indicate, by a check mark in  |
| the box, that the documents are  |  |  |   |
| Proof of Deed Notice (s  | surface owner and division)  |  |   |
| Plot Plan (for on-site closu   | •  |  |   |
| j= `   | nalytical Results (if applicable)  |  |   |
| l ≒ ' `  | Analytical Results (if applicable)   |  |   |
| Disposal Facility Name an  |  |  |   |
| Soil Backfilling and Cove  |  |  |   |
| ==   | Rates and Seeding Technique  |  |   |
| Site Reclamation (Photo I  | •  |  |   |
| On-site Closure Location   | Latitude   | Longitude  | NAD 1927 1983   |
|  |  |  |   |
| 1  | <del></del>  |  | complete to the best of my knowledge and belief I also certify that re plan.  |
| Name (Print)   |  | Title  |   |
| Signature  |  | Date   |   |
| e-mail address   |  | Telephone  |   |

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

### Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

#### **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.