District I 1625 N French Dr , Hobbs, NM 88240 <u>D1</u> 13

State of New Mexico Energy Minerals and Natural Resources

nent on Division Francis Dr. M 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

<u>District II</u>	Departm
1301 W Grand Ave, Artesia, NM 88210	Oil Conservation
District III	1220 South St. 1
1000 Rio Brazos Rd, Aztec, NM 87410	Santa Fe, NM
District IV	
1220 S St Francis Dr. Santa Fe. NM 87505	

District IV 1220 S St	Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
		Pit, Closed-Loop System, Below-Grade Tank, or
, 4	<u>Prop</u>	osed Alternative Method Permit or Closure Plan Application
a 66t	Type of action	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
		X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
		Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instru	ictions: Please submit one a	oplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
		f this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the eve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
1 Operator	Burlington Resources O	L& Gas Company, LP OGRID#: 14538

Please be advised that approval of this request does not relieve the operator of liability should operation environment. Nor does approval relieve the operator of its responsibility to comply with any other applications.	•
Operator Burlington Resources Oil & Gas Company, LP	OGRID#: <u>14538</u>
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: McCord 9E	
API Number. 30-045-26021 OCD Permit Num	mber
U/L or Qtr/Qtr P(SE/SE) Section. 21 Township 30N Range.	13W County San Juan
Center of Proposed Design Latitude. 36.79399 °N Longitude:	108.20445 °W NAD. X 1927 1983
Surface Owner. X Federal State Private Tribal Trust or Inc.	dian Allotment
String-Reinforced	RCVD FEB 29 '12 OIL CONS. DIV. DIST. 3 DIST. 3 DIST. 5 DIST. 5 DIST. 6 DIST. 6 DIST. 7 DIST.
notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	s to activities which require prior approval of a permit or HDPE PVD Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and a Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other	automatic overflow shut-off
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Envi.	ronmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify			
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□□NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes	No	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	∐NA		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No	
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No	
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	Yes	No	
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	No	

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC	
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC	
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Places complete Power 14 through 18 of confusable), based upon the appropriate requirements of Subsection C of	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC	
Previously Approved Design (attach copy of design) API or Permit	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Leach of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9	
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC	
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC	
Previously Approved Design (attach copy of design) API	
Previously Approved Operating and Maintenance Plan API	
13	
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC	
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC	
14	
Proposed Closure: 19 15 17 13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative	
Proposed Closure Method Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
On-site Closure Method (only for temporary pits and closed-loop systems)	
In-place Burnal On-site Trench	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must be attached to the closure plan.	
Please indicate, by a check mark in the box, that the documents are attached.	
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Seel Bookfill and Govern Specifications, based were the appropriate of Subsection 11 of 10 15 17 12 NIMAG.	
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drillin facilities are required	g fluids and drill cuttings Use attachment if more than two		
Disposal Facility Name Disposal Facility Permit #			
Disposal Facility Name	Disposal Facility Permit #		
Will any of the proposed closed-loop system operations and associated activiting Yes (If yes, please provide the information No	es occur on or in areas that will not be used for future	service and	
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions hach siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data ob	tained from nearby wells	Yes No	
Ground water is between 50 and 100 feet below the bottom of the buried wast	e	☐Yes ☐No	
- NM Office of the State Engineer - (WATERS database search, USGS, Data obt		□N/A	
Ground water is more than 100 feet below the bottom of the buried waste		☐Yes ☐No	
- NM Office of the State Engineer - (WATERS database search, USGS, Data obt	ained from nearby wells	□N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	cant watercourse or lakebed, sinkhole, or playa lake	Yes No	
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite image		Yes No	
		Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exis - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	tence at the time of the initial application		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No	
 Written confirmation or verification from the municipality, Written approval obt Within 500 feet of a wetland 	ained from the municipality	∏Yes ∏No	
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	pection (certification) of the proposed site		
Within the area overlying a subsurface mine		Yes No	
- Written confiramtion or verification or map from the NM EMNRD-Mining and N	Ameral Division		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & M Topographic map	lineral Resources, USGS, NM Geological Society,	L Yes No	
Within a 100-year floodplain - FEMA map		Yes No	
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
Siting Criteria Compliance Demonstrations - based upon the appropria	te requirements of 19 15 17 10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requireme			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Cartification:		
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief		
Name (Print) Title		
Signature Date		
e-mail address Telephone		
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)		
OCD Representative Signature: Approval Date: Approval Date:		
Title: OCD Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed [X] Closure Completion Date: 7/16/2010		
22		
Closure Method:		
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)		
If different from approved plan, please explain		
Class Day of Day North Proposed Class of Eq. (Classical Law Southern The Alich Co. 150 177 h. W. 1 177 D. O. 1		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities		
were utilized.		
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B		
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?		
Yes (If yes, please demonstrate compliane to the items below)		
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation)		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
24		
Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached		
Proof of Closure Notice (surface owner and division)		
Proof of Deed Notice (required for on-site closure)		
Plot Plan (for on-site closures and temporary pits)		
Confirmation Sampling Analytical Results (if applicable)		
Waste Material Sampling Analytical Results (if applicable)		
Disposal Facility Name and Permit Number		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983		
On-site Closure Location Latitude Longitude NAD 1927 1983		
25		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief—I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan		
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN		
Signature John Tapaja Date 2/28/2012		
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837		