District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Pit, Closed-Loop System, Below-Grade Tank, or

Form C-144
July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

98°	3	1
$\sim$ 0		

District IV

# Proposed Alternative Method Permit or Closure Plan Application Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Modification to an existing permit

Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance

environment Nor does approval relieve the operator of its responsibility to comply	with any other applicable governmental authority's rules, regulations or ordinances
1 Operator: ConocoPhillips Company	OGRID#: <b>21781</b> 7
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: AXI Apache J 23	
API Number: 30-039-20439	OCD Permit Number
U/L or Qtr/Qtr: D(NW/NW) Section: 8 Township: 25N	Range: 5W County: Rio Arriba
Center of Proposed Design: Latitude: 36.41903 °N	Longitude: 107.389131 °W NAD: X 1927 1983
Surface Owner: Federal State Private XT	ribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15 17 11 NMAC  Temporary. Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil String-Reinforced Liner Seams Welded Factory Other	RCVD MAR 27'12 OIL CONS. DIV. DIST. 3 LLDPE HDPE PVC Other Volume bbl Dimensions L x W x D
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover o notice of int  Drying Pad X Above Ground Steel Tanks Haul-off Bins  Lined Unlined Liner type Thickness mil  Liner Seams Welded Factory Other	r Drilling (Applies to activities which require prior approval of a permit or ent)  Other  LLDPE HDPE PVD Other
	er, 6-inch lift and automatic overflow shut-off ther Other
5 Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to a	the Santa Fe Environmental Bureau office for consideration of approval
F 0.144	

<b>6</b> •				
Fencing: Subsection D of 19 15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Charached and Sastin bounds true strends (Shadadanna state (Dannard Charached and LOON Co. C.				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insi	itution or chui	rch)		
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate Please specify				
7				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
		• • •		
8 Circus Colonsin Co-510 15 17 11 NR44 C				
Signs: Subsection C of 19 15 17 11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19 15.3.103 NMAC				
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ap	proval		
(Fencing/BGT Liner)				
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
10				
Siting Criteria (regarding permitting): 19.15 17 10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable	Í			
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	∐No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No		
(measured from the ordinary high-water mark).				
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	□No		
application.				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	-			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	□Yes	□No		
(Applied to permanent pits)		ш		
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
	ļ <sub>—,,,</sub>			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
par posses, or whilm 1000 not income need or any other present which of spring, in constance at the time of minute approximation.				
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended				
- Written confirmation or verification from the municipality, Written approval obtained from the municipality		_		
Within 500 feet of a wetland.	Yes	No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.  Written confirmation or varification or man from the NIM EMNIPD. Mining and Minarel Division.	Yes	∐No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	<b> </b>	□		
Within an unstable area.	∐Yes	∐No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map				
Within a 100-year floodplain	Yes	□No		
- FEMA map	🖵 😘	∟,,,		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC  Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
X Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC   Nuisance or Hazardous Odors, including H2S, Prevention Plan   Coll Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative
Proposed Closure Method Waste Excavation and Removal
X Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel				
Instructions Please identify the facility or facilities for the disposal of liquids, drilling j facilities are required	fluids and drill cuttings. Use	attachment if more than two		
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI I	Disposal Facility Permit #	NM-01-0011 / NM-01-00	)10B	
Disposal Facility Name Basin Disposal Facility I	Disposal Facility Permit #	NM-01-005		
Will any of the proposed closed-loop system operations and associated activities  Yes (If yes, please provide the information  No	s occur on or in areas that w	vill not be used for future:	service and	
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropria	te requirements of Subsecti	on H of 10 15 17 13 NMA	v.C	
Re-vegetation Plan - based upon the appropriate requirements of Subsect	•			
Ste Reclamation Plan - based upon the appropriate requirements of Subs	section G of 19 15 17 13 N	MAC		
17 Siting Criteria (Regarding on-site closure methods only: 19 15.17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste.	16		Yes	No
- NM Office of the State Engineer - iWATERS database search, USGS Data obtai	ned from nearby wells		∐N/A	
Ground water is between 50 and 100 feet below the bottom of the buried waste	1 6 1 11 11		Yes	∐No
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtain	ned from nearby wells		∐N/A	
Ground water is more than 100 feet below the bottom of the buried waste	d C		∐Yes	∐No
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtain	•		∐N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significa (measured from the ordinary high-water mark)	nt watercourse or lakebed, sir	ıkhole, or playa lake	∐Yes	∐No
- Topographic map, Visual inspection (certification) of the proposed site		1 - 4	□v <sub>oo</sub>	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex  - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	istence at the time of initial ap	pplication	Yes	□INO
			Yes	No
Within 500 horizontal feet of a private, doinestic fresh water well or spring that less than purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exister - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	nce at the time of the initial ap	-		
Within incorporated municipal boundaries or within a defined municipal fresh water well pursuant to NMSA 1978, Section 3-27-3, as amended		pal ordinance adopted .	Yes	No
Written confirmation or verification from the municipality, Written approval obtain  Within 500 feet of a wetland	ned from the municipality		Yes	□No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspec	ction (certification) of the prop	posed site		
Within the area overlying a subsurface mine			Yes	No
<ul> <li>Written confirantion or verification or map from the NM EMNRD-Mining and Mil Within an unstable area</li> </ul>	neral Division		∏Yes	
- Engineering measures incorporated into the design, NM Bureau of Geology & Min	eral Resources, USGS, NM (	Geological Society,	Штез	
Topographic map Within a 100-year floodplain			∏Yes	□No
- FEMA map				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of	of the following items mus	t bee attached to the closu	re plan. Pleas	se indicate,
by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate	requirements of 19 15 17 1	ONMAC		
Proof of Surface Owner Notice - based upon the appropriate requirement	•			
Construction/Design Plan of Burial Trench (if applicable) based upon the				
Construction/Design Plan of Temporary Pit (for in place burial of a dryin			19 15 17 11 NI	мас
Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate	requirements of Subsection	n F of 19.15.17 13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requirements	s of Subsection F of 19 15	17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids an	_		annot be achiev	/ed)
Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Re-vegetation Plan - based upon the appropriate requirements of Subsection Re-vegetation Re-veget				
Site Reclamation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection 1.				

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature
e-mail address <u>crystal tafoya@conocophillips.com</u> Telephone (505) 326-9837
20 OCD Approval: Permit Application (including closure plan)
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations.
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title
Signature Date
e-mail address: Telephone

### ConocoPhillips Company Closed-loop Plans

#### Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

#### **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

#### **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.