District 17
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provides control to the experience NMOCD.

Note District Office.

1220 South St. Francis Dr.
Santa Fe, NM 87505

Pit, Closed-Loop System, Below-Grade Tank, or

Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1. Operator:McElvain Oil & Gas Properties, IncOGRID #:22044 Address1050 17 th Street , Suite 1800, Denver, CO 80265
Facility or well name. Badger Com 14 #2
API Number30-039-30118 OCD Permit Number
U/L or Qtr/QtrB Section14 Township25N Range2W County Rio Arriba
Center of Proposed Design: Latitude36 24.1805N Longitude107 01 4112 W NAD: 🗵 1927 🗌 1983 Surface Owner: 🗌 Federal 🔲 State 🖾 Private 🔲 Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17.11 NMAC RCVD SEP 12 'O8 Temporary
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other
Subsection of 19 15.17 NMAC
5 Alternative Method:

Page 1 of 5 \ \9

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify 4" Hog wire w/ top rail = 4'	
Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting OtherExpanded Metal Monthly inspections (If netting or screening is not physically feasible)	
8	
Signs: Subsection C of 19.15 17 11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19 15.3.103 NMAC	
9. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptant are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	ppriate district approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits)	☐ Yes ☐ No ☐ NA
 Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site 	☐ Yes ☑ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ⊠ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☑ No
 Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map 	☐ Yes ☑ No
Within a 100-year floodplain. - FEMA map	☐ Yes ☒ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19 15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number or Permit Number
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17 13 NMAC
Previously Approved Design (attach copy of design) API Number.
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC Treeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
<u>Proposed Closure</u> : 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal
 □ Waste Removal (Closed-loop systems only) □ On-site Closure Method (Only for temporary pits and closed-loop systems) □ In-place Burial □ On-site Trench Burial □ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required.	Tanks or Haul-off Bins Only: (19 15 17.13.D NMAC g fluids and drill cuttings. Use attachment if more tha	C) in two
	osal Facility Permit Number:	
Disposal Facility Name: Dispo		
Will any of the proposed closed-loop system operations and associated activities occur or Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of 19 Re-vegetation Plan - based upon the appropriate requirements of Subsection G of Subsection Plan - based upon the appropriate requirements of Subsection G of Subsection Plan - based upon the appropriate requirements of Subsection G of Subsection Plan - based upon the appropriate requirements of Subsection G of Subsection Plan - based upon the appropriate requirements of Subsection	9.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closur provided below. Requests regarding changes to certain siting criteria may require adm considered an exception which must be submitted to the Santa Fe Environmental Bure demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for gui	inistrative approval from the appropriate district offic au office for consideration of approval. Justifications	e or may be
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain		es 🔲 No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS, Data obtain	ined from nearby wells	es 🗌 No A
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ined from nearby wells	es 🔲 No A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	nt watercourse or lakebed, sinkhole, or playa	es 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in exi - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image		es 🗌 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, - NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	in existence at the time of initial application.	es 🗌 No
Within incorporated municipal boundaries or within a defined municipal fresh water well adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained by the section of the municipality and the section of the municipality approval obtained by the section of the municipality approval obtained by the section of the municipality and the section of the secti		s 🗌 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual insp	ection (certification) of the proposed site	s 🗌 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Management of the NM EMNR		es 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & M Society; Topographic map 	ineral Resources; USGS; NM Geological	es 🗌 No
Within a 100-year floodplain - FEMA map	☐ Ye	es 🗌 No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the followy a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Subset Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - be Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subset Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cure Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection Green Subsection Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclam	ents of 19.15.17.10 NMAC ection F of 19.15.17.13 NMAC iate requirements of 19.15.17 11 NMAC based upon the appropriate requirements of 19 15 17.11 3 NMAC ents of Subsection F of 19.15 17 13 NMAC ection F of 19 15 17 13 NMAC ettings or in case on-site closure standards cannot be act 9 15 17.13 NMAC 9.15.17.13 NMAC	NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Deborah K Powell Title: _Engineering Tech Supervisor
Signature Date 9-11-08
e-mail addressDebbyP@McElvain.com
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 3/28/2012 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name
☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No Required for impacted areas which will not be used for future service and operations: ☐ Site Reclamation (Photo Documentation) ☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print):
Signature Date
e-mail address:

District.f 1625 N. French Dr., Hobbs, NM 88240

District_II

150E W. Grand Avenue, Artesia, NM 88216

District III

1000 Rio Brancs Rd., Arice, NM 87410

District IV

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised June 10, 2003 Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

1220 S. St. Francis	ur, same F	C, PURI 8750	5					LLI AMI	ENDED REPORT					
			WELLLO	CATIO	N AND ACR	EAGE DEDIC	ATION PLAT	r						
	1. November			' Pool Code 72319										
36165				'Property Name 'Well Number BADGER COM 14 2										
'OGRID No. 22044				'Operator Name 'Stevation McELVAIN OIL & GAS PROPERTIES 7314										
					10 Surface	Location								
UL ar kai na. B	Section 14	Township 25N	Runge 2W	Lot Ida	Feet from the 671	North/South line North	Feet from the 1530	East/West line East	County Rio Arriba					
			11 Bo	ottom Ho	le Location I	Different Fron	Surface							
DE or lot se.	Section	Townskip		Lat Ida Feet from the North/South Hae Feet from the East/West line										
" Dedicated Acres 320	d Joint en	Te GIL	Consolidation	Code s Or	der No.	<u> </u>	······································		<u> </u>					

NO ALLOWABLE				'S HAVE BEEN CONSOLIDATED OR A NON
16		RD UNIT HAS BEEN	2000000000000000000000000000	4
100	N 89°59'W	80.07 (Th.	¹⁷ OPERATOR CERTIFICATION
¥		š ;-		I hereby certify that the information contained herein is
A		67.1	8	true and complete to the best of my knowledge and
Napolitica Napolitica		9328° N	1530'	belief. Of 10000
μ.	Luig. 10		5	Kohnt E. fielde
80.00 Ch.			0 8	Skribne
Ö		8	00.08	Robert E. Fielder
8			88 8	Printed Name
aporter in the contract of the				Agent pmci@advantas.net
1		*	8	Title and B-mail Address
		*	8	November 29, 2006
	Sec.			Dute
				18SURVEYOR CERTIFICATION
		14	1	I hereby certify that the well location shown on this plat
1			2	was plotted from field notes of actual surveys made by
3				me or under my supervision, and that the same is true
5			0.01	and correct to the best of my belief
N 0°01' W			2	/ \$20 Sep 2006
≥		8 8		Date of Surfey 3 C
H-				Signature and Soul of Proposition Striveyor.
			#24	
			#2A ©	
				William Et Mahnke II
	West	80.05.Ch		Certificate Number 8466

New Mexico Office of the State Engineer POD Reports and Downloads

Range: 02W Township: 25N Sections: 1,2,11,12,13,14 NAD27 X: Y: Zone: Search Radius: County: Basin: Number: Suffix: Owner Name: (First) (Last) POD / Surface Data Report Avg Depth to Water Report Water Column Report Clear Form iWATERS Menu Help

WATER COLUMN REPORT 09/08/2008

(quarters are 1=NW 2=NE 3=SW 4=SE)

	(quarter	s are	e big	gge	est	t to	smal:	lest)		Depth	Depth	Water (i	.n
POD Number	Tws	Rng	Sec	Œ	q	q	Zone	x	Y	Well	Water	Column	
SJ 01752	25N	02W	02	4	4	4				210	85	125	
SJ 01751	25N	02W	11	1	2	3				372	90	282	
SJ 03461	25N	02W	11	1	2	3	C	272432	1971609	265	160	105	
SJ 01758	25N	02W	12	1	3					235	80	155	
SJ 03212	25N	02W	13	1	4	2				430	180	250	
SJ 01754	25N	02W	14	3						192	90	102	
SJ 03292	25N	02W	14	3	3	4				260			

Record Count: 7

New Mexico Office of the State Engineer POD Reports and Downloads

Townsh	ip: 25N Ra	nge: 01W	Sections: (6,7,18		1	
NAD27 X	ζ:	Y: _	Zone:		Search Radiu	s: ,	
County:	Basin:		 	Num	iber:	Suffix:	1
Owner Name: (First)		(Last)	•	0	Non-Domestic	Domestic	@ All
POD / Surface D	Data Report	Avg	Depth to Wa	íter∛Réport	Wat	er Column Repor	ts:
	Ci	ear Form	iWATERS.	Menu	Help		

WATER COLUMN REPORT 09/08/2008


(quarters are 1=NW 2=NE 3=SW 4=SE)


(مَنَّهُ)	ıarter	s are	e big	ge	st	to	smalles	t)		Depth	Depth	Water (in
POD Number	Tws	Rng	Sec	a	đ	a	Zone	x	Y	Well	Water	Column	
RG 74624	25N	01W	06	2	3	2				95	60	35	
RG 86746	25N	01W	06	2	4	1				200	40	160	

Record Count: 2


Rio Arriba Mines, Mills And Quarries Web Map

Mines, Mills & Quarries Commodity Groups							
Δ	Aggregate & Stone Mines						
•	Coal Mines						
*	Industrial Minerals Mines						
▼	Industrial Minerals Mills						
	Metal Mines and Mill Concentrate						
	Potash Mines & Refineries						
2	Smelters & Refinery Ops.						
*	Ilranium Minae						











HATIONAL FLOOD INSURANCE PROGRAM FIRM FLOOD INSURANCE RATE MAP RIO ARRIBA COUNTY, NEW MEXICO UNINCORPORATED AREAS PANEL 775 OF 1325 (SEE MAP INDEX FOR PANELS NOT PHINTED) PANEL LOCATION COMMUNITY-PANEL NUMBER 350049 0775 B EFFECTIVE DATE: JANUARY 5, 1989

Federal Emergency Management Agency






Legend

McElvain Well & 200' Radius

McElvain Well & 300' Radius


McElvain Well & 500' Radius

Source USGS 1 24,000 Scale Topographic Map Series San Juan Basin New Mexico Township 25N 2W Section 14



Aerial Source: NM Resource Geographic Information System Program made available by the University of New Mexico and the State of New Mexico 2005-2006 vintage Digital Orthophoto Quarter-Quadrangles were derived from the New Mexico Statewide Orthophotography Project. Source imagery flown at 35,000' above average ground.

San Juan Basin New Mexico Township 25N 2W Section 14



Badger 14 #2

Siting Criteria Compliance Demonstrations

The Badger Com 14-2 well is not located in an unstable area. The location is not over a mine and is not on the side of a hill. The location of the excavated pit material is not located within 300' of any continuously flowing watercourse or 200' from any other water course.

McElvain Oil & Gas Properties, Inc. San Juan Basin Below Grade Tank Design and Construction

In accordance with Rule 19.15.17 NMAC the following describes the as-built construction of the Below Grade Tank on the McElvain Oil & Gas Properties, Inc (MOG) Badger Com 14-2 well located in the NWNE of Sec 14, T25N, 2W.

As-built Installation:

- 1. The existing tank pit consists of an approximate 15 foot by 5 foot metal shored hole into which a 12 foot by 5 foot double bottom, single wall 95 bbl tank with leak detection is installed.
- 2. The tank walls are open for visual inspection to identify the occurrence of leaks.
- 3. There is an expanded metal covering on the top of the below grade tank.
- 4. The tank pit is surrounded by a 30ft X 30ft X 2ft berm that is contained within a 50 ft X 140 ft berm that encloses the tank battery to prevent overflow or surface water run-on.
- 5. A general location sign is displayed on site.
- 6. The pit tank is fenced with 4 foot woven (hog) wire topped with a top rail.

McElvain Oil & Gas Properties, Inc. San Juan Basin Below Grad Tank Maintenance and Operating Plan

In accordance with Rule 19.15.17 NMAC the following describes the below grade tank operation and maintenance plan for the McElvain Oil & Gas Properties, Inc (MOG) on the Badger Com 14-2 well located in the NWNE of Sec 14, T25N, 2W.

General Plan:

- MOG shall operate and maintain the below grade tank to contain liquids and solids and prevent contamination of fresh water to protect the public health and environment.
- 2. MOG shall not allow a below grade tank to overflow or allow surface water run-on to enter the below grade tank.
- 3. MOG shall continuously remove any visible or measurable layer of oil from the fluid surface of a below grade tank in an effort to prevent significant accumulation of oil over time.
- 4. MOG shall inspect the below grade tank monthly and maintain a written record of each inspection for five years.
- 5. MOG shall maintain adequate freeboard to prevent overtopping of the below grade tank.

McElvain Oil & Gas Properties, Inc. San Juan Basin Closure Plan

In accordance with Rule 19.15.17.1 NMAC the following procedure describes the closure plan for the McElvain Oil & Gas Properties, Inc (MOG) below grade tank on the Badger Com 14-2 well located in the NWNE of Sec 14, T25N, 2W.

Closure Requirements:

- 1. MOG shall close the below grade tank within the time periods provided in 19.15.17.13 NMAC or by an earlier date that the division requires because of imminent danger to fresh water, public health, or the environment.
- 2. MOG shall close an existing below grade tank that does not meet the requirements of Paragraph (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008 if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.
- 3. MOG shall close a permitted below grade tank within 60 days of cessation of the below ground tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on C-144.
- 4. All liquids will be removed from the temporary permit prior to closure and the liquids disposed of in a division approved facility.
- 5. MOG shall remove the below grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.
- 6. MOG will remove any on-site equipment associated with the below grade tank unless the equipment is required for some other purpose.
- 7. MOG shall test the soils beneath the below grade tank to determine whether a release has occurred. MOG shall collect a five point composite sample and individual grab samples from any area that is wet, discolored, or showing other evidence of a release. The samples will be analyzed for BTEX, TPH, and chlorides to demonstrate that the benzene concentration as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration as determined by EPA method 418.1 or other EPA method that the division approves does not exceed 100 mg/kg; and the chloride concentration as determined by EPA method 300.1 or other EPA method that the division approves does not exceed

- 250 mg/kg or the background concentration, whichever is greater. MOG shall notify the division of its results on form C-141.
- 8. If MOG or the division determines that a release has occurred, then MOG shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC as appropriate.
- 9. If contamination is confirmed by field sampling. MOG will follow the Guidelines For Remediation Of Leaks, Spills, and Releases NMOCD August 1993 when remediating identified contaminants.
- 10. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, then MOG shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; re-contour, and re-vegetate the site.
- 11. Notice of closure will be given to the Aztec Division office between 72 hours and one week of closure via email or verbally. The notification of closure will include the following:
 - · Operator's name
 - · Location by Unit Letter, Section Township, and Range.
 - · Well name and API number
- 12. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the blow grade tank. The closure report will be filed on C-144 and incorporate the following:
 - · Details on capping and covering where applicable
 - · Inspection reports
 - · Sampling results
- 13. The site will be re-contoured to match the surrounding area. Natural drainages will be unimpeded and erosion control will be utilized where necessary.
- 14. MOG shall seed the disturbed areas the first growing season with a division approved seed mixture after pit closure. Seeding will be accomplished by drilling on the contour whenever possible or by other division approved methods. Repeat seeding or planting will be continued until successful vegetative growth occurs.
- 15. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the thickness of the topsoil native to the area, whichever is greater.

16. The surface owner shall be notified of MOG's closing of the below grade tank as per the approved closure plan using certified mail with return receipt requested.