State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II 1301 W Grand Ave , Artesia, NM 88210 Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

1000 Rio Brazos Rd , Aztec, NM 87410

District IV
1220 S St Francis Dr , Santa Fe, NM 87505

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

a	9	(0	\	
C	-O	V		

District III

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

1				
Operator: ConocoPhillips Company	OGRID#: <u>217817</u>			
Address: PO Box 4289, Farmington, NM 87499				
Facility or well name: Chacon Hill 2				
API Number: 30-039-22136 OCD Permit Num	nber.			
U/L or Qtr/Qtr: G(SW/NE) Section: 20 Township: 24N Range:	3W County: Rio Arriba			
Center of Proposed Design: Latitude: 36.297988 °N Longitude:	<b>107.17658 °W</b> NAD: <b>X</b> 1927 1983			
Surface Owner: X Federal State Private Tribal Trust or Ind	lian Allotment			
String-Reinforced	RCVD APR 2'12 OIL CONS. DIV. DIST. 3  HDPE PVC Other bbl Dimensions L x w x D			
Subsection H of 19 15 17 11 NMAC   Type of Operation				
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume. bbl Type of fluid  Tank Construction material  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and at Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thicknessmil HDPE PVC Other	utomatic overflow shut-off			
5  Alternative Method:  Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environment of the Santa Fe	onmental Bureau office for consideration of approval			
Form C-144 Oil Conservation Division	Page 1 of 5			

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  (Fencing/BGT Liner)  Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
Siting Criteria (regarding permitting) 19.15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - tWATERS database search; USGS; Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	∐No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes NA	∏No			
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	☐ Yes ☐ NA	∐No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	E				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	□No			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes	□No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No			
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map	Yes	∏No			
Within a 100-year floodplain - FEMA map	Yes	□No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17 9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17 10 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design)  API  or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17 13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC			
String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15.17 11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Closure Fight - based upon the appropriate requirements of subsection e of 15,15.17.5 (wave and 15.15.17.15 (wave and 15.15.17.15 (wave and 15.15.17.15))			
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method Waste Excavation and Removal  Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.    Description and Proceedings   based upon the consension requirements of 10.15.17.13 NIMAC.			
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC			
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC			
Site recommends from a passed upon the appropriate requirements of subsection O of 15 15 17.15 NWAC			

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Abov Instructions Please identify the facility or facilities for the disposal of lacilities are required	ve Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Inquids, drilling fluids and drill cuttings—Use attachment if more than tw	0		
Disposal Facility Name	Disposal Facility Permit #			
Disposal Facility Name Disposal Facility Permit #				
	ciated activities occur on or in areas that will not be used for future			
Required for impacted areas which will not be used for future service a  Soil Backfill and Cover Design Specification - based upor Re-vegetation Plan - based upon the appropriate requirem Site Reclamation Plan - based upon the appropriate requirements	the appropriate requirements of Subsection H of 19 15 17 13 NM ents of Subsection I of 19 15 17 13 NMAC	IAC		
	he closure plan-Recommendations of acceptable source material are provide ate district office or may be considered an exception which must be submitted t			
Ground water is less than 50 feet below the bottom of the buried	waste	Yes No		
- NM Office of the State Engineer - 1WATERS database search, U	SGS Data obtained from nearby wells	□N/A		
Ground water is between 50 and 100 feet below the bottom of the	buried waste	Yes No		
- NM Office of the State Engineer - iWATERS database search, US		N/A		
Constitution of the last the l		☐ ☐Yes ☐No		
Ground water is more than 100 feet below the bottom of the burie				
-, NM Office of the State Engineer - iWATERS database search, US	GGS, Data obtained from nearby wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of an (measured from the ordinary high-water mark)	y other significant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed	l site			
Within 300 feet from a permanent residence, school, hospital, institution	•	Yes No		
- Visual inspection (certification) of the proposed site, Aerial photo,	satelite image	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spri purposes, or within 1000 horizontal fee of any other fresh water well or s - NM Office of the State Engineer - 1WATERS database, Visual insi	spring, in existence at the time of the initial application			
Within incorporated municipal boundaries or within a defined municipal pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written		YesNo		
Within 500 feet of a wetland	approval octained from the main-opains	☐Yes ☐No		
- US Fish and Wildlife Wetland Identification map, Topographic ma	ap, Visual inspection (certification) of the proposed site			
Within the area overlying a subsurface mine		Yes No		
- Written confiramtion or verification or map from the NM EMNRD	-Mining and Mineral Division			
Within an unstable area		☐ Yes ☐ No		
- Engineering measures incorporated into the design, NM Bureau of	Geology & Mineral Resources, USGS, NM Geological Society,			
Topographic map Within a 100-year floodplain - FEMA map		Yes No		
18				
	ctions: Each of the following items must bee attached to the clos	sure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17.11 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Sita Baalamatian Blan, based upon the appropriate regular	amonto of Subsection C of 10.15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

19"
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone:
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 4/03/20/2
Title: CM lance CEC OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed    X   Closure Completion Date: 3/15/2012
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude  Longitude  NAD  1927  1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Galal Tapena Date 3/30/12
e-mail address: crystal.tafoya@conocophillips.com Telephone (505) 326-9837