

RCVD APR 4 '12

OIL CONS. DIV.

DIST. 3

DISTRICT I
1626 N. French Dr., Hobbs, N.M. 88240

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised October 12, 2005

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT III
1000 Rio Brazos Rd., Artec, N.M. 87410

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87605

☐ AMENDED REPORT

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87606

AS DRILLED PLAT

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30-045-35270		*Pool Code 72319	*Pool Name BLANCO MESAVERDE
*Property Code 6804	*Property Name ATLANTIC C		*Well Number 2 C
*GRID No. 14538	*Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP		*Elevation 6408'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	35	31N	10W		1217'	NORTH	1853'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	35	31N	10W		1540'	NORTH	696'	EAST	SAN JUAN

*Dedicated Acres 320.00 ACRES - E/2	*Joint or Infill	*Consolidation Code	*Order No.
--	------------------	---------------------	------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16

16 BASIS OF BEARINGS N 89°46'41" W 2403.06' (M) N 89°49' W 2423.52' (R) FND 3/4" BC BLM 1987 FND 3/4" BC BLM 1988 FND 3/4" BC BLM 1988 WELL FLAG LAT. 36.85904° N (NAD83) LONG. 107.85015° W (NAD83) LAT. 36°51.54212' N (NAD27) LONG. 107°50.97185' W (NAD27) DIRECTIONAL DRILL S 74°08'47" E 1207.19' 1217' 1853' 1540' 696' 2626.91' (M) 2624.82' (R) N 3°03'49" W N 2°38' W 35 LEASE # USA NM-0607	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division. Signature _____ Date _____ Marie E Jaramillo 4/4/12 Printed Name 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JUNE 7, 2010 Date of Survey Signature and Seal of Professional Surveyor: _____ DAVID R. RUSSELL REGISTERED PROFESSIONAL LAND SURVEYOR NO. 10201 DAVID RUSSELL Certificate Number 10201
---	---

A

PC



COP Deviation Report

ATLANTIC C #2C

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName ATLANTIC C #2C	API / UWI 3004535270	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location 035-031N-010W-B	N/S Dist (ft) 1,217.00	N/S Ref FNL	E/W Dist (ft) 1,853.00	E/W Ref FEL

Survey Data					
Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
2/14/2012	128.00	1.00		Inc-Drop	MO-TE DRILLING INC.
2/14/2012	235.00	0.75		Inc-Drop	MO-TE DRILLING INC.
2/24/2012	263.00	1.64	209.67	IncAzi-MWD	
2/24/2012	293.00	1.68	216.92	IncAzi-MWD	
2/24/2012	324.00	1.64	213.25	IncAzi-MWD	
2/24/2012	354.00	1.40	204.47	IncAzi-MWD	
2/24/2012	385.00	1.24	187.94	IncAzi-MWD	
2/24/2012	416.00	1.11	180.52	IncAzi-MWD	
2/24/2012	446.00	0.96	159.29	IncAzi-MWD	ROVD APR 4 '12
2/24/2012	477.00	1.03	124.20	IncAzi-MWD	OIL CONS. DIV.
2/24/2012	507.00	1.35	100.15	IncAzi-MWD	
2/24/2012	538.00	1.83	98.33	IncAzi-MWD	
2/24/2012	568.00	2.48	96.33	IncAzi-MWD	
2/25/2012	599.00	3.46	91.72	IncAzi-MWD	DIST. 3
2/25/2012	629.00	4.97	97.10	IncAzi-MWD	
2/25/2012	660.00	6.53	101.21	IncAzi-MWD	
2/25/2012	690.00	8.32	103.64	IncAzi-MWD	
2/25/2012	721.00	10.06	105.06	IncAzi-MWD	
2/25/2012	751.00	12.16	103.79	IncAzi-MWD	
2/25/2012	782.00	13.78	104.28	IncAzi-MWD	
2/25/2012	812.00	14.76	105.13	IncAzi-MWD	
2/25/2012	846.00	15.70	104.23	IncAzi-MWD	
2/25/2012	878.00	16.39	104.07	IncAzi-MWD	
2/25/2012	911.00	16.94	105.20	IncAzi-MWD	
2/25/2012	943.00	17.60	104.23	IncAzi-MWD	
2/25/2012	975.00	18.35	103.09	IncAzi-MWD	
2/25/2012	1,007.00	18.37	103.66	IncAzi-MWD	
2/25/2012	1,039.00	18.75	103.98	IncAzi-MWD	
2/25/2012	1,072.00	18.95	104.07	IncAzi-MWD	
2/25/2012	1,104.00	19.50	105.27	IncAzi-MWD	
2/25/2012	1,136.00	19.85	105.94	IncAzi-MWD	
2/25/2012	1,168.00	20.62	106.49	IncAzi-MWD	
2/25/2012	1,201.00	21.30	105.09	IncAzi-MWD	
2/25/2012	1,233.00	22.13	104.61	IncAzi-MWD	
2/25/2012	1,265.00	22.39	104.87	IncAzi-MWD	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



COP Deviation Report

ATLANTIC C #2C

Survey Data					
Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
2/25/2012	1,298.00	23 41	102.83	IncAzi-MWD	
2/25/2012	1,330.00	24 28	103 62	IncAzi-MWD	
2/25/2012	1,362.00	25 43	103 35	IncAzi-MWD	
2/25/2012	1,395.00	25 98	103.78	IncAzi-MWD	
2/25/2012	1,427.00	26.28	104 30	IncAzi-MWD	
2/25/2012	1,459.00	26 59	104.43	IncAzi-MWD	
2/25/2012	1,491.00	27 59	103.98	IncAzi-MWD	
2/25/2012	1,524.00	28.53	104 20	IncAzi-MWD	
2/25/2012	1,556.00	28.38	104 02	IncAzi-MWD	
2/25/2012	1,588.00	27 97	103 71	IncAzi-MWD	
2/25/2012	1,653.00	29 45	104 77	IncAzi-MWD	
2/25/2012	1,717.00	29 36	104.64	IncAzi-MWD	
2/25/2012	1,782.00	29.11	104 43	IncAzi-MWD	
2/25/2012	1,846.00	28 24	105.16	IncAzi-MWD	
2/25/2012	1,911.00	28.98	104 90	IncAzi-MWD	
2/25/2012	1,975.00	30 68	105 46	IncAzi-MWD	
2/25/2012	2,040.00	30 35	105 25	IncAzi-MWD	
2/25/2012	2,104.00	30 23	104 63	IncAzi-MWD	
2/25/2012	2,168.00	30.05	103 86	IncAzi-MWD	
2/25/2012	2,233.00	29.75	103.72	IncAzi-MWD	
2/25/2012	2,297.00	29.21	104 73	IncAzi-MWD	
2/25/2012	2,362.00	28.88	105 00	IncAzi-MWD	
2/25/2012	2,426.00	28.31	104 07	IncAzi-MWD	
2/25/2012	2,490.00	28.67	104 34	IncAzi-MWD	
2/25/2012	2,555.00	29.46	106.01	IncAzi-MWD	
2/25/2012	2,620.00	29.18	107.47	IncAzi-MWD	
2/25/2012	2,684.00	28.31	106 80	IncAzi-MWD	
2/25/2012	2,749.00	27.59	105.79	IncAzi-MWD	
2/25/2012	2,813.00	27.07	105.60	IncAzi-MWD	
2/26/2012	2,877.00	26 37	105.28	IncAzi-MWD	
2/26/2012	2,942.00	25.46	105.54	IncAzi-MWD	
2/26/2012	3,006.00	24.58	104.89	IncAzi-MWD	
2/26/2012	3,071.00	22.28	105.05	IncAzi-MWD	
2/26/2012	3,136.00	19 95	106.87	IncAzi-MWD	
2/26/2012	3,200.00	18.53	105.71	IncAzi-MWD	
2/26/2012	3,265.00	16 77	106.08	IncAzi-MWD	
2/26/2012	3,329.00	15 36	104.80	IncAzi-MWD	
2/26/2012	3,394.00	13 66	105.14	IncAzi-MWD	
2/26/2012	3,459.00	12 94	103 90	IncAzi-MWD	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief:

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (ftKB)	Incl. (°)	Azm (°)	Method	Survey Company
2/26/2012	3,523.00	12.04	104.86	IncAzi-MWD	
2/26/2012	3,587.00	9.97	114.52	IncAzi-MWD	
2/26/2012	3,652.00	8.41	117.89	IncAzi-MWD	
2/26/2012	3,716.00	7.24	118.29	IncAzi-MWD	
2/26/2012	3,856.00	3.00	126.90	IncAzi-MWD	
3/7/2012	5,921.00	1.25		Inc-WL	Phoenix Services LLC

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Al Galt

Subscribed and sworn to me this 4/3/12

Martinez

Notary Public in and for San Juan County, New Mexico

My Commission expires 9/22/14



RCVD APR 4 '12

OIL CONS. DIV.

DIST. 3

ConocoPhillips

SJB (NM West)
SEC 35-T31N-R10W
Atlantic C 2C

OH

API# 3004535210

Design: OH


Standard Survey Report

09 March, 2012

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 9th of March, 2012.


Darci D. Neal
Notary Signature
County of Natrona
State of Wyoming




Scientific Drilling

WELL DETAILS: Atlantic C 2C
GL 6408' & RKB 15' @ 6423.0ft (Aztec 920)
Ground Level: 6408.0

Northing	Easting	Latitude	Longitude
2131951.30	495261.37	36° 51' 32.530 N	107° 50' 58.311 W



Vertical Section at 105.59° (650 ft/in)



REFERENCE INFORMATION

Co-ordinate (N/E) Reference: Well Atlantic C 2C, True North
Vertical (TVD) Reference: GL 6408' & RKB 15' @ 6423.0ft (Aztec 920)
Section (VS) Reference: User Defined (0.0N, -0.1E)
Measured Depth Reference: GL 6408' & RKB 15' @ 6423.0ft (Aztec 920)
Calculation Method: Minimum Curvature

PROJECT DETAILS: SJB (NM West)

Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico West 3003
System Datum: Mean Sea Level

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Atlantic C 2C
Project:	SJB (NM West)	TVD Reference:	GL 6408' & RKB 15' @ 6423.0ft (Aztec 920)
Site:	SEC 35-T31N-R10W	MD Reference:	GL 6408' & RKB 15' @ 6423.0ft (Aztec 920)
Well:	Atlantic C 2C	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 2003.21 Single User Db

Project:	SJB (NM West), San Juan County, New Mexico, S-Type MV/DK Wells
----------	--

Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		Using Well Reference Point
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site:	SEC 35-T31N-R10W
-------	------------------

Site Position:		Northing:	2,131,951.30 ft	Latitude:	36° 51' 32.530 N
From:	Lat/Long	Easting:	495,261.37 ft	Longitude:	107° 50' 58.311 W
Position Uncertainty:	0.0 ft	Slot Radius:	"	Grid Convergence:	-0.01 °

Well:		Atlantic C 2C				
Well Position	+N-S	0.0 ft	Northing:	2,131,951.30 ft	Latitude:	36° 51' 32.530 N
	+E-W	0.0 ft	Easting:	495,261.37 ft	Longitude:	107° 50' 58.311 W
Position Uncertainty	0.0 ft	Wellhead Elevation:	ft	Ground Level:	6,408.0 ft	

Wellbore:	OH
-----------	----

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2011	2012/02/22	9.86	63.53	50,690

Design:	OH
---------	----

Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.0	0.0	-0.1	105.59	

Survey Program		Date	2012/03/09		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
263.0	3,856.0	Survey #1 (OH)	MWD SDI	MWD - Standard ver 1.0.1	

Survey	Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
	0.0	0.00	0.00	0.0	0.0	0.0	0.1	0.00	0.00	0.00
	263.0	1.64	209.67	263.0	-3.3	-1.9	-0.8	0.62	0.62	0.00
First SDI MWD Survey										
	293.0	1.68	216.92	293.0	-4.0	-2.3	-1.1	0.71	0.13	24.17
	324.0	1.64	213.25	323.9	-4.7	-2.9	-1.4	0.37	-0.13	-11.84
	354.0	1.40	204.47	353.9	-5.4	-3.2	-1.6	1.11	-0.80	-29.27
	385.0	1.24	187.94	384.9	-6.1	-3.4	-1.6	1.33	-0.52	-53.32
	416.0	1.11	180.52	415.9	-6.7	-3.5	-1.5	0.64	-0.42	-23.94
	446.0	0.96	159.29	445.9	-7.3	-3.4	-1.3	1.36	-0.50	-70.77
	477.0	1.03	124.20	476.9	-7.7	-3.1	-0.8	1.95	0.23	-113.19
	507.0	1.35	100.15	506.9	-7.9	-2.5	-0.2	1.95	1.07	-80.17
	538.0	1.83	98.33	537.9	-8.0	-1.7	0.6	1.56	1.55	-5.87
	568.0	2.48	96.33	567.9	-8.1	-0.5	1.7	2.18	2.17	-6.67

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Atlantic C 2C
Project:	SJB (NM West)	TVD Reference:	GL 6408' & RKB 15' @ 6423.0ft (Aztec 920)
Site:	SEC 35-T31N-R10W	MD Reference:	GL 6408' & RKB 15' @ 6423.0ft (Aztec 920)
Well:	Atlantic C 2C	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 2003.21 Single User Db

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
599.0	3.46	91.72	598.8	-8.2	1.1	3.3	3.25	3.16	-14.87
629.0	4.97	97.10	628.7	-8.4	3.2	5.5	5.20	5.03	17.93
660.0	6.53	101.21	659.6	-8.9	6.3	8.6	5.20	5.03	13.26
690.0	8.32	103.64	689.3	-9.8	10.1	12.4	6.06	5.97	8.10
721.0	10.06	105.06	719.9	-11.0	14.9	17.4	5.66	5.61	4.58
751.0	12.16	103.79	749.4	-12.5	20.5	23.2	7.05	7.00	-4.23
782.0	13.78	104.28	779.6	-14.1	27.2	30.1	5.24	5.23	1.58
812.0	14.76	105.13	808.7	-16.0	34.4	37.5	3.34	3.27	2.83
846.0	15.70	104.23	841.5	-18.3	43.0	46.4	2.85	2.76	-2.65
878.0	16.39	104.07	872.2	-20.4	51.6	55.3	2.16	2.16	-0.50
911.0	16.94	105.20	903.8	-22.8	60.8	64.7	1.93	1.67	3.42
943.0	17.60	104.23	934.4	-25.3	69.9	74.2	2.25	2.06	-3.03
975.0	18.35	103.09	964.8	-27.6	79.5	84.1	2.59	2.34	-3.56
1,007.0	18.37	103.66	995.2	-29.9	89.4	94.2	0.56	0.06	1.78
1,039.0	18.75	103.98	1,025.5	-32.3	99.2	104.4	1.23	1.19	1.00
1,072.0	18.95	104.07	1,056.8	-34.9	109.6	115.0	0.61	0.61	0.27
1,104.0	19.50	105.27	1,087.0	-37.6	119.8	125.6	2.12	1.72	3.75
1,136.0	19.85	105.94	1,117.1	-40.5	130.2	136.3	1.30	1.09	2.09
1,168.0	20.62	106.49	1,147.1	-43.6	140.8	147.4	2.48	2.41	1.72
1,201.0	21.30	105.09	1,177.9	-46.8	152.1	159.2	2.56	2.06	-4.24
1,233.0	22.13	104.61	1,207.7	-49.8	163.6	171.0	2.65	2.59	-1.50
1,265.0	22.39	104.87	1,237.3	-52.9	175.3	183.2	0.87	0.81	0.81
1,298.0	23.41	102.83	1,267.7	-56.0	187.8	196.0	3.92	3.09	-6.18
1,330.0	24.28	103.62	1,297.0	-58.9	200.4	208.9	2.90	2.72	2.47
1,362.0	25.43	103.35	1,326.0	-62.1	213.4	222.4	3.61	3.59	-0.84
1,395.0	25.98	103.78	1,355.7	-65.4	227.4	236.7	1.76	1.67	1.30
1,427.0	26.28	104.30	1,384.5	-68.9	241.0	250.7	1.18	0.94	1.63
1,459.0	26.59	104.43	1,413.1	-72.4	254.8	265.0	0.99	0.97	0.41
1,491.0	27.59	103.98	1,441.6	-76.0	269.0	279.6	3.19	3.13	-1.41
1,524.0	28.53	104.20	1,470.7	-79.7	284.0	295.1	2.87	2.85	0.67
1,556.0	28.38	104.02	1,498.9	-83.5	298.8	310.3	0.54	-0.47	-0.56
1,588.0	27.97	103.71	1,527.1	-87.1	313.5	325.4	1.36	-1.28	-0.97
1,653.0	29.45	104.77	1,584.1	-94.8	343.7	356.6	2.41	2.28	1.63
1,717.0	29.36	104.69	1,639.8	-102.8	374.1	388.1	0.15	-0.14	-0.13
1,782.0	29.11	104.43	1,696.5	-110.7	404.8	419.8	0.43	-0.38	-0.40
1,846.0	28.24	104.43	1,752.7	-118.4	434.6	450.5	1.36	-1.36	0.00
1,911.0	28.98	104.90	1,809.8	-126.3	464.7	481.6	1.19	1.14	0.72
1,975.0	30.68	105.46	1,865.3	-134.6	495.4	513.5	2.69	2.66	0.88
2,040.0	30.35	105.25	1,921.3	-143.4	527.2	546.5	0.53	-0.51	-0.32
2,104.0	30.23	104.63	1,976.5	-151.7	558.4	578.7	0.52	-0.19	-0.97
2,168.0	30.05	103.86	2,031.9	-159.6	589.6	610.9	0.67	-0.28	-1.20
2,233.0	29.75	103.72	2,088.2	-167.3	621.1	643.2	0.47	-0.46	-0.22
2,297.0	29.21	104.73	2,143.9	-175.0	651.6	674.7	1.15	-0.84	1.58
2,362.0	28.88	105.00	2,200.8	-183.1	682.1	706.3	0.55	-0.51	0.42
2,426.0	28.31	104.07	2,257.0	-190.8	711.7	736.9	1.13	-0.89	-1.45
2,490.0	28.67	104.34	2,313.2	-198.3	741.3	767.4	0.60	0.56	0.42
2,555.0	29.46	106.01	2,370.0	-206.6	771.8	799.0	1.74	1.22	2.57
2,620.0	29.18	106.80	2,426.7	-215.6	802.3	830.8	0.73	-0.43	1.22
2,684.0	28.31	106.80	2,482.8	-224.5	831.8	861.6	1.36	-1.36	0.00
2,749.0	27.59	105.79	2,540.2	-233.0	861.0	892.1	1.33	-1.11	-1.55
2,813.0	27.07	105.60	2,597.1	-241.0	889.3	921.4	0.82	-0.81	-0.30
2,877.0	26.37	105.28	2,654.3	-248.6	917.1	950.2	1.12	-1.09	-0.50
2,942.0	25.46	105.54	2,712.7	-256.2	944.4	978.6	1.41	-1.40	0.40
3,006.0	24.58	104.89	2,770.7	-263.3	970.6	1,005.7	1.44	-1.38	-1.02

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Atlantic C 2C
Project:	SJB (NM West)	TVD Reference:	GL 6408' & RKB 15' @ 6423.0ft (Aztec 920)
Site:	SEC 35-T31N-R10W	MD Reference:	GL 6408' & RKB 15' @ 6423.0ft (Aztec 920)
Well:	Atlantic C 2C	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 2003.21 Single User Db

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
3,071.0	22.28	105.05	2,830.3	-270.0	995.5	1,031.5	3.54	-3.54	0.25
3,136.0	19.95	106.87	2,891.0	-276.4	1,018.0	1,054.9	3.72	-3.58	2.80
3,200.0	18.53	105.71	2,951.4	-282.3	1,038.3	1,076.0	2.30	-2.22	-1.81
3,265.0	16.77	106.08	3,013.3	-287.7	1,057.2	1,095.7	2.71	-2.71	0.57
3,329.0	15.36	104.80	3,074.8	-292.4	1,074.3	1,113.5	2.27	-2.20	-2.00
3,394.0	13.66	105.14	3,137.8	-296.6	1,090.0	1,129.7	2.62	-2.62	0.52
3,459.0	12.94	103.90	3,201.0	-300.4	1,104.5	1,144.7	1.19	-1.11	-1.91
3,523.0	12.04	104.86	3,263.5	-303.8	1,117.9	1,158.5	1.44	-1.41	1.50
3,587.0	9.97	114.52	3,326.3	-307.8	1,129.4	1,170.7	4.32	-3.23	15.09
3,652.0	8.41	117.89	3,390.5	-312.4	1,138.7	1,180.9	2.54	-2.40	5.18
3,716.0	7.24	118.29	3,453.9	-316.5	1,146.4	1,189.4	1.83	-1.83	0.63
3,781.0	5.01	121.43	3,518.5	-319.9	1,152.5	1,196.1	3.47	-3.43	4.83
3,856.0	3.00	126.90	3,593.3	-322.8	1,156.8	1,201.1	2.72	-2.68	7.29
Last SDI MWD Survey									

Checked By: _____ Approved By: _____ Date: _____