District I 1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

a'	8	1	2
- 1	•		

District IV 1220 S St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
Pit, Closed-Loop Sy	stem, Below-Grade Tank, or nod Permit or Closure Plan Application
X Closure of a pit, closed-le Modification to an existi Closure plan only submit below-grade tank, or pro	tted for an existing permitted or non-permitted pit, closed-loop system, posed alternative method
Please be advised that approval of this request does not relieve the operation	individual pit, closed-loop system, below-grade tank or alternative request tor of hability should operations result in pollution of surface water, ground water or the comply with any other applicable governmental authority's rules, regulations or ordinances
Operator Burlington Resources Oil & Gas Company, LP	OGRID# <u>14538</u>
Address: PO Box 4289, Farmington, NM 87499	•
Facility or well name Canyon Largo Unit 116 API Number. 30-039-05563	OCD Permit Number
	24N Range: 6W County: Rio Arriba °N Longitude: 107.41374 °W NAD. X 1927 1983 Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness String-Reinforced Liner Seams Welded Factory Other	RCVD APR 4 '12 OIL CONS. DIV. mil LLDPE HDPE PVC Other DIST. 3 Volume bbl Dimensions L x w x D

Liner Type

Tank Construction material

Visible sidewalls and liner

Secondary containment with leak detection

Thickness

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Visible sidewalls only

HDPE

mil

Other

PVC

Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

Other

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent resided Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	lence, school, hospital, institution or cl	urch)
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environment (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	ntal Bureau office for consideration of	approval
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommenda source material are provided below. Requests regarding changes to certain siting criteria may require administrative appapropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental But consideration of approval. Applicant must attach justification for request Please refer to 19.15.17 10 NMAC for guidant does not apply to drying pads or above grade-tanks associated with a closed-loop system.	proval from the ureau Office for	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade t - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	ank. Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sind (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	khole, or playa lake Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the tin application.	ne of initial Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Acrial photo, Satellite image	application. Yes NA	No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for dome purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial applications.	~ L	No
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the prop	osed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a muni adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality		No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, Society, Topographic map	NM Geological Yes	No
Within a 100-year floodplain - FEMA map	☐ Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC.		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19 15 17 9 NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) API		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC		
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
14 Proposed Cleanury, 10 15 17 12 NM C		
Proposed Closure: 19 15 17 13 NMAC Instructions Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative		
Proposed Closure Method		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions. Each of the following items must be attached to the closure plan Planse indicate, by a check work in the box, that the documents are attached.		
Please indicate, by a check mark in the box, that the documents are attached Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	eel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) g fluids and drill cuttings Use attachment if more than two			
Disposal Facility Name	Disposal Facility Permit #			
Disposal Facility Name	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activity Yes (If yes, please provide the information No		service and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropr Re-vegetation Plan - based upon the appropriate requirements of Subset	nate requirements of Subsection H of 19 15 17 13 NMA ection I of 19 15 17 13 NMAC	C		
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMA Instructions Lach siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district offic office for consideration of approval Instifications and/or demonstrations of equivalency are	n Recommendations of acceptable source material are provided of the or may be considered an exception which must be submitted to			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data ob	tained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried wast		Yes No		
- NM Office of the State Engineer - (WATERS database search, USGS, Data obt	ained from nearby wells	∐N/A		
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obt	ained from nearby wells	∐Yes ∐No □N/A		
·		Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in	existence at the time of initial application	Yes No		
- Visual inspection (certification) of the proposed site, Aerial photo, satellite imag	• •	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No		
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland		Yes No		
 US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp Within the area overlying a subsurface mine 	pection (certification) of the proposed site	∏Yes ∏No		
- Written confirantion or verification or map from the NM EMNRD-Mining and N	Mineral Division			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,		YesNo		
Topographic map Within a 100-year floodplain - FEMA map		Yes No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each by a check mark in the box, that the documents are attached.	h of the following items must bee attached to the closu	re plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropria	ite requirements of 19 15 17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirement	ents of Subsection F of 19 15 17 13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requireme	·			
Disposal Facility Name and Permit Number (for liquids, drilling fluids	and drill cuttings or in case on-site closure standards ca	annot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsci				

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
e-mail address
OCD Approval: Permit Application (including closure plan) osure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 5/20 2 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: 6/10/2010
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed Disposal Facility Name Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) Required for impacted areas which will not be used for future service and operations Stite Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 24 Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:
1 hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Stal Tapeja Date 4/3/2012
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837