

District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

30-045-27878

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company Williams Production	Contact Michael K. Lane
Address PO Box 640	Telephone No. 505-634-4219
Facility Name Cox Canyon #200 (API: 30-045-27878)	Facility Type Well Site

Surface Owner BLM	Mineral Owner BLM	Lease No.
--------------------------	--------------------------	-----------

LOCATION OF RELEASE

Unit Letter L	Section 9	Township 32 N	Range 11W	Feet from the	North/South Line	Feet from the	East/West Line	County San Juan
-------------------------	---------------------	-------------------------	---------------------	---------------	------------------	---------------	----------------	---------------------------

Latitude 36.99664 Longitude -107.99889

RCVD OCT 18 '10

OIL CONS. DIV.
DIST. 3

NATURE OF RELEASE

Type of Release Stormwater, produced water with skim of oil	Volume of Release <1 bbl	Volume Recovered ~1bbl
Source of Release Below-grade Tank	Date and Hour of Occurrence 7/26/2010	Date and Hour of Discovery During storm event
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? Brandon Powell-NMOCD (email)	
By Whom? Myke Lane	Date and Hour 7/27/10 16 45	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse	

If a Watercourse was Impacted, Describe Fully



Describe Cause of Problem and Remedial Action Taken

Heavy rainfall during a thunderstorm wash out berm and overfilled BGT. Produced water and oil skim spread over a 100sf area. Well shut-in, BGT drained with vac truck. Impacted soil and residual liquids recovered with hydrovac truck. Sampling indicates no residual contamination. Berms rebuilt and site drainage modified to prevent stormwater run-on. Composite sample results and site map attached.

Describe Area Affected and Cleanup Action Taken.

Criteria	Site Condition	Ranking Score
Depth to Groundwater	>=100 (Cathodic - >=160 ft BGS)	0
Wellhead Protection Area	None	0
Surface Water Body	>1000 ft	0
Total Ranking		0
Lab	Results	Remediation Action Level
Benzene (ppb)	<0.9	10,000
BTEX (ppb)	<5 0 -9 0	50,000
TPH by EPA - 418 1 (ppm)	55 1 - 129	5000
Cl (ppm)	10 - 30	--

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Michael K. Lane	Approved by District Supervisor 	
Title: SJB EH&S Specialist	Approval Date 3/06/2012	Expiration Date.
E-mail Address myke.lane@williams.com	Conditions of Approval.	Attached ☐
Date: 10/15/10	Phone: (505) 330-3198	

* Attach Additional Sheets If Necessary

NJK1206639907

Lane, Myke

From: Lane, Myke
Sent: Tuesday, July 27, 2010 4:54 PM
To: Powell, Brandon, EMNRD
Cc: Meador, Tasha; Shorter, Ronnie, Richardson, Jason; Snyder, Walden
Subject: Release Notice - Cox Canyon #200

Importance: High

Brandon:

Please accept this as initial notice on a release at the Cox Canyon #200 (30-045-27878), S9L-T32N-R11W

A heavy thunderstorm event Sunday or Monday washed out our tank berm and overfilled the below-grade tank. This resulted in a release of produced water and some condensate/oil floated from the BGT, An area of about 100 sf was visually impacted around the bermed area and the release did not appear to go off site. The release was discovered this afternoon.

Williams is planning to recovered the oil and water using a vacuum truck or supersucker, remove the BGT, rebuild the berms and modify stormwater drainage to prevent this in the future. A spill report will be submitted once the impacted soils are excavated for offsite disposal, and samples demonstrate remediation.

Call with any questions.


Michael K. (Myke) Lane, PE
EH&S Team Leader - San Juan Basin Operations
721 S. Main/PO Box 640, Aztec, NM 87410
(505) 634-4219(off); -4205(fax); 330-3198(cell)

"The problems we face cannot be resolved at the same level of thinking as that which gave rise to them!"---shared with me by Brent Hale

Williams Exploration Production
PO Box 640
Aztec, NM 87410
505/634-4200
505/634-4205 fax


Site Sketch

Location: EC# 200
Prepared by: W.H. Snyder
Date: 8-2-10



Notes:

- 1) Provide an approximate scale
- 2) Show north direction.
- 3) Include well or other fixed marker.



Cox Can n#200



Cox Can \$200



Cox Canyon #200



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Williams	Project #:	04108-0136
Sample ID:	North Cox Canyon 200	Date Reported:	07-30-10
Laboratory Number:	55360	Date Sampled:	07-28-10
Chain of Custody No:	9848	Date Received:	07-29-10
Sample Matrix:	Soil	Date Extracted:	07-29-10
Preservative:		Date Analyzed:	07-29-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **CC 200 BGT Spill**



Analyst



Review



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Williams	Project #:	04108-0136
Sample ID:	West Cox Canyon 200	Date Reported:	07-30-10
Laboratory Number:	55361	Date Sampled:	07-28-10
Chain of Custody No:	9848	Date Received:	07-29-10
Sample Matrix:	Soil	Date Extracted:	07-29-10
Preservative:		Date Analyzed:	07-29-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **CC 200 BGT Spill**



Analyst



Review



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	Williams	Project #:	04108-0136
Sample ID:	North West Cox Canyon 200	Date Reported:	07-30-10
Laboratory Number:	55362	Date Sampled:	07-28-10
Chain of Custody No:	9848	Date Received:	07-29-10
Sample Matrix:	Soil	Date Extracted:	07-29-10
Preservative:		Date Analyzed:	07-29-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **CC 200 BGT Spill**



Analyst



Review



EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	07-29-10 QA/QC	Date Reported:	07-30-10
Laboratory Number:	55357	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	07-29-10
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	99.8%	75 - 125%
Diesel Range C10 - C28	ND	250	262	105%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 55357-55365


Analyst


Review



**EPA METHOD 8021
AROMATIC VOLATILE ORGANICS**

Client: Williams
Sample ID: North Cox Canyon 200
Laboratory Number: 55360
Chain of Custody: 9848
Sample Matrix: Soil
Preservative:
Condition: Intact

Project #: 04108-0136
Date Reported: 07-30-10
Date Sampled: 07-28-10
Date Received: 07-29-10
Date Analyzed: 07-29-10
Date Extracted: 07-29-10
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	96.9 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: CC 200 BGT Spill



Analyst



Review



**EPA METHOD 8021
AROMATIC VOLATILE ORGANICS**

Client: Williams
Sample ID: West Cox Canyon 200
Laboratory Number: 55361
Chain of Custody: 9848
Sample Matrix: Soil
Preservative:
Condition: Intact

Project #: 04108-0136
Date Reported: 07-30-10
Date Sampled: 07-28-10
Date Received: 07-29-10
Date Analyzed: 07-29-10
Date Extracted: 07-29-10
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96.7 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	97.2 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: CC 200 BGT Spill



Analyst



Review



**EPA METHOD 8021
AROMATIC VOLATILE ORGANICS**

Client:	Williams	Project #:	04108-0136
Sample ID:	North West Cox Canyon 200	Date Reported:	07-30-10
Laboratory Number:	55362	Date Sampled:	07-28-10
Chain of Custody:	9848	Date Received:	07-29-10
Sample Matrix:	Soil	Date Analyzed:	07-29-10
Preservative:		Date Extracted:	07-29-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	1.8	1.0
p,m-Xylene	2.5	1.2
o-Xylene	4.7	0.9
Total BTEX	9.0	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	91.4 %
	1,4-difluorobenzene	94.4 %
	Bromochlorobenzene	78.1 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: CC 200 BGT Spill

Analyst

Review



**EPA METHOD 8021
AROMATIC VOLATILE ORGANICS**

Client:	N/A	Project #:	N/A
Sample ID:	0730BBLK QA/QC	Date Reported:	07-30-10
Laboratory Number:	55357	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	07-29-10
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff. Accept. Range 0 - 15%	Blank Conc	Detect. Limit
Benzene	1.0597E+006	1.0619E+006	0.2%	ND	0.1
Toluene	1.1590E+006	1.1613E+006	0.2%	ND	0.1
Ethylbenzene	1.0413E+006	1.0433E+006	0.2%	ND	0.1
p,m-Xylene	2.6113E+006	2.6165E+006	0.2%	ND	0.1
o-Xylene	9.5705E+005	9.5897E+005	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	1.3	1.1	15.4%	0 - 30%	0.9
Toluene	16.4	16.8	2.4%	0 - 30%	1.0
Ethylbenzene	1.5	1.2	20.0%	0 - 30%	1.0
p,m-Xylene	13.1	12.6	3.8%	0 - 30%	1.2
o-Xylene	4.7	4.7	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	1.3	50.0	50.6	101%	39 - 150
Toluene	16.4	50.0	51.1	98.9%	46 - 148
Ethylbenzene	1.5	50.0	49.7	99.2%	32 - 160
p,m-Xylene	13.1	100	101	100%	46 - 148
o-Xylene	4.7	50.0	51.0	101%	46 - 148


ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 55357-55365



Analyst



Review



**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**

Client:	Williams	Project #:	04108-0136
Sample ID:	North Cox Canyon 200	Date Reported:	07-30-10
Laboratory Number:	55360	Date Sampled:	07-28-10
Chain of Custody No:	9848	Date Received:	07-29-10
Sample Matrix:	Soil	Date Extracted:	07-30-10
Preservative:		Date Analyzed:	07-30-10
Condition:	Intact	Analysis Needed:	TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	55.1	10.4

ND = Parameter not detected at the stated detection limit

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: CC 200 BGT Spill


Analyst


Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Client:	Williams	Project #:	04108-0136
Sample ID:	West Cox Canyon 200	Date Reported:	07-30-10
Laboratory Number:	55361	Date Sampled:	07-28-10
Chain of Custody No:	9848	Date Received:	07-29-10
Sample Matrix:	Soil	Date Extracted:	07-30-10
Preservative:		Date Analyzed:	07-30-10
Condition:	Intact	Analysis Needed:	TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	77.4	10.4

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: CC 200 BGT Spill


Analyst


Review



**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**


Client:	Williams	Project #:	04108-0136
Sample ID:	North West Cox Canyon 200	Date Reported:	07-30-10
Laboratory Number:	55362	Date Sampled:	07-28-10
Chain of Custody No:	9848	Date Received:	07-29-10
Sample Matrix:	Soil	Date Extracted:	07-30-10
Preservative:		Date Analyzed:	07-30-10
Condition:	Intact	Analysis Needed:	TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	129	10.4

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: CC 200 BGT Spill


Analyst


Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS
QUALITY ASSURANCE REPORT

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	07-30-10
Laboratory Number:	07-30-TPH.QA/QC 55361	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	07-30-10
Preservative:	N/A	Date Extracted:	07-30-10
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
	07-29-10	07-30-10	1,860	1,770	4.8%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	10.4

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	77.4	76.7	0.9%	+/- 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	77.4	2,000	1,860	89.5%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 55357-55364


Analyst


Review



Chloride

Client: Williams
Sample ID: North Cox Canyon 200
Lab ID#: 55360
Sample Matrix: Soil
Preservative:
Condition: Intact


Project #: 04108-0136
Date Reported: 07-30-10
Date Sampled: 07-28-10
Date Received: 07-29-10
Date Analyzed: 07-30-10
Chain of Custody: 9848

Parameter	Concentration (mg/Kg)
Total Chloride	30

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: CC 200 BGT Spill


Analyst


Review



Chloride


Client:	Williams	Project #:	04108-0136
Sample ID:	West Cox Canyon 200	Date Reported:	07-30-10
Lab ID#:	55361	Date Sampled:	07-28-10
Sample Matrix:	Soil	Date Received:	07-29-10
Preservative:		Date Analyzed:	07-30-10
Condition:	Intact	Chain of Custody:	9848

Parameter	Concentration (mg/Kg)
Total Chloride	20

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: CC 200 BGT Spill


Analyst


Review



Chloride


Client:	Williams	Project #:	04108-0136
Sample ID:	North West Cox Canyon 200	Date Reported:	07-30-10
Lab ID#:	55362	Date Sampled:	07-28-10
Sample Matrix:	Soil	Date Received:	07-29-10
Preservative:		Date Analyzed:	07-30-10
Condition:	Intact	Chain of Custody:	9848

Parameter	Concentration (mg/Kg)
Total Chloride	10

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: CC 200 BGT Spill


Analyst


Review

CHAIN OF CUSTODY RECORD

09848

Client: Williams			Project Name / Location: CC 200 B&T-Spill			ANALYSIS / PARAMETERS															
Client Address: 721 S. Main			Sampler Name: Walt Snyder			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE					Sample Cool	Sample Intact
Client Phone No.: 634-4241			Client No.: 04108-0130																		
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No./Volume of Containers	Preservative															
						HgCl ₂	HCl														
North Cox Canyon 200	7/29/10	11:16	55360	Soil Sludge	1-4oz																
West Cox Canyon 200	7/29/10	11:16	55361	Soil Sludge	1-4oz																
North West Cox Canyon 200	7/29/10	11:16	55362	Soil Sludge	1-4oz																
				Soil Sludge																	
				Soil Sludge																	
				Soil Sludge																	
				Soil Sludge																	
				Soil Sludge																	
				Soil Sludge																	
				Soil Sludge																	
Relinquished by: (Signature) Natasha Meador					Date 7/29/10	Time 1:45		Received by: (Signature) [Signature]					Date 7/29/10		Time 1:45 PM						
Relinquished by: (Signature)								Received by: (Signature)													
Relinquished by: (Signature)								Received by: (Signature)													



envirotech
Analytical Laboratory

5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com