District I 1625 N French Dr , Hobbs, NM 88240

District II 1301 W. Grand Ave., Artesia, NM 88210 District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd , Aztec, NM 87410 <u>District IV</u> 1220 S St Francis Dr , Santa Fe, NM 87505	Santa I	Fe, NM 87505		exceptions submit to the Santa Fe ice and provide a copy to the trict Office
1220 5 St Hailers Di , Santa Le, 14W 87505	Pit, Closed-Loop S	system, Below-C	Grade Tank, or	
Prope	•	•	Closure Plan Applic	ation
Type of action:	Permit of a pit, closed-	loop system, below-gr	ade tank, or proposed alterna	ntive method
Type of action.	<b></b>		rade tank, or proposed alterr	•
	Modification to an exis		, , ,	
	Closure plan only subr		ermitted or non-permitted pi	it, closed-loop system,
Instructions: Please submit one a	oplication (Form C-144) pe	er individual pit, close	d-loop system, below-grade	tank or alternative request
			tions result in pollution of surface wa licable governmental authority's rules	
Operator: ConocoPhillips Company	v		OGRID#: 217817	
Address: PO Box 4289, Farmingto				
Facility or well name: Bloomfield C	Canyon Federal 1			
API Number: 30	)-045-09045	OCD Permit N	lumber	
U/L or Qtr/Qtr: D(NW/NW) Section	on: 35 Township:	30N Range:	11W County: Sai	n Juan
Center of Proposed Design: Latitude	36.772998	°N Longitude:	107.966 °V	V NAD: X 1927 1983
Surface Owner: X Federal	State Privat	e Tribal Trust or l	Indian Allotment	
Lined Unlined Li		mil LLDPE Volume		RCVD APR 18'12 OIL CONS. DIV. DIST. 3  therxwxd
Type of Operation. X P&A  Drying Pad X Above Grou  Lined Unlined Line		tice of intent)	nes to activities which require p	
Below-grade tank: Subsection I Volume b Tank Construction material Secondary containment with leak de Visible sidewalls and liner	bl Type of fluid	walls, liner, 6-inch lift and	d automatic overflow shut-off	
Liner Type Thickness  5 Alternative Method: Submittal of an exception request is req	mil HDPE	PVC Other		onsideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins.  Four foot height, four strands of barbed wire evenly spaced between one and four feet	titution or chu.	rch)
Alternate. Please specify		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19 15 3.103 NMAC		
9  Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		•
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	provai
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting) 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	∐Yes	∐No
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Writton confirmation or very freetien from the municipality. Writton confirmation or very freetien from the municipality.	Yes	No
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site</li> </ul>	Yes	No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological	Yes	No
Society; Topographic map  Within a 100-year floodplain  - FEMA map	Yes	□No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Underscaled in Parent (Polovic goods Torks)   beside your the requirements of Parent (A) of Subsection P. of 10.15.17.9 NIMAC.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15.17.13 NMAC			
Previously Approved Design (attach copy of design)  APIor Permit			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9  NMAC and 19.15.17 13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC			
☐ Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15 17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Frosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15 17.13 NMAC			
14			
Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Book fill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC			
Site recommendation from - based upon the appropriate requirements of subsection 0 of 19.13 17.13 MMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16					
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-o Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cut facilities are required					
	Permit #				
	Permit #.				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 I	7.13 NMAC				
17					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions. Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of certain siting criteria may require administrative approval from the appropriate district office or may be considered office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please references.	ed an exception which must be submitted to the Santa Fe Environmental Bur				
Ground water is less than 50 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - (WATERS database search, USGS) Data obtained from nearby w	vells N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby we	ells N/A				
Ground water is more than 100 feet below the bottom of the buried waste	☐Yes ☐No				
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby w					
- NW Office of the State Engineer - Tw ATEKS database scalen, 0303, Data obtained from healthy wi					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse ord (measured from the ordinary high-water mark)	lakebed, sinkhole, or playa lake Yes No				
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time - Visual inspection (certification) of the proposed site, Aerial photo, satellite image					
	Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households us purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the propose	he initial application.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under pursuant to NMSA 1978, Section 3-27-3, as amended					
- Written confirmation or verification from the municipality, Written approval obtained from the munic					
<ul> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification)</li> </ul>	of the proposed site				
Within the area overlying a subsurface mine	YesNo				
Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area	Yes No				
Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, US Topographic map					
Within a 100-year floodplain - FEMA map	Yes No				
18					
On-Site Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of the following is by a check mark in the box, that the documents are attached.	items must bee attached to the closure plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of	19 15 17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings of	or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC					

Form C-144 Oil Conservation Division

19 Operator Application Cartifications					
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief					
Name (Print) Title					
Signature Date					
e-mail address Telephone.					
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 4/9/20/2  Title: OCD Permit Number:					
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC  Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  X Closure Completion Date: 4/12/2012					
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain					
23					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.					
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B					
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?					
Yes (If yes, please demonstrate compliane to the items below)					
Required for impacted areas which will not be used for future service and operations					
Site Reclamation (Photo Documentation)					
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique					
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location Latitude Longitude NAD 1927 1983					
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan					
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN					
Signature. John Talona Date 4/17/2012					
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837					