District I 1625 N French Dr , Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210 District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

<u>instrict IV</u> 220 S St. Francis Dr., Santa Fe, NM. 87505 appropriate NMOCD District Office
Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499
acility or well name: Lewis Park 1
API Number: 30-045-29855 OCD Permit Number
J/L or Qtr/Qtr: P(SE/SE) Section: 13 Township: 31N Range: 8W County: San Juan
Center of Proposed Design: Latitude: 36.89283 °N Longitude: 107.62162 °W NAD: X 1927 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary
X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material. Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thicknessmil HDPE PVC Other
Alternative Method: Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify			
7 . Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15.17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15.3.103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Siting Criteria (regarding permitting) 19 15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	Yes No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland.	Yes No		
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.	Yes No		
 Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological 	Yes No		
Society; Topographic map Within a 100-year floodplain	Yes No		
- FEMA map	_		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19 15.17 9 NMAC and 19.15 17.13 NMAC			
Previously Approved Design (attach copy of design) API			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9			
NMAC and 19.15 17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15 17 13 NMAC			
14 <u>Proposed Closure:</u> 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tar	ks or Haul-off Bins Only: (19 15 17 13 D NMAC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluid facilities are required	and drill cuttings Use attachment if more than two			
Disposal Facility Name Disp	osal Facility Permit #.			
	osal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate re Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	I of 19 15.17 13 NMAC	С		
17 Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NMAC Instructions Each string criteria requires a demonstration of compliance in the closure plan Reco	nimendations of acceptable source material are provided h	nelow Requests regarding changes to		
certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained	from nearby wells	Yes No		
Ground water is between 50 and 100 fect below the bottom of the buried waste		☐Yes ☐No		
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained f	rom nearby wells	□ N/A		
Ground water is more than 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained f	rom nearby wells	□ N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant w (measured from the ordinary high-water mark)	atercourse or lakebed, sınkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site		Пу Пы.		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existent - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	ce at the time of initial application	∐Yes ∐No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence a - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	t the time of the initial application			
Within incorporated municipal boundaries or within a defined municipal fresh water well field pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No		
 Written confirmation or verification from the municipality, Written approval obtained f Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection 		Yes No		
Within the area overlying a subsurface mine	(commeanor) or the proposed site	Yes No		
- Written confirantion or venification or map from the NM EMNRD-Mining and Mineral	Division			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Topographic map	Resources, USGS, NM Geological Society,	∐Yes ∐No		
Within a 100-year floodplain - FEMA map		Yes No		
18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requ	airements of 19 15.17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17 13 NMAC				

Page 4 of 5

Form C-144 Oil Conservation Division

19 Operator Application Certification:		
1 hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief		
Name (Print) Title		
Signature Date		
e-mail address Telephone		
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)		
Approvai Date. The Approvai Date.		
Title: Con Dance Chock Och Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC		
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure		
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
X Closure Completion Date: 8/31/2009		
Closure Method:		
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)		
If different from approved plan, please explain		
23		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:		
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B		
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?		
Yes (If yes, please demonstrate compliane to the items below)		
Required for impacted areas which will not be used for future service and operations		
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
24		
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in		
the box, that the documents are attached.		
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)		
Plot Plan (for on-site closures and temporary pits)		
Confirmation Sampling Analytical Results (if applicable)		
Waste Material Sampling Analytical Results (if applicable)		
Disposal Facility Name and Permit Number		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		
On-site Closure Location Latitude Longitude NAD 1927 1983		
25		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that		
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan		
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN		
Signature Solut Taloya Date 4/12/12		
e-mail address <u>crystal tafoya@conocophfllips com</u> Telephone. (505) 326-9837		