District I 1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

District III

State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request environment Nor does approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances 1 Operator: ConocoPhillips Company OGRID#: 217817 Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Blanco 201A API Number: 30-045-32844 OCD Permit Number U/L or Qtr/Qtr: D(NW/NW) Section: 35 Township: 31N Range: 8W County: San Juan	
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances Operator: ConocoPhillips Company	
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances Operator: ConocoPhillips Company	
Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances 1 Operator: ConocoPhillips Company OGRID#: 217817 Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Blanco 201A API Number: 30-045-32844 OCD Permit Number	
below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances 1 Operator: ConocoPhillips Company OGRID#: 217817 Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Blanco 201A API Number: 30-045-32844 OCD Permit Number	
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances 1 Operator: ConocoPhillips Company OGRID#: 217817 Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Blanco 201A API Number: OCD Permit Number	
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. 1 Operator: ConocoPhillips Company Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Blanco 201A API Number: 30-045-32844 OCD Permit Number	t
Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Blanco 201A API Number: 30-045-32844 OCD Permit Number	
Facility or well name: Blanco 201A API Number: 30-045-32844 OCD Permit Number	_
API Number: 30-045-32844 OCD Permit Number	_
	_
U/L or Qtr/Qtr: D(NW/NW) Section: 35 Township: 31N Range: 8W County: San Juan	_
	_
Center of Proposed Design: Latitude: 36.85929 °N Longitude: 107.65017 °W NAD: X 1927 198	3
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment	
Permanent Emergency Cavitation P&A DIST. 3 String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D	
Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D	
X Closed-loop System: Subsection H of 19.15 17 11 NMAC Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other	
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thicknessmil HDPE PVC Other	
5 Alternative Method: Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	

Form C-144

Oil Conservation Division

Page I of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)						
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)						
Four foot height, four strands of barbed wire evenly spaced between one and four feet						
Alternate Please spectfy						
Netting: Subsection E of 19.15 17.11 NMAC (Applies to permanent pits and permanent open top tanks)						
Screen Netting Other						
Monthly inspections (If netting or screening is not physically feasible)						
8 Signs: Subsection C of 19 15 17 11 NMAC						
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
X Signed in compliance with 19 15 3 103 NMAC						
^						
Administrative Approvals and Exceptions:						
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance						
Please check a box if one or more of the following is requested, if not leave blank:						
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)						
Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval						
10 Siting Criteria (regarding permitting): 19.15.17.10 NMAC						
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable						
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for						
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria						
does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	∏Yes	□No				
(measured from the ordinary high-water mark).		_				
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)						
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No				
(Applied to permanent pits)	NA					
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image						
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No				
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality						
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No				
Within an unstable area.	Yes	□No				
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		ш .				
Society; Topographic map						
Within a 100-year floodplain - FEMA map	Yes Yes	∐No				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19.15.17 9 NMAC and 19 15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC					
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19 15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19 15 17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19.15.17.13 NMAC					
14					
Proposed Closure: 19 15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative					
Proposed Closure Method Waste Excavation and Removal					
X Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

16							
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required							
•	Disposal Facility Permit #	NM-01-0011 / NM-01-00	10B				
	Disposal Facility Permit #						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No							
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC							
17							
Siting Criteria (Regarding on-site closure methods only: 19 15 17.10 NMAC Instructions Each string criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance							
Ground water is less than 50 feet below the bottom of the buried waste			Yes No				
- NM Office of the State Engineer - IWATERS database search, USGS Data obta	uned from nearby wells		∐N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste			Yes No				
- NM Office of the State Engineer - 1WATERS database search, USGS; Data obta	ned from nearby wells		□ N/A				
Ground water is more than 100 feet below the bottom of the buried waste			— ∏Yes ∏No				
NM Office of the State Engineer - iWATERS database search, USGS, Data obta	ned from nearby wells		□N/A				
•	·						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	ant watercourse or lakebed, sii	nkhole, or playa lake	YesNo				
- Topographic map, Visual inspection (certification) of the proposed site			Пу Пы.				
Within 300 feet from a permanent residence, school, hospital, institution, or church in e - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	•	pplication	∐Yes ∐No				
			∐Yes ∐No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	ence at the time of the initial ap	_					
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended		ipal ordinance adopted	Yes No				
- Written confirmation or verification from the municipality, Written approval obta	ined from the municipality						
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspe	ection (certification) of the pro	noced cite	YesNo				
Within the area overlying a subsurface mine	certain (certain eaction) of the pro	poscu site	∏Yes ∏No				
Written confiramtion or verification or map from the NM EMNRD-Mining and M	Ineral Division						
Within an unstable area			Yes No				
- Engineering measures incorporated into the design, NM Bureau of Geology & Mi Topographic map	neral Resources, USGS, NM	Geological Society,					
Within a 100-year floodplain - FEMA map			Yes No				
18							
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.							
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC							
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC							
Construction/Design Plan of Burial Trench (if applicable) based upon the	ne appropriate requirements	of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC							
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC							
Confirmation Sampling Plan (if applicable) - based upon the appropriat	e requirements of Subsection	on F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requiremen	ts of Subsection F of 19 15	17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)							
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC							
Re-vegetation Plan - based upon the appropriate requirements of Subsection			1				
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC							

Operator Application Continue
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) CRYSTAL TAFOYA 7 Title STAFF REGULATORY TECHNICIAN
Signature Sal Tolona Date 4/16/12
e-mail address crystal tafoya@conocophillips.com Telephone (505) 326-9837
20 OCD Approval: Permit Application (including closure plan)
\sim
OCD Representative Signature: Approval Date:
Title: OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) No
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title
Signature Date
e-mail address Telephone

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.