1625 N French Dr , Hobbs, NM 88240

District II

1301 W. Grand Ave , Artesia, NM 88210

District III

1000 Rio Biazos Rd, Aztec, NM 87410

District IV

1220 S St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-C	<u> Frade Tank, or</u>				
Proposed Alternative Method Permit or Control Type of action: Permit of a pit, closed-loop system, below-grader and the state of the system of a pit, closed-loop system, below-grader and the system of the system	Closure Plan Application				
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method					
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method					
Modification to an existing permit					
	ermitted or non-permitted pit, closed-loop system,				
below-grade tank, or proposed alternative me					
Instructions: Please submit one application (Form C-144) per individual pit, closed					
Please be advised that approval of this request does not relieve the operator of liability should opera environment. Nor does approval relieve the operator of its responsibility to comply with any other appl					
	0.0010// 242045				
Operator: ConocoPhillips Company	OGRID#: <u>217817</u>				
Address: PO Box 4289, Farmington, NM 87499					
Facility or well name: San Juan 28-7 Unit 19	Limbon				
API Number: 30-039-07317 OCD Permit N					
U/L or Qtr/Qtr: G(SW/NE) Section: 25 Township: 28N Range: Center of Proposed Design: Latitude: 36.634861 °N Longitude:	7W County: Rio Arriba 107.52081 °W NAD: X 1927 1983				
Surface Owner: Federal State X Private Tribal Trust or I					
Pit: Subsection F or G of 19 15 17 11 NMAC	RCVD APR 23'12				
Temporary Drilling Workover	• • • • • • • • • • • • • • • • • • • •				
Permanent Emergency Cavitation P&A	OIL CONS. DIV.				
Lined Unlined Liner type Thickness mil LLDPE	HDPE PVC Other DIST. 3				
String-Reinforced					
Liner Seams Welded Factory Other Volume Volume	bbl Dimensions Lx Wx D				
3					
X Closed-loop System: Subsection H of 19 15 17 11 NMAC					
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Appl	lies to activities which require prior approval of a permit or				
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Appl notice of intent)	lies to activities which require prior approval of a permit or				
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Appl notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	· · · · · · · · · · · · · · · · · · ·				
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Appl notice of intent)	· · · · · ·				
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Appl notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other  Lined Unlined Liner type Thickness mil LLDPE	· · · · · ·				

Alternative Method:

Tank Construction material.

Secondary containment with leak detection

Thickness

Visible sidewalls and liner

Volume

Liner Type

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Other

PVC

bbl

Type of fluid

Visible sidewalls only

HDPE

Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

Other

Fencing: Subsection D of 19 15.17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, missing four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify  Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	titution or chur	rch)
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	aderation of ap	proval
Siting Criteria (regarding permitting): 19 15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes Yes	□ No
- Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐ Yes	No
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo, Satellite image</li> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applied to permanent pits)</li> </ul>	Yes	No
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Ycs	No
<ul> <li>NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes	No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes Yes	□ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society, Topographic map Within a 100-year floodplain  - FEMA map	Yes	□ No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17 13 NMAC					
Previously Approved Design (attach copy of design)  API  or Permit					
12					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC					
X Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC					
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC					
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9  NMAC and 19 15 17.13 NMAC					
Previously Approved Design (attach copy of design)  API					
Previously Approved Operating and Maintenance Plan API					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC					
☐ Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17 11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17 11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15 17 13 NMAC					
Proposed Cleanner, 10.15.17.12.NMAC					
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System					
Alternative					
Proposed Closure Method Waste Excavation and Removal					
X Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-Joan Systems That Utilize Above Group	ad Steel Tanks or Haul-off Rins On	lv: (19.15.17.13.D.NMAC)			
Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions Please identify the facility or facilities for the disposal of liquids, a facilities are required	drilling fluids and drill cuttings. Use	attachment if more than two	,		
Disposal Facility Name. Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #.	NM-01-0011 / NM-01-0	010B		
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #	NM-01-005			
Will any of the proposed closed-loop system operations and associated as  Yes (If yes, please provide the information No	ctivities occur on or in areas that i	vill not be used for future	service and		
Required for impacted areas which will not be used for future service and operation.  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of the Re-vegetation Plan - based upon the appropriate requirements.  Site Reclamation Plan - based upon the appropriate requirements.	propriate requirements of Subsecti Subsection Lof 19 15 17 13 NMA	С	AC		
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15 17 10  Instructions Each siting criteria requires a demonstration of compliance in the closur certain siting criteria may require administrative approval from the appropriate distrioffice for consideration of approval. Justifications and/or demonstrations of equivalent	e plan. Recommendations of acceptable ct office or may be considered an except	tion which must be submitted to			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Database search	nta obtained from nearby wells		Yes No .		
	Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby wells				
	Ground water is more than 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s (measured from the ordinary high-water mark)	Yes No				
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site, Aerial photo, satellite		oplication	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that I purposes, or within 1000 horizontal fee of any other fresh water well or spring, in - NM Office of the State Engineer - iWATERS database, Visual inspection (Within incorporated municipal boundaries or within a defined municipal fresh was pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approve	n existence at the time of the initial ap certification) of the proposed site iter well field covered under a munici	plication	Yes No		
Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map, Visua		posed site	Yes No		
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining	and Mineral Division		Yes No		
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society,			Yes No		
Topographic map Within a 100-year floodplain - FEMA map			∐Yes ∏No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions:	Each of the following items mus	t bee attached to the closi	ure plan. Please indicate,		
by a check mark in the box, that the documents are attached.	opriate requirements of 10 15 17	IO NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15.17 11 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection C of 19.15 17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC					

19				
Operator Application Certification:  I hereby certify that the information submitted with	this application is true, accurate	and complete to the h	est of my knowledge and belief	
	Busse	Title	Staff Regulatory Technic	ian
Signature /	P 13/1/12	Date	1.120112	
	onoconhilling com	Telephone	505-324-6104	
e-mail address <u>dollie i busse@cc</u>	nocopinips.com		303-324-0104	
20 OCD Approval: Permit Application (incl OCD Representative Signature:  Title: (Ance)  21 Closure Report (required within 60 days of a linstructions Operators are required to obtain an approved closure plan has been obtained and the cl	uding closure plan)  Closure completion: Subsection of the completion of the complet	OCD Pern  On K of 19 15 17 13 NMA  Implementing any closi  of the closure activities  oleted  Closure	Approval Date:  Approval Date:  nit Number:  Creactivities and submitting the selection Date:	4/24/2012  closure report The closure section of the form until an
Waste Excavation and Removal	On-site Closure Method	Alternative Closure	Method Waste Removal	(Closed-loop systems only)
If different from approved plan, please expla	un			
Closure Report Regarding Waste Remoyal Closu Instructions: Please identify the facility or facilities were utilized.  Disposal Facility Name  Disposal Facility Name  Were the closed-loop system operations and asso  Yes (If yes, please demonstrate complilane to the state of the	cated activities performed on coordinates below)	Disposal Facility Disposal Facility Disposal Facility or in areas that will no	ngs were disposed. Use attachn Permit Number Permit Number	nent if more than two facilities
Closure Report Attachment Checklist: In the box, that the documents are attached.  Proof of Closure Notice (surface owner Proof of Deed Notice (required for on-site Plot Plan (for on-site closures and temporal Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Num Soil Backfilling and Cover Installation Re-vegetation Application Rates and Selection Site Reclamation (Photo Documentation	and division)  te closure)  orary pits)  lts (if applicable)  sults (if applicable)  ber	ing items must be atta	iched to the closure report. Ple	ase indicate, by a check mark in
On-site Closure Location Latitude		_Longitude	NAD [	1927 1983
25 <u>Operator Closure Certification:</u> I hereby certify that the information and attachment the closure complies with all applicable closure req				nowledge and belief. I also certify that
Name (Print)	<u></u>	Title.		
Signature		Date:		
e-mail address		Telephone		

Form C-144 Oil Conservation Division

# ConocoPhillips Company Closed-loop Plans

### Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

#### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.